


KUPO GRIP

Lighting and Camera
Support Solutions



KUPO
NEVER LET GO

Kupo Grip was established in 2000 at the dawn of the new millennium. We are now celebrating our 22nd year as a leader in professional lighting and grip equipment for the photo, video and cine market. The success of Kupo Grip is a result of the commitment to those who work behind the scenes in motion pictures, television and photography. We consider you, the image-maker, a partner, integral to our innovative process. We greatly value your experience and listen carefully to both your needs and desires, which inspire us to create better tools to help you do your job with greater ease and efficiency. Kupo has forged its own path in the world of grip by crafting innovative tools with unparalleled quality, sought after and shaped by industry professionals worldwide. To meet these same professionals' needs, we offer numerous patented products including: Quick Release and locking C-Stands, Multi-Direction easy storage Click Stands, Auto Self-Locking Wind-Up Stands, Lever Lock and Release Devices, Anti-Slip Rosettes Friction Discs, for Max Arms, and Quick-Action Telescopic Hangers. All Kupo products have been painstakingly manufactured so you know you can count on their incredible strength and durability in the harshest of environments. They are so durable, in fact, that they create a history of their own through their many years of service. Moreover, the products reliability is accredited with certificates such as TUV-GS, CE, UL and CUL for several electrical products and the popular Wind-up stand, Clamps, Couplers and safety wire.

When it comes to your vision and your grip equipment, we like to say at **Kupo Grip: Never Let Go!** —



01 - 03	Guide to Symbols & Special Features	96 - 100	Special Adapters
04 - 09	Stand Quick Guide	101	GoPro Tripod Mounts
12 - 13	Lightweight & Kit Stands	102	T-12 Lamp Tube Mount
14	2 in 1 Stand & Single Handed Stand	103 - 105	Max Arm & Flex Arm & French Flag
15 - 18	Click Stand & Click Stand Bags	106	Hybrid Head & Mini Articulated Arm
19 - 20	Universal Stand & Baby Kit Stand & Shorty Stand	107 - 109	Rock's Arm & Vision Arm & Vision Lock
21	Universal Floor Stand & Runway Base Stand	110	Mini/ Midi Ball Head
22 - 26	Roller Stands	111	Quick Release Adapter & Camera Bracket & Camera Plate
27	Steel Baby Stands & High Baby Stand	112 - 116	Super Knuckle & Accessories & Car Window Mount
28 - 29	Combo Stands	117	V - Lock
30 - 31	Cine Stands & Junior Boom Stand	118	Arri Rosette & Super Claw
32	Mighty Stands	119	Mounting Couplers
33	Tall Stand & Steel Senior Stand	120	Steadicam Stands
34 - 36	Wind-Up Stands & Followspot Stands	121	Gimbal Rod Clamp & Follow Focus Accessories
37 - 38	Jumbo Stand	122	Front Box & Mounting Plates
39 - 40	Slider Stand & Universal Track End & Monitor Stand	123 - 125	Apple Box & Hi Hat Board
41	High View Stand	126	A.C. Bag & A.C.Tools
42 - 48	C-Stands	127 - 129	T Marker & Sausage Marker & Cable Ties
49 - 51	Grip Heads & Grip Arms	130	Cable Holder & Heavy Duty Black Bungees
52	Grip Arm Support & Boomgrip	131 - 136	Suction Cups & Car Mount Accessories
53 - 54	Scrims / Flag Frames & Cookies	137 - 140	Cheese Plates & Mitchell Threaded Collar & Elemack Adapters
55 - 58	Overhead Stands & Grip Helper & Butterfly Frames	141 - 152	Coupler & Strut Channel Adapter
59	Casters & Stand Leg Protectors	153 - 154	Safety Wires & TV Coupler & Iron Casting Clamp
60 - 63	Big Boom & Lighting Booms	155 - 156	Telescopic Hangers
64	Pipe Boom Rig Kit	157 - 161	Kupole & Accessories & Background Paper Stand Set
65 - 66	Boom Accessories & Camera Mount Kit	162 - 163	3-Way Clamp & 4-Way Clamps & Accessories
67 - 68	Side Arm & Quick Action Pipe Clamp & Offset Arm	164 - 166	Foamcore Fork & Poly Holder & Spring Clamps
69 - 70	Headers & T- Bar & Stand Extensions	167	Bagua (Multi Flash Bracket Adapter)
71 - 73	Super Viser Clamps & Mini Viser Clamps & Wall Spreader	168 - 170	Tethermate & Accessories
74	Chain Clamps & Gaffer Grips	171 - 174	VESA Montior Mounts & iMAC Mounts
75	Wall Plates	175 - 176	Padmate & Security Mounts & Projector Mounts
76	Mounting Plates & Quick Release Adapter Plates	177	Multi Sleeve Pouch & Gel Roll
77 - 80	Super Convi Clamps & Binocular Clamp	178 - 180	Sand Bags & Wrap & Go Shot Bags
81 - 84	Super Convi Clamp Accessories & Adapters	181 - 182	Stand Hangers & C- Stand Door Rack
85 - 90	16mm Male Adapters & 16mm Female Adapters	183	China Ball Brackets
91	28mm Male Adapters	184 - 190	Adapters Drawings
92 - 95	Swivel Adapters & Roly Poly		

NEVER LET GO



YOUTUBE
KUPO FACTORY
INTRODUCTION VIDEO

	Maximum Height	Minimum Operating Height	
	Maximum Load	Closed Length	
	Footprint Diameter	Weight	
	Stand Top	Suggested Caster (Optional Accessory)	

**Stand Top**

All Kupo lighting stands are available with industry standard top fixings of mounting lighthead and lighting accessories.

**T**

Compact lightweight aluminum stands with 5/8" (16mm) fixing top and 3/8"-16 screw thread.

**G**

4-1/2" grip head with additional offset 1-1/8" junior receiver (29mm).

**A**

5/8" (16mm) fixing baby stud.

**U**

1-1/8" junior receiver (29mm) fixing on stand top.

**S**

5/8" baby receiver (17.2mm) with detachable 5/8" baby stud (16mm)

**US**

1-1/8" junior receiver (29mm) with adapter for 5/8" (16.2mm) baby receiver.

**S2**

Dual 5/8" baby receiver (17.2mm) with detachable 5/8" baby stud (16mm)

**UE**

1-1/8" junior receiver (29mm) with ear ring.

**J**

Japanese type stand comes with I.D. 17.5mm female receiver top attachment.

**UW**

1-1/8" junior receiver (29mm) with wind bracing bracket.

**V**

Triple function universal top head with both 1-1/8" junior receiver (29mm) and 5/8" baby receiver (16.2mm). Extra multi direction 5/8" baby stud (16mm).


**SW**

5/8" baby receiver (17.2mm) with wind bracing bracket and camera bracket.

A FULL RANGE OF LOCKING MECHANISMS

Our stand riser column collars consist of pressure die-cast aluminum for strength and durability, that incorporates ergonomic locking knobs to hold and position the light exactly where it needs to be.





Unique bottom spider casting design means the folded stand can be free-standing.



Selected lightweight aluminum stand with aluminum clamping riser provides good elasticity.



Bottom spider casting with spring cushion to prevent jarring of the lamp filament. For those steel stands labeled with "spring cushion".



The all-aluminum casting knob comes with a stainless steel bolt for lightweight & long-lasting clamping operation.



Assembled for easy user maintenance where tightness can be adjusted, instead of fixed rivets.




Steel baby pin stand is welded directly to the top section instead of being pinned.



Double leg struts for extra strength and stability.



Selected stands come with velcro supplied to fasten the legs for better storage and cable management.



Stand leg is equipped with PA66 foot pad to protect both leg and ground.



Innovative compact top head with a multi-directional 16mm (5/8") light stud.



Leveling leg allows stand to remain vertical in certain circumstances.



Ear ring device for wind-bracing kit.



Upper spider casting with hanger pin for storage on the rack.




Stainless steel heli-coil insert is equipped inside the aluminum die-cast riser which provides a durable threaded hole.



Embossed end of stud in the aluminum tube with solid pin for a better stand stud mount.




A sizable brake shoe to ensure a much better lock off.









 Closed Length
  Maximum Height
  Minimum Operating Height

KS140811	KS140511	KS140211	KS080211	KS302011	KS140111	KS141211	KS140611		KS703312	KS704112		US-KS707412																																										
9kg 19.8lb	9kg 19.8lb	9kg 19.8lb	10kg 22lb	10kg 22lb	10kg 22lb	10kg 22lb	10kg 22lb	10kg 22lb	10kg 22lb	10kg 22lb	10kg 22lb	10kg 22lb																																										
T	A	S	S	US	S	A	A	T	A	A	T	T																																										
<table><tr><th>Model</th><th>Max Height (cm)</th><th>Max Height (in)</th></tr><tr><td>198</td><td>385</td><td>151.6"</td></tr><tr><td>195</td><td>385</td><td>151.6"</td></tr><tr><td>175M</td><td>213</td><td>83.9"</td></tr><tr><td>090</td><td>277</td><td>9ft</td></tr><tr><td>356</td><td>13</td><td>5.12"</td></tr><tr><td>169M</td><td>290</td><td>114.2"</td></tr><tr><td>193</td><td>288</td><td>113"</td></tr><tr><td>195S</td><td>400</td><td>157.5"</td></tr><tr><td>CL-20M</td><td>190</td><td>74.8"</td></tr><tr><td>CS-20M</td><td>196</td><td>77.1"</td></tr><tr><td>CT-20M</td><td>172</td><td>67.7"</td></tr><tr><td>CL-30M</td><td>244</td><td>96.1"</td></tr><tr><td>CL-40M</td><td>313</td><td>123.2"</td></tr></table>													Model	Max Height (cm)	Max Height (in)	198	385	151.6"	195	385	151.6"	175M	213	83.9"	090	277	9ft	356	13	5.12"	169M	290	114.2"	193	288	113"	195S	400	157.5"	CL-20M	190	74.8"	CS-20M	196	77.1"	CT-20M	172	67.7"	CL-30M	244	96.1"	CL-40M	313	123.2"
Model	Max Height (cm)	Max Height (in)																																																				
198	385	151.6"																																																				
195	385	151.6"																																																				
175M	213	83.9"																																																				
090	277	9ft																																																				
356	13	5.12"																																																				
169M	290	114.2"																																																				
193	288	113"																																																				
195S	400	157.5"																																																				
CL-20M	190	74.8"																																																				
CS-20M	196	77.1"																																																				
CT-20M	172	67.7"																																																				
CL-30M	244	96.1"																																																				
CL-40M	313	123.2"																																																				
107cm 42.1"	107cm 42.1"	70cm 27.6"	106cm 41.7"	35.1cm 12.4"	101cm 39.8"	88cm 34.6"	108cm 42.5"	91cm 35.8"	91cm 35.8"	93cm 36.6"	108.5cm 42.7"	132.5cm 52.2"																																										
385cm 151.6"	385cm 151.6"	213cm 83.9"	277cm 9ft	13cm 5.12"	290cm 114.2"	288cm 113"	400cm 157.5"	190cm 74.8"	196cm 77.1"	172cm 67.7"	244cm 96.1"	313cm 123.2"																																										
114cm 44.9"	125.8cm 49.5"	70.5cm 27.8"	122cm 48"	-	100cm 39.37"	87cm 34.3"	124cm 48.9"	91cm 35.8"	87cm 34.3"	92.5cm 36.4"	108.5cm 42.7"	132.5cm 52.2"																																										
2.3kg 5lbs	2.48kg 5.47lbs	1.83kg 4.03lbs	2.7kg 5.95lbs	1.07kg 2.35lbs	2.2kg 4.8lbs	2.5kg 5.5lbs	3.3kg 7.28lbs	5.5kg 12.13lbs	5.6kg 12.3lbs	6.25kg 13.7lbs	6.1kg 13.4lbs	6.8kg 14.9lbs																																										
110cm 43.3"	110cm 43.3"	68.6cm 27"	110cm 43.3"	60cm 23.6"	109cm 42.9"	88cm 34.6"	112cm 44.1"	95cm 37.4"	95cm 37.4"	95cm 37.4"	95cm 37.4"	95cm 37.4"																																										
KC-080R (Optional)	KC-080R (Optional)	KC-080R (Optional)	-	-	KC-080R (Optional)	-	-	-	-	-	-	-																																										



 Closed Length
  Maximum Height
  Minimum Operating Height

KS101412	KS301612	KS301712	KS306212	KS101112	KS403411	KS705512	KS705312	KS200912	KS501311	KS301512	KS403512	KS401212
15kg 33lb	15kg 33lb	20kg 44lb	25kg 55lb	25kg 55.1lb	25kg 55lb	30kg 66.1lb	30kg 66.1lb	30kg 66.1lb	30kg 66lb	30kg 66lb	30kg 66lb	30kg 66.1lb
V	V	V	V	A	V	U	U	V	V	V	V	V
186M	360M	380M	370M	155M	473B	CT-SBS	CT-BS	228	546M	346M	483SH	483T
57cm 22.4"	126cm 49.6"	110cm 43.3"	71cm 27.95"	107cm 42.1"	155cm 61"	-	-	122cm 48"	160cm 63"	173cm 68.2"	152cm 59.84"	181cm 71.3"
101cm 39.8"	296cm 116.5"	203cm 80"	120cm 47.24"	420cm 165.4"	380cm 149.6"	35cm 13.8"	35cm 13.8"	230cm 90.6"	510cm 200"	380cm 149.6"	262cm 103.14"	380cm 149.7"
64.5cm 25.4"	-	-	81cm 31.89"	117.5cm 46.3"	149.5cm 58.9"	35cm 13.8"	35cm 13.8"	112cm 44.1"	166cm 65.4"	183cm 72"	132cm 51.96"	172.5cm 67.9"
4.5kg 10lbs	7.0kg 15.4lbs	7.8kg 17lbs	7.8kg 17lbs	8.0kg 17.6lbs	11.5kg 25.35lbs	3.3kg 7.2lbs	3.5kg 7.7lbs	8.9kg 19.62lbs	16.1kg 35.49lbs	15.6kg 34.4lbs	18.8kg 41.36lbs	22.8kg 50.2lbs
48cm 18.9"	100cm 39.37"	75cm 29.5"	75cm 29.52"	137cm 53.9"	102cm 40.2"	75cm 29.5"	95cm 37.4"	118cm 46.5"	134cm 52.8"	100cm 39.37"	128cm 50.39"	128cm 50.4"
-	KC-080R	KC-080R	KC-080R	-	-	-	-	KC-080R (Optional)	KC-100S KC-215S (Optional)	KC-080R	KC-100 (Optional)	KC-100 (Optional)

	KS302111	KS300312	KS301812	KS106111	KS101611	KS101711	KS301411	KS400212	KS200112	KS500112	KS500412	
	25kg 55lbs	32kg 70.4lbs	35kg 77.2lb	35kg 77lb	36kg 79.2lb	36kg 79.2lb	36kg 79.2lb	40kg 88lb	40kg 88.2lb	40kg 88.2lb	40kg 88.2lb	40kg 88.2lb
	A	A	V	UE	U	U	A	V	UE	V	V	V
400cm												
300cm												
200cm												
100cm												
0cm	74 94.5	88.6 87.2	92 90	115 130	68 58	101 97	125 132	36	109 92	132 112	143 140	150 149
	322M	162MB	310M	382M	161MB	160MB	163MB	340	470	226M	542M	543M
	74cm 29"	88.6cm 34.8"	92cm 36.2"	115cm 45.28"	68cm 26.80"	101cm 39.46"	125.3cm 49.33"	-	109cm 43"	132cm 52"	143cm 56.3"	150cm 59.0"
	190cm 74.8"	188.5cm 74.2"	205cm 80.7"	190cm 74.8"	115cm 45.27"	165cm 64.94"	203.4cm 80"	36.5cm 14.4"	147cm 57.9"	340cm 133.9"	350cm 137.8"	445cm 175.1"
	94.5cm 37.2"	87.2cm 34.3"	90cm 35.4"	130cm 51.19"	58cm 22.83"	97.5cm 38.4"	132.4cm 52.1"	-	92cm 36.2"	112.5cm 48.2"	140cm 55.1"	149cm 58.7"
	7.7kg 17lbs	6.8kg 14.96lbs	8.0kg 17.6lbs	14.1kg 31.0lbs	5.8kg 12.7lbs	8kg 17.6lbs	20.2kg 44.4lbs	5.4kg 12lbs	7.58kg 16.7lbs	10kg 22lbs	11.1kg 24.4lbs	12.5kg 27.5lbs
	75cm 29.5"	78cm 30.7"	104cm 40.9"	100cm 39.37"	80cm 31.50"	60cm 23.62"	132cm 51.9"	75cm 29.5"	110cm 43.3"	138cm 54.3"	138cm 54.3"	140cm 55.1"
	KC-080R	KC-100M (Optional)	KC-100S (Optional)	KC-080R	KC-100M (Optional)	-	KC-215S (Optional)	KC-080R	KC-100 (Optional)	KC-080R (Optional)	KC-100S KC-215S (Optional)	KC-100S KC-215S (Optional)

 Closed Length
  Maximum Height
  Minimum Operating Height

KS300112	KS600812	KS600412	KS600212	KS601312	KS400812	KS400612	KS706112	KS706412	KS301012	KS403212	KS706312
40kg 88.2lb	40kg 88.2lb	40kg 88.2lb	40kg 88.2lb	45kg 99.2lb	45kg 99.2lb	50kg 110.2lb	70kg 154lb	70kg 154lb	70kg 154.3lb	80kg 176.3lb	100kg 220lbs
V	G	G	G	V	UE	UE	UW	UW	U	UW	UW
428	633	430	594	477			610	470			
142	188	146	186	155	160	110	230	210		156	127.5
148	184	139	209	152	145	91	198	172	26	140	108
300M	620M	610MR	600MR	653M	482T	481	756	744	350	485	721
142cm 55.9"	188cm 74"	146cm 57.5"	186cm 73.2"	155cm 61"	160cm 63"	110cm 43.3"	2.3m 7.54'	2.1m 82.68"	-	156cm 61.4"	127.5cm 50.2"
428cm 168.5"	633cm 249.2"	430cm 169.3"	594cm 233.9"	477cm 187.8"	245cm 96.3"	145cm 57.1"	6.1m 20'	4.7m 185"	26cm 10.2"	270cm 106"	172cm 67.7"
148cm 58.3"	184.5cm 72.6"	139cm 54.7"	209cm 82.3"	152cm 59.8"	145cm 57"	91cm 35.8"	1.93m 6.33'	1.72m 67.7"	-	140.5cm 55.31"	108cm 42.52"
14.9kg 32.8lbs	20.3kg 44.7lbs	18kg 39.6lbs	18.5kg 40.7lbs	16.4kg 36.1lbs	18.1kg 40lbs	13.6kg 30lbs	71kg 156lbs	62kg 136lb	5.2kg 11.4lbs	34kg 4.8 lb	31.55kg 63.1lbs
129cm 50.8"	196cm 77.2"	156cm 61.4"	156cm 61.4"	174cm 68.5"	128cm 50.4"	110cm 43.3"	2.1m 7'	2.1m 7'	75cm 29.5"	130cm 51.20"	120cm 47.2"
KC-100S	KC-100G (Optional)	KC-100S	KC-100S	KC-100G (Optional)	KC-100 (Optional)	KC-100 (Optional)	KC-160	KC-160	KC-080R	KC-150(ST) KC-215A (Optional)	KC-160

STANDS

A full range of stands that are designed and manufactured to the highest standards of quality and durability to meet the harshest of environments.







013 Folding Base Mini Stand US-KS040111

Fold away backlite steel base and aluminum collars with 5/8" socket and KS-017. Universal 16mm light stud. Extension pole from 48cm to 80cm with 5/8" fixing top. Provides flexible mounting of lights from floor level to 85cm high. Folds flat for easy carrying and storage.

L	H	h	W	FWD	max	T
48cm 18.9"	85cm 33.46"	9cm 3.54"	1.37kg 3.02lbs	60cm 23.6"	3kg 6.6lbs	T



YOUTUBE
KUPO BACKLITE
BASE STAND (013 BS)



US-KS040211

013BS Backlite Base Stand

Fold away steel backlite base stand with KS-017 which is a 16mm with 3/8" and 1/4" thread. Designed for mounting the lighting fixture close to the floor or table.

H	h	W	FWD	max	T
9cm 3.54"	9cm 3.54"	1.0kg 2.2lbs	60cm 23.6"	15kg 33lbs	S



YOUTUBE
KUPO LOW MINI
STAND (033)

033 Low Mini Kit Stand US-KS041211

3 risers, 4 sections.

Dia.: 1", 7/8", 3/4", 5/8" / Leg dia.: 5/8"

Aluminum

With KS-052, adapter for female thread 3/8"-16 to male 1/4"-20. Designed for background lights.

L	H	h	W	FWD	max	T
40cm 15.75"	129cm 50.8"	61cm 24"	0.8kg 1.76lbs	45cm 17.8"	1.5kg 3.3lbs	T



YOUTUBE
KUPO HANDY
STAND (055)

055 Handy Stand US-KS041011

4 risers, 5 sections.

Dia.: 1-1/8", 1", 7/8", 3/4", 5/8"

Solid flat legs: 15mm x 5mm

Aluminum

With KS-052, adapter for female thread 3/8"-16 to male 1/4"-20. Perfect for a small lighting fixture on location, and the lightweight compact design makes it ideal for kits.

L	H	h	W	FWD	max	T
49cm 19.2"	227cm 89.3"	47.8cm 18.8"	1.18kg 2.6lbs	102cm 40.1"	2.5kg 5.5lbs	T

023 Midi Pro Stand US-KS040411

023AC Midi Pro Stand w/Air Cushion US-KS040511

2 risers, 3 sections.
Dia.: 1-1/8", 1", 7/8"
Leg dia.: 3/4"
Aluminum

						
86cm 33.9"	250cm 98.4"	105cm 41.3"	1.4kg 3.0lbs	109cm 42.9"	5kg 11lbs	T



YOUTUBE
**KUPO MIDI PRO STAND W/
AIR CUSHION (023AC)**



045 Medium Stand US-KS040911

4 risers, 5 sections.
Dia.: 1-1/8", 1", 7/8", 3/4", 5/8"
Leg dia.: 3/4"
Load: variable with height,
Maximum load 1kg / 2.2lbs at full extension.
Aluminum

						
95cm 37.4"	445cm 175.2"	116.5cm 45.8"	1.8kg 3.97lbs	109cm 42.9"	1kg 2.2lbs	T

034 Mini Kit Stand US-KS040611

3 risers, 4 sections.
Dia.: 1", 7/8", 3/4", 5/8"
Leg dia.: 5/8"
Aluminum

						
66cm 26"	236cm 93"	82cm 32.3"	1.1kg 2.4lbs	90cm 35.4"	4kg 8.8lbs	T

021R Two-in-One Stand

US-KS042311

4 risers, 5 sections.

Dia. 25mm, 22mm, 19mm, 16mm, 13mm

Solid flat legs: 15mm x 5mm

Aluminum



51.50cm
20.3"



220cm
86.6"



51.5cm
20.3"



1.06kg
2.33lbs



102cm
40.1"



1.5kg
3.3lbs



T



51cm
20.1"



190cm
74.8"

Single Pole (without the stand base)

Features a removable central pole which can be easily detached from the base and used as a boom. The Two-in-One Stand features an innovative locking design equipped in the side of the pole and base which allows insertion of the pole into the base and twists to securely lock. The pole is locked firmly until the spring release button on the side of the pole is pressed. The foldable legs also make the closed length of the stand ideal for traveling and storage into a backpack or carrybag.



Central column can be detached from the base.



Release button




Detachable



Folded length
51.5cm (20.3")



YOUTUBE
KUPO TWO-IN-ONE
STAND (021)



1. Can be used as a microphone boom.
2. Can be used as a flash boom.

028 Single Handed Stand

US-KS041811

3 risers, 4 sections.

Dia.: 1", 7/8", 3/4", 5/8"

Leg dia.: 5/8" / Aluminum



73.6cm
29"



247cm
97"



75.5cm
29.72"



1.24kg
2.73lbs



90cm
35.43"



3kg
6.6lbs



T

Kupo Single Handed Stand features automatically collapsing legs which offer quick setups and easy repositioning. The ability to quickly pick up and put down a light stand without having to open and close the stand legs makes it easy and safe for moving around in crowded locations. It also reduces the chance of accidentally bumping into things or people around you. This rugged aluminum light stand has a maximum height of 247cm (97") and a compact closed length of 73.6cm (29") making it ideal for storage and transportation. Another locking knob is built on the central column for keeping the legs in position when extreme quiet is demanded.



Pick it up, the legs drop straight down.



Folded length
73.6cm (29")



1. Locking knob.
2. Legs are locked while the knob is tightened.

PATENTED

A clever four-way interlocking mechanism offers the ideal solution for storage and transportation.



The interlocking mechanism allows the user to fold the stand flat and click it to another.



The unique four-way interlocking design provides no limits to stacking stands.



Bi-color injection knob offers a positive locking and ergonomic grip.



Interlocking mechanism makes it quick and easy to click to another stand.



YOUTUBE
KUPO CLICK STANDS



May stand alone when folded.



Optional strap with two clasps can be attached on the plastic locking loops, allowing hands-free carrying over the shoulder.

CXST01 | Optional shoulder strap.

US-KG080812



Double leg struts for extra stability and strength.



Quick-release clamp design for quick setup and easy for locking tension adjustment with the stainless steel phillips screw.

Features a clever interlocking mechanism that allows the user to fold the stand flat and click it to another in just a snap. The unique four-way interlocking design provides no limits to having stands together and keeping your kits well organized for storage and transport. Kupo Click Stands are constructed of a lightweight aluminum alloy which makes them ideal for location shoots or in the studio. Air-cushioning prevents lighting fixtures from accidentally slamming down if the locking knob is not tightened properly. The optional CXST01 strap can be attached on the locking loops to easily carry over the shoulder.

More features:

1. Bi-color injection knob offers a positive locking and ergonomic grip. Quick release clamp design on the central column for easy and quick setup.
2. Equipped with a 5/8" top stud with a 3/8" thread, plus a removable 1/4"-20 threaded top.
3. Double leg struts for extra stability and strength.
4. May stand alone when folded.



US-KS041611

070AC Mini Click Stand with Air Cushion

7ft Mini Click stand with 3 risers, 4 sections
Dia. 1", 7/8", 3/4", 5/8"
Leg Dia: 3/4"
With KS-052
Aluminum material

L	H	h	W	max	T
71cm 27.9"	213.36cm 7 feet	78.5cm 30.9"	1.1kg 2.42lbs	70cm 27.56"	4kg 8.8lbs



US-KS041711

080AC Midi Click Stand with Air Cushion

8ft Midi Click stand with 2 risers, 3 sections
Dia. 1", 7/8", 3/4"
Leg Dia: 3/4"
With KS-052
Aluminum material

L	H	h	W	max	T
89cm 35"	243.84cm 8 feet	104.5cm 41.1"	1.3kg 2.86lbs	109cm 42.9"	5kg 11lbs

In addition to the clever interlocking mechanism that allows the stands to be linked to another in just a snap, Click Stands also feature a detachable central pole which can be easily removed from base and used as a boom stick. Ideal for mobile lighting on location so that you can go anywhere and position the light in any way you need. The innovative central pole spring locking design is equipped in the side of the pole which allows an effortless twist-to-lock the pole inside the base. The central pole will be locked firmly until the spring release button is pressed.

More features:

1. Aluminum die-casting riser and stainless heli-coil insert provides a durable thread hole.
2. Aluminum die-casting knob with stainless steel bolt for a long-lasting clamping operation.
3. A sizable brake shoe to ensure positive lock off.
4. Assembled by nuts & bolts instead of fixed rivets for easier maintenance and tightness.



YOUTUBE
KUPO SNAP STAND
(CLICK STAND SERIES)
(090 & 121)




A clever interlocking mechanism allows the user to fold the stand flat and simply click it to another.

090 **US-KS080211**
9ft Click Stand w/ Removable Center Column

9ft Click Stand with 2 riser, 3 sections
Dia.35mm, 30mm, 25mm
Leg Dia. 22mm

106cm 41.7"	277cm 9 feet	122cm 48"	2.7kg 5.95lbs	110cm 43.3"	10kg 22lbs	S2

Telescopic central pole of 090:




100cm 39.4"	255cm 100.4"	1.5kg 3.3lbs

121 **US-KS080311**
12ft Click Stand w/ Removable Center Column

12ft Click Stand with 3 riser, 4 sections
Dia.35mm, 30mm, 25mm, 20mm
Leg Dia. 22mm


107cm 42.1"	366cm 12 feet	127.5cm 50"	3kg 6.6lbs	110cm 43.3"	9kg 19.8lbs	A

Telescopic central pole of 121:



105cm 41.5"	347cm 136"	1.77kg 4lbs

More Features:



Central column can be detached from the base.



Release button



Application:

Made of sturdy 1,000 D Cordura Nylon with a moderately padded interior, Kupo light stand bags are made to store or carry your light stands on location with ease. The adjustable wide shoulder strap allows comfortable hands-free carrying over the shoulder. The additional handles make it easy to carry the bag horizontally when you have a backpack full of gear. The sturdy dual zipper can be placed in either the open or closed position. The wrap-around zipper provides a large opening making it easy to get stands in and out of the bag. A great bag to handle all of your light stand needs.



US-KG026711

KSB-030 Click Stand Bag (Small) **W** 770g 1.7lbs

Allows up to 4 Kupo Click stands up to 89cm (35").
Interior Dimensions: 35.43 x 7.09" (L: 90 x D: 18cm)



US-KG026811

KSB-036 Click Stand Bag (Large) **W** 840g 1.86lbs

Allows up to 3 Kupo Click stands up to 107cm (42.1").
Interior Dimensions: 43.31 x 7.87" (L: 110 x D: 20cm)

More features:

1. Padded on the top and bottom helps keep your stands protected.
2. Additional inner pouch provides extra space for storing accessories.
3. The additional handles make it easy to carry the bag horizontally.
4. A pull strap at the bottom of the bag for easy removal from overhead bins.



YOUTUBE
KUPO CLICK STAND
& SNAP STAND BAGS
(KSB-030 & KSB-036)





YOUTUBE
KUPO UNIVERSAL
STAND (198)



US-KS140811 / US-KS140911

198 Universal Stand / 198AC w/Air Cushion

3 risers, 4 sections.
Dia.: 35mm, 30mm, 25mm, 20mm
Leg Dia.: 22mm
Aluminum material

107cm 42.1"	385cm 151.6"	114cm 44.9"	2.44kg 5.38lbs	110cm 43.3"	9kg 19.8lbs	T	KC-080R (Optional)



194 Midi-Baby Kit Stand **US-KS106311**

3 risers, 4 sections
Dia.: 35mm, 30mm, 25mm, 20mm
Leg Dia.: 22mm
Aluminum material / Welded stand top

90cm 35.43"	315cm 124"	89.5cm 35.23"	2.4kg 5.3lbs	96cm 37.7"	9kg 19.8lbs	A	KC-080R (Optional)



YOUTUBE
KUPO BABY
KIT STAND (195)



195 Baby Kit Stand **US-KS140511**

3 risers, 4 sections.
Dia.: 35mm, 30mm, 25mm, 20mm
Leg Dia.: 22mm
Aluminum material
Welded stand top

107cm 42.1"	385cm 151.6"	125.8cm 49.5"	2.48kg 5.47lbs	110cm 43.3"	9kg 19.8lbs	A	KC-080R (Optional)



YOUTUBE
KUPO BABY KIT STAND W/
SQUARE TUBULAR LEGS (195S)



US-KS140611

195S Baby Kit Stand w/ Square Tubular Legs

3 risers, 4 sections.
Dia.: 35mm, 30mm, 25mm, 20mm
Leg size.: 22mm x 22mm
Aluminum material
With 1 leveling leg
Welded stand top

108cm 42.5"	400cm 157.5"	124cm 48.9"	3.3kg 7.28lbs	112cm 44.1"	10kg 22lbs	A

169M Classic Stand US-KS140111

2 risers, 3 sections.
Dia.: 35mm, 30mm, 25mm
Leg Dia.: 22mm
Aluminum material
w/KS-017 Universal 16mm light stud.

							
101cm 39.8"	290cm 114.2"	100cm 39.37"	2.2kg 4.8lbs	109cm 42.9"	10kg 22lbs	S	KC-080R (Optional)



YOUTUBE
KUPO BABY
KIT STAND (193)



175M Shorty Stand US-KS140211

3 risers, 4 sections.
Dia.: 35mm, 30mm, 25mm, 20mm
Leg Dia.: 22mm
Aluminum material
w/KS-017 Universal 16mm light stud.

							
70cm 27.6"	213cm 83.9"	70.5cm 27.8"	1.83kg 4.03lbs	73cm 28.74"	9kg 19.8lbs	S	KC-080R (Optional)

193 Medium Baby Kit Stand w/Square Tubular Legs US-KS141211

3 risers, 4 sections
Dia. 35mm, 30mm, 25mm, 20mm
Leg size: 22mm x 22mm
Aluminum material
With one leveling leg
With welded stand top

						
88cm 34.6"	288cm 113"	87cm 34.3"	2.5kg 5.5lbs	88cm 34.6"	10kg 22lbs	A



US-KS302011

356 Universal Floor Stand

Low profile, lightweight compact folding floor stand. Constructed with anodized aluminum legs and central column with die-casting leg mounts. Designed for a 28mm spigot, or a 16mm spigot with supplied adapter.

35.1cm 12.4"	13cm 5.12"	1.07kg 2.35lbs	60cm 23.6"	10kg 22lbs	US



US-KS302211

356-A2816

28mm to 16mm adapter is supplied with 356 stand (optional to 355 stand)
Weight: 40g (1.41oz)



Detachable adapter for converting junior receiver (28mm) to baby receiver (16mm) is included.



May stand alone with legs folded.



US-KS301012

350 Runway Base Stand

The chrome plated steel Runway Base Stand is a low rolling stand base designed to work with large lighting fixtures. Adding an extension column to the junior 1-1/8" (28mm) receiver can easily create a mobile rolling stand. The leg design allows the Runway Base to be folded parallel to one another for easy storage and transportation.

26cm 10.2"	5.2kg 11.4lbs	75cm 29.5"	70kg 154.3lbs	U



YOUTUBE
KUPO RUNWAY
BASE STAND (350)



Junior receiver w/
extension tube.



Folds for storage & travel.

The Kupo 340 Roller Base Stand with wheels is specifically designed for lighting fixtures that need to be placed in low positions. Features a quick-release locking system equipped on each leg for folding and unfolding the stand within seconds. It also comes with a universal stand top that allows it to fit into any fixture. Comes with a junior pin or baby receiver. Meanwhile, your own rolling stand is available by simply adding a century stand column into the junior receiver (28mm socket). One leg is supplied with a leveling device for adjusting the stand on uneven ground. One extendable leg (additional 12cm / 4.7") is designed for allowing an increase to the loading capability while connecting a boom arm.



YOUTUBE
KUPO ROLLER
STAND BASE (340)



YOUTUBE
QUICK-ACTION ROLLER
STAND FOLD-UP
BASE(340)



US-KS301411

340 Roller Stand Base

1 leveling leg
1 extendable leg (additional 12cm)
Quick-action spring / Locking system

L	H	W	FOOT	MAX	T
35.5cm 14"	36.5cm 14.4"	5.4kg 12lbs	75cm 29.5"	40kg 88lbs	V




Pull spring locking device to release.




Push down the leg to lock.

Features:



Additional 12cm / 4.7" extended (one leg).



Quick-action spring locking system.



Quick-action folding legs.



Leveling leg (one leg).



Low profile base for easy positioning.



Universal stand top.

Steel column roller stand with the braked wheel allows you to get your lights mobile in the studio or on location with ease and convenience. It features an 8ft chrome plated steel tube and a spring-loaded sliding arm which can be mounted with a lighting fixture, camera, Tethermate or anything with baby pin/receiver. The height of the sliding arm can be quickly adjusted with only one hand from floor level to the top of column. The fold-away base with wheels can be removed easily to facilitate storage or transport.

US-KS301912

390M Steel Column Roller Stand

Dia. 35mm
1 leveling leg
1 extendable leg (additional 12cm / 4.7")
Chrome Plated Steel
1 KS-190 Sliding Arm included
8ft (240cm) high column assembled
by two 4ft (120cm) high columns.

124cm
48.9"

260cm
102.4"

8.8kg
19.4lbs

100cm
39.37"

8kg
17.6lbs



KD-C25P cable clip x 1 pc included.



The spring-loaded sliding arm comes with a 5/8" baby stud which allows mounting of a light that can be glided into position easily with only one hand. Designed to fit onto the Kupo 390M steel column stand or any column of 35mm diameter.

KS-190

US-KG015711

Ideal for
docking camera

Allows for additional
arms (sold separately) ▶

5/8" baby pin with
1/4"-20 male thread fits ▶
most monolight heads.

Fold-away base for easy
storage and transportation. ▼

Braked wheels for smooth
movement and security. ▶

◀ Spring-loaded trigger
sliding arm makes it
easy for height
adjustability.

◀ The floor low position.



8ft (240cm) steel column
assembled with two 4ft
(120cm) columns via an
allen wrench screw. ▶

US-KS301512

346M Junior Boom Roller Stand

3 riser, 4 section

Dia. 45, 40, 35, 30mm

1 leveling leg

1 extendable leg (additional 12cm / 4.7")

Black steel base, Chrome steel sections

Features pivoting collar allowing for use either as a standard light stand or boom

L	H	h	W	max	max	T
173cm	380cm	183cm	15.6kg	100cm	30kg	V
68.2"	149.6"	72"	34.4lbs	39.37"	66lbs	



YOUTUBE
KUPO 2-SCT LOW BASE
WIND-UP STAND (382M)



382M 2 SCT Low Base Wind-Up Stand

1 riser, 2 section

Dia. 55, 45mm

1 leveling leg

1 extendable leg (additional 12cm / 4.7")

Black steel base, Chrome steel sections

US-KS301812

L	H	h	W	max	max	T
115cm	190cm	130cm	14.1kg	100cm	35kg	UE
45.28"	74.8"	51.19"	31lbs	39.37"	77lbs	

370M Lowboy Junior Roller Studio Stand

2 riser, 3 section

Dia. 45, 40, 35mm

1 leveling leg

1 extendable leg (additional 12cm / 4.7")

Black steel base

Chromed plated steel section (45mm)

Anodized aluminum sections (40 & 35mm)

US-KS306212

L	H	h	W	max	max	T
71cm	120cm	81cm	7.8kg	75cm	25kg	V
27.95"	47.24"	31.89"	17lbs	29.52"	55lbs	




US-KS301612

360M Aluminum Studio Stand

2 riser, 3 section
 Dia. 35, 30, 25mm
 1 leveling leg
 1 extendable leg (additional 12cm / 4.7")
 Black steel base, black anodized
 Aluminum sections

L	H	W	FOFO	max	T
126cm 49.6"	296cm 116.5"	7.0kg 15.4lbs	100cm 39.37"	15kg 33lbs	V


US-KS301712

380M Steel Studio Stand

1 riser, 2 section
 Dia. 35, 30mm
 1 leveling leg
 1 extendable leg (additional 12cm / 4.7")
 Black steel base,
 Chrome steel sections

L	H	W	FOFO	max	T
110cm 43.3"	203cm 80"	7.8kg 17lbs	75cm 29.5"	20kg 44lbs	V

300M High Roller Stand

US-KS300112

3 risers, 4 sections.
Dia.: 45mm, 40mm, 35mm, 30mm
Leg: 25mm x 25mm
Chrome plated steel
with KC-100S caster
Spring cushioned

L	H	h	W	FOLD	max	T
142cm	428cm	148cm	14.9kg	129cm	40kg	V
55.9"	168.5"	58.3"	32.8lbs	50.8"	88.2lbs	

May stand alone with legs folded.



YOUTUBE
KUPO HIGH ROLLER
STAND (300M)



YOUTUBE
KUPO BABY ROLLER
STAND (320M)



320M Baby Roller Stand

US-KS300712

2 risers, 3 sections.
Dia.: 35mm, 30mm, 25mm
Leg: 22mm x 22mm
Chrome plated steel
with KC-080S caster

L	H	h	W	FOLD	max	T
114cm	270cm	124cm	7.48kg	106cm	12kg	A
44.9"	106.3"	48.8"	16.49lbs	41.7"	26.5lbs	

330M High Baby Roller Stand

US-KS300812

3 risers, 4 sections.
Dia.: 40mm, 35mm, 30mm, 25mm
Leg: 22mm x 22mm
Chrome plated steel
with KC-080S caster

L	H	h	W	FOLD	max	T
130cm	420cm	138cm	10kg	110cm	12kg	A
51.2"	165.4"	54.3"	22lbs	43.3"	26.5lbs	



US-KS100312

135M Midi-Max Kit Stand

3 risers, 4 sections.
Dia.: 35mm, 30mm, 25mm, 20mm
Leg Dia.: 22mm
Chrome plated steel

							
105cm 41.3"	350cm 137.8"	98cm 38.6"	5.6kg 12.3lbs	104cm 40.9"	13kg 28.7lbs	A	KC-080R (Optional)



US-KS100912

145M Heavy Duty Baby Stand

3 risers, 4 sections.
Dia.: 35mm, 30mm, 25mm, 20mm
Leg Dia.: 22mm
Chrome plated steel

							
115cm 45.3"	400cm 157.5"	135cm 53.1"	6.5kg 14.3lbs	120cm 47.2"	13kg 28.7lbs	A	KC-080R (Optional)



US-KS101112

155M High Baby Stand

3 risers, 4 sections.
Dia.: 35mm, 30mm, 25mm, 20mm
Leg: 22mm x 22mm with 1 leveling leg
Chrome plated steel

						
107cm 42.1"	420cm 165.4"	117.5cm 46.3"	8.0kg 17.6lbs	137cm 53.9"	25kg 55.1lbs	A



YOUTUBE
KUPO HIGH BABY
STAND (155M)

US-KS200511

227MB Master Combo Alu Senior - Black

2 risers, 3 sections.
 Dia.: 35mm, 30mm, 25mm
 Leg Dia.: 22mm
 With 1 leveling leg
 Aluminum material

							
122cm	315m	118cm	4.65kg	118cm	12kg	V	KC-080R (Optional)
48"	124"	46.5"	10.25lbs	46.5"	26.5lbs		



YOUTUBE
KUPO COMBO
ALU SENIOR STAND (227M)



US-KS200912

228 Master Combo Stand - Silver

1 riser, 2 sections.
 Dia.: 35mm, 30mm
 Leg dia.: 22mm
 With 1 leveling leg
 Chrome plated steel
 Spring cushioned

							
122cm	230m	112cm	8.9kg	118cm	30kg	V	KC-080R (Optional)
48"	90.6"	44.1"	19.62lbs	46.5"	66.1lbs		



US-KS200811

228MB Master Combo Stand w/ Casters - Black

1 riser, 2 sections.
 Dia.: 35mm, 30mm
 Leg dia.: 22mm
 With 1 leveling leg
 Black powder coated steel with KC-080R caster
 Spring cushioned

							
122cm	230m	112cm	8.98kg	118cm	30kg	V	
48"	90.6"	44.1"	19.7lbs	46.5"	66.1lbs		



US-KS200211

226MB Master Combo HD Stand-Black

2 risers, 3 sections.
 Dia.: 40mm, 35mm, 30mm
 Leg Dia.: 22mm
 with 1 leveling leg
 Spring cushioned
 Powder coated steel

L	H	h	W			T	
132cm 52"	340cm 133.9"	112.5cm 48.2"	10kg 22lbs	138cm 54.3"	40kg 88.2lbs	V	KC-080R (Optional)



YOUTUBE
 KUPO MASTER COMBO
 HD STAND (226M)

US-KS200112

226M Master Combo HD Stand-Silver

2 risers, 3 sections.
 Dia.: 40mm, 35mm, 30mm
 Leg Dia.: 22mm
 with 1 leveling leg
 Spring cushioned
 Chrome plated steel

L	H	h	W			T	
132cm 52"	340cm 133.9"	112.5cm 48.2"	10kg 22lbs	138cm 54.3"	40kg 88.2lbs	V	KC-080R (Optional)



YOUTUBE
KUPO MASTER
CINE STAND (542M)

US-KS500112 / US-KS501411

542M Master Cine Stand-Silver 542MB Master Cine Stand-Black

2 risers, 3 sections.
Dia.: 45mm, 40mm, 35mm
Leg : 25mm x 25mm
With 1 leveling leg
Silver: Chrome Plated Steel
Black: Powder Coated Steel



143cm
56.3"



350cm
137.8"



139.5cm
54.9"



11.1kg
24.4lbs



138cm
54.3"



40kg
88.2lbs



V



KC-100S
KC-215S
(Optional)



US-KS500412 / US-KS501211

543M Master High Cine Stand-Silver 543MB Master High Cine Stand-Black

3 risers, 4 sections.
Dia.: 45mm, 40mm, 35mm, 30mm
Leg: 25mm x 25mm
With 1 leveling leg
Silver: Chrome Plated Steel
Black: Powder Coated Steel



150cm
59.0"



445cm
175.1"



149cm
58.7"



12.5kg
27.5lbs



140cm
55.1"



40kg
88.2lbs



V



KC-100S
KC-215S
(Optional)

546M Junior Boom Stand US-KS501311

3 Risers 4 sections
Dia.: 45mm, 40mm, 35mm, 30mm
Leg: 25 x 25mm
Chrome Plated Steel
With one leveling leg

							
160cm 63"	510cm 200"	166cm 65.4"	16.1kg 35.49lbs	134cm 52.8"	30kg 66lbs	V	KC-100S KC-215S (Optional)

The Kupo 546M is a Junior Boom Stand that can support up to 66lbs (30kg). In addition to being a standard light stand for general use, it can easily be converted into a junior boom arm by pulling the central tube out from the stand. Constructed with chrome plated steel, square-end legs and a strong pivoting collar, the Kupo Junior Boom Stand offers stable support for a medium sized light fixture with a softbox or umbrella. One leveling leg is also equipped to stabilize the load on uneven terrain. The optional casters, KC-100S can be added for easy rolling of the stand.



Pivoting collar with adjustable lever handle allows the K-Stand to be easily used either as a standard light stand or boom.



The neck with dia. 14mm hole in the end of tube for counterweight.



YOUTUBE
KUPO JUNIOR BOOM
STAND (546M)



Triple function stand top with junior receiver, baby pin and baby receiver.



Downward position for baby stud.



Upright position for baby stud.

185M Low Mighty Baby Stand

US-KS101212

2 risers, 3 sections
Dia. 35mm, 30mm, 25mm
Leg: 22mm x 22mm
Chrome plated steel
With 1 leveling leg
Designed to be used with a heavy fixture placed at low level.



YOUTUBE
KUPO LOW MIGHTY
BABY STAND (185M)

L	H	h	W	max	T
57cm 22.4"	101cm 39.8"	56.6cm 22.3"	3.7kg 8.15lbs	48cm 18.9"	15kg 33lbs
					A



US-KS300312

310M Low Mighty Stand

2 risers, 3 sections.
Dia.: 45mm, 40mm, 35mm
Leg: 25mm x 25mm
Chrome plated steel
With 1 leveling leg



YOUTUBE
KUPO LOW MIGHTY
STAND (310M)

L	H	h	W	max	T	C
92cm 36.2"	205cm 80.7"	90cm 35.4"	8.0kg 17.6lbs	104cm 40.9"	35kg 77.2lbs"	KC-100S (Optional)
					V	

US-KS101412

186M Short Low Mighty Stand

2 risers, 3 sections
Dia. 35mm, 30mm, 25mm
Leg: 22mm x 22mm
Chrome plated steel
With 1 leveling leg
Designed to be used with a heavy lighting fixture placed at low level.



L	H	h	W	max	T
57cm 22.4"	101cm 39.8"	64.5cm 25.4"	4.5kg 10lbs	48cm 18.9"	15kg 33lbs
					V



US-KS403411

473B Tall Stand-Black

2 risers, 3sections.
 Dia.: 35mm, 30mm, 25mm
 Leg Dia.: 22mm
 With 1 leveling leg
 Powder coated steel
 Spring cushioned

Ideal smaller footprint for tighter spaces.
 Lightweight for easier transportation.

L	H	h	W			T
155cm 61"	380cm 149.6"	149.5cm 58.9"	11.5kg 25.35lbs	102cm 40.2"	25kg 55lbs	V



US-KS601312

653M Steel Senior Stand

3 risers, 4sections.
 Dia.: 50mm, 45mm, 40mm, 35mm
 Leg Dia.: 30mm
 With 1 leveling leg
 Chrome plated steel


L	H	h	W			T
155cm 61"	477cm 187.8"	152cm 59.8"	16.4kg 36.1lbs	174cm 68.5"	45kg 99.2lbs	V

Kupo wind-up stands are constructed with chrome plated steel and a geared column that enables a single operator to raise and lower heavy loads safely with just the turn of a handle. Both risers extend simultaneously at one elevation of 4.4cm per handle turn. The unique automatic self-locking mechanism is equipped to prevent the light stand from dropping unexpectedly making the operation safer. All metal parts are made of stainless steel making our wind-up stands more robust, sturdy, and with excellent resistance to corrosion.

PATENTED

The safety pin will automatically insert into the hole in the tube when the wind-up is used.

FEATURES OF WIND-UP STAND:



LOCK POSTION

The safety pin will insert automatically into the hole in the tube when the wind-up engages.



The stand top is mounted by a steel bolt through the top tube that insures sturdy and solid assembly.



UNLOCK POSITION

The inside spring will bring the safety pin back.



The crank handle folds back for travel. It also can be placed in between tripod legs to prevent the risers from falling accidentally if the lock is unexpectedly disengaged.



The tension of the brake shoe can be adjusted with an Allen wrench.



Velcro is supplied for better cable management.



Top section tube can be adjusted by stepping on the foot step.



By using the leveling leg the stand can be quickly leveled on uneven terrain.



Bright color warning sticker for safety operation.



Casters are optional for easily moving the stand. The stand foot is rugged zinc-casting. Dia.: 100mm with brake and M10 attachment. There are three in a set. (KC-100)



483-BP Base Plate

Optional accessory to be used when the stand has to be secured to the floor for safety reasons. Compatible with stand models: 481, 482T, 483T and 470. (Set of 3)



YOUTUBE
KUPO 3 SECTION
WIND UP STAND (483T)



YOUTUBE
KUPO BIG BOOM (KCP-636B) & 3 SECTION
WIND UP STAND (483T)

483T US-KS401212 3 SCT Wind-Up Stand w/Auto Self-Locking Device- Silver

3 sections. Dia.: 55mm, 45mm, 38mm. Leg Dia.: 30mm.
2 risers extend simultaneously at one elevation of 4.4cm per handle turn.
Safety cable ensures simultaneous retrieval of all sections.
Chrome plated steel stand w/geared column. With 1 leveling leg.

L
181cm
71.3"

H
380cm
149.7"

h
172.5cm
67.9"

W
22.8kg
50.2lbs

h
128cm
50.4"

W
30kg
66.1lbs

T
v

G
KC-100
(Optional)

**483BT**

US-KS401111

**3 SCT Wind-Up Stand
w/Auto Self-Locking Device- Black**

3 sections. Dia.: 55mm, 45mm, 38mm. Leg Dia.: 30mm.
2 risers extend simultaneously at one elevation
of 4.4cm per handle turn.
Safety cable ensures simultaneous retrieval of all sections.
Powder coated steel stand w/geared column.
With 1 leveling leg.

181cm 71.3"	380cm 149.7"	172.5cm 67.9"	22.8kg 50.2lbs	128cm 50.4"	30kg 66.1lbs	V	KC-100 (Optional)



US-KS400212

470 Followspot Stand

1 riser, 2 sections.
Dia.: 50mm, 40mm
Leg dia.: 30mm
With 1 leveling leg
Chrome plated center post
Memory collar

109cm 43"	147cm 57.9"	92cm 36.2"	7.58kg 16.7lbs	110cm 43.3"	40kg 88.2lbs	KC-100 (Optional)	UE



US-KS403512

483SH Short 3 SCT Wind-Up Stand

3 sections. Dia.: 55mm, 45mm, 38mm Leg Dia.: 30mm
2 risers extend simultaneously at one elevation
of 4.4cm per handle turn.
Safety cable ensures simultaneous retrieval of all sections.
Chrome plated steel stand w/ geared column.
With 1 leveling leg

152cm 59.84"	262cm 103.14"	132cm 51.96"	18.8kg 41.36lbs	128cm 50.4"	30kg 66lbs	KC-100 (Optional)	V



US-KS403212

485 Heavy Duty Wind-Up Low Base Stand w/ Braked Casters

3 sections., Dia.: 70mm, 60mm, 50mm

Leg Dia.: 35mm

2 risers extend simultaneously at one elevation of 4.4cm per handle turn.

Top 2 sections: Chrome plated steel

Center tube & legs: Stainless steel

With 1 leveling leg

With Auto Self-Locking Device

With Braked Caster



156cm
61.4"



270cm
106"



140.5cm
55.31"



34kg
75lbs



130cm
51.2"



80kg
176.3lbs



UW

The Kupo Jumbo Stand, made from chrome plated steel, is specifically designed to satisfy the industry's requirement for extra heavy loads with the ultimate of safety in mind. The Kupo Jumbo Stand can support a load capacity up to 70kg (154lbs) and delivers a maximum working height of 6.1m (20') when fully extended. Features Kupo's direct drive gear mechanism and auto-locking instead of pulleys and cables.

Features:

1. Large size T-handle on each riser is ergonomically design for maximum torque.
2. 28mm (1-1/8") junior receiver with 3 eyelets for wind bracing kit.
3. Dual handle equipped on bottom spider casting for easily folding the base.
4. Leg brace is made of rectangular steel tubing for maximum stability and safety.
5. Auto self-locking device prevents unintentional and uncontrolled lowering of the load.
6. Industry 6" (152mm) braked caster included makes stand moveable in the studio or on location.
7. Assembled by nuts and bolts for easier maintenance and adjustable tightness instead of fixed rivets.



28mm (1-1/8") junior receiver with 3 side hole for wind bracing kit.



Large size T-handle on each riser is ergonomically design for maximum torque.



Extension limit marking on each section



Dia.6mm x 10M nylon rope with stainless spring hook are included for attaching to the eyelets of stand to tether the top of stand to the ground (set of 3).



Auto self-locking device prevents unintentional and uncontrolled lowering of the load.



The detachable ratcheted crank handle prevents damage and reduces protrusions during transportation or storage.



US-KG096611


RS-RR3807 | Rope Ratchet Tie Down

The polyester braided rope is 3/8" (9.5mm) in diameter and 23' (7M) in length.

For attaching to the eyelets of stand to tether the top of stand to ground with the ropes. (Optional)




Leg brace is made of rectangular steel tubing (30x30mm) for maximum stability and safety.



Dual handle equipped on bottom spider casting for easily folding the base.



Industry 6" (152mm) braked caster included makes stand moveable in the studio or on location.



The unique gear machinery design keeps the caster steady that allows moving the stand easily with base closed.

756 Jumbo Stand w/ Braked Wheels US-KS706112

4 risers, 5 sections.

Leg: 30 x 30mm

Chrome plated steel stand with braked wheels

Dia. 90mm, 80mm, 70mm, 60mm, 50mm

Wind bracing kit

L
2.3m
7.54'

H
6.1m
20'

b
1.93m
6.33'

W
71kg
156lb

h
2.1m
7'

max
70kg
154lbs

T
UW

G
KC-160S

The Kupo Slider Stand combines perfect build quality, weight and solid footing to give perfect support for heavier cameras and heavy-duty sliders. The working height from 58cm (22.83") to 115cm (45.27") also gives a perfect height range for dolly work. It comes with two legs for easy leveling on uneven terrain, such as hills, mountainsides, rocky environments, and stairs. The 28mm(1-1/8") junior receiver is welded directly to the top section making the stand top sturdy. Even though it's designed as a slider stand, the 161MB is versatile and can be used as a low mighty stand for a lighting fixture. And anything in a low configuration can mount virtually with adapters. And the junior(28mm) to baby (16mm) stud (KS-200) is recommended to mount any equipment that comes with a baby (16mm) receiver on the Kupo slider stand.



YOUTUBE
KUPO SLIDER
STAND [161MB]



161MB Slider Stand-Black

US-KS106111

1 riser, 2 sections / Dia. 45mm, 40mm
Leg: 25 x 25mm / With two leveling leg
Powder coated steel stand



68cm
26.80"



115cm
45.27"



58cm
22.83"



5.8kg
12.76lbs



80cm
21.50"



36kg
79.2lbs



U



KC-100M
(Optional)



Memory collar is equipped for quick setup, remembering the height from the previous setup.



Bubble level is attached for easily indicating whether the stand is in upright position.




KSB-161 Stand Bag for 161MB

US-KG062611

The bag is made to store or carry one slider stand on location with ease (Optional).



Application



The Universal Track End is especially designed for Sliders and Dollies. It features a 2"(48-50mm) diameter rail. The TVMP adapters at the center of the bracket allows mounting to any lighting stands that come with a baby stand or junior receiver. The U-shaped structure also allows the brackets to free-stand on the floor for low-angle shooting. (Set of 2)



US-KG029912

KS-161 Universal Track End

3.3kg
7.26lbs

More features:

1. Two adjustable rail holders offer a useable distance between the rails (center to center) from 19.7cm(7.75") to 40.2cm(15.83").
2. Additional M10 holes are drilled into each end of the bracket for enhanced stability by mounting the couplers on with the pipes.



322M Monitor Stand US-KS302111

2 risers, 3 sections
 Dia. 35, 40, 45mm
 1 leveling leg
 1 extendable leg (additional 12cm / 4.7")
 Black steel base, black coated steel sections

						
74cm 29"	190cm 74.8"	94.5cm 37.2"	7.7kg 17lbs	75cm 29.5"	25kg 55lbs	A

Manufactured from black coated steel, this monitor stand is also ideal for supporting lights and camera sliders. The height-adjustable screen placement allows for ergonomic viewing from seat height to standing eye-level.



YOUTUBE
 KUPO
 MONITOR STAND
 (322M)





YOUTUBE
KUPO HIGH VIEW
STAND (229MB)-1



YOUTUBE
KUPO HIGH VIEW
STAND (229MB)-2

229MB High View Stand US-KS201211


Aluminum stand with 5 risers and 6 sections.
Dia. 50mm, 45mm, 40mm, 35mm, 30mm, 25mm
Leg dia. 30mm
with 3 leveling legs

174cm 68.5"	730cm 287.4"	168cm 66.1"	10.8kg 23.8lbs	177cm 69.7"	10kg 22lbs	SW

The perfect tool for real estate, event, landscape and school photographers. Made from aluminum, the High View is light enough to be carried on location but strong enough to support up to 10kg / 22lbs. It is equipped with a 3/8"-16 thread mounting plate on top, so that a tripod ball head can be mounted to it. A steel tether is also attached to the stand for an extra level of security while a camera is high in the air. Eyelets in the top plate can also be utilized to tether the top of the stand to the ground using guy wires.

The 229 High View features 5 risers and 6 column sections allowing for mounting a camera or lighting accessory, anywhere between 1.9m (6.2ft) and 7.3m (23.9ft). For an extra level of stability, the center column can be lowered independently of the legs and hardware. This allows for a fourth point of contact with the ground with minimal effort. Each leg also has its own adjustment built in to ensure stable set up on uneven ground. The carrying bag is included.

Note: Maximum loading weight is rated at 10kg / 22lbs, however, 1kg / 2.2lbs maximum payload at 6 degree inclination while the stand is full extended to 7.3m / 23.9ft.



730cm / 23.9ft

174cm / 5.7ft

The bag is made to store or carry on location with ease (Included).

Other features:



A steel tether is also attached to the stand for an extra level of security. A 3/8"-16 mounting plate in top, so that you can mount a ball head to it.



Bubble level is attached to the column to assist for easy leveling of the stand.



Three leveling legs for added ease of set-up on uneven surfaces.



Eyelets in the top plate can also be utilized to tether the top of the stand to the ground using guy wires.



Equipped with rubber feet to increase stability on non-slip surfaces.



Dia.6mm x 10M nylon rope with stainless spring hook are included for attaching to the eyelets of stand to tether the top of stand to the ground (set of 3).

C-STANDS

Century stands, or simply known as, C-Stands, have been the most common type of grip equipment used by the filmmaking industry for decades due to their strength and flexibility. Used on its own, or in combination with a grip head and grip arm, the C-Stand is used for mounting lighting equipment and a whole variety of light shaping tools and accessories.



Century Stands, or simply known as "C" Stands, have been one of the most common types of grip equipment used by the filmmaking industry for decades due to their strength and flexibility. Used on its own or in combination with a grip head and grip arm, the C-stand is used for mounting lighting equipment and a whole variety of light shaping tools and accessories. All Century Stands feature a unique base specially designed with three varied leg heights. This enables the user to position, or "nest" the stand bases so that the risers are just inches apart from one another for use in close proximity mounting of lights and other grip equipment or easy storage.

Kupo Master C-Stand with Turtle Base features a unique innovation in the world of C-Stands that enables the still or moving image-maker to open and collapse the legs of the base in under two seconds! The Master C-Stand is outfitted with a patented spring ring locking system that removes all tension from the legs so that gravity does the work for you. The removable base also separates from the main riser section for easy transport. Another advantage of a turtle base is that once you remove the main riser section, you have a junior 1-1/8" (28mm) receiver to accept any junior stud or accessory.


CT-20M 20" C-Stand (Silver)
US-KS704112
CT-20MB 20" C-Stand (Black)
US-KS704211

L	H	h	W			T
93cm 36.6"	172cm 67.7"	92.5cm 36.4"	6.25kg 13.7lbs	95cm 37.4"	10kg 22lbs	A

CT-40M 40" C-Stand (Silver)
US-KS704312
CT-40MB 40" C-Stand (Black)
US-KS704411

L	H	h	W			T
134cm 52.7"	295cm 116.1"	134cm 52.8"	7.5kg 16.5lbs	95cm 37.4"	10kg 22lbs	A

Master Series C-Stand
w/ Turtle Base (Quick Release C-Stand)
2 riser, 3 sections
Dia. 35mm, 30mm, 25mm
Chrome plated steel for silver
Powder coated steel for black




YOUTUBE
KUPO MASTER C-STAND
W/ TURTLE BASE
(CT-40M & CT-30M & CT-20M)

More features include :

1. Zinc casting alloy makes the leg base holders solid and sturdy.
2. Stainless steel heli-coil gives protection to the aluminum riser to prevent being damaged by stainless steel bolts or knobs.
3. Unique hollow design of the junior pin receiver on the base also makes dust, sand, and water pass through easily for better cleaning and easy maintenance.
4. Captive on the top of the thread prevents the knob from falling off the stands.

New feature:


Kupo C-Stands are fitted with a captive knob which prevents it from coming off the stand when unscrewed too far.

PATENTED
THE INNOVATIVE SPRING RING LOCKING SYSTEM DESIGN.

Deploying the Kupo Turtle Base C-Stand


Keep the legs up and pull up the spring ring.



Twist the stand and release the spring ring.



Completely setup after snap deploying.



US-KS704512 / US-KS704611

CT-20MK / MKB 20" C-Stand Kits (Silver / Black)

including : CT-20M/B, KCP-200/B and KCP-221/B

						
93cm 36.6"	172cm 67.7"	92.5cm 36.4"	8.14kg 17.95lbs	95cm 37.4"	10kg 22lbs	A

Master Series C-Stand Kits
w/Turtle Base (Quick Release C-Stand)
includes one grip arm and 2.5" grip head
2 risers, 3 sections
Dia. 35mm, 30mm, 25mm
Chrome plated steel for silver
Powder coated steel for black



US-KS704712 / US-KS704811

CT-40MK / MKB 40" C-Stand Kits (Silver / Black)

including : CT-40M/B, KCP-200/B and KCP-241/B

						
134cm 60.9"	295cm 134"	134cm 52.8"	9.75kg 21.50lbs	95cm 37.4"	10kg 22lbs	A

Master Series C-Stand Kits
w/Turtle Base (Quick Release C-Stand)
includes one grip arm and 2.5" grip head
2 risers, 3 sections
Dia. 35mm, 30mm, 25mm
Chrome plated steel for silver
Powder coated steel for black

C-Stand Bases

This is a replacement base for the Master C-Stands with Turtle base. It features a zinc alloy base casting that's five times stronger than aluminum to sustain the weight of heavy sandbags and people standing on it. The hollow junior pin receiver allows debris to pass through for easier cleaning and maintenance, and the patented spring ring locking system enables you to open and close the base in under a second. It may be used as a very low stand for backlites or different types of stands with various extension columns.



US-KS705312

CT-BS C-Stand Base (Silver)

					
35cm 13.8"	35cm 13.8"	3.5kg 7.72lbs	95cm 37.4"	30kg 66.1lbs	U

US-KS705411

CT-BSB C-Stand Base (Black)

					
35cm 13.8"	35cm 13.8"	3.5kg 7.72lbs	95cm 37.4"	30kg 66.1lbs	U



A junior
1-1/8" (28mm)
receiver.



PATENTED
Locking system design.



YOUTUBE
KUPO C-STAND TURTLE BASE
(CT-BS, CT-BSB, CT-SBS & CT-SBSB)

Compact C-Stand Bases

This is the baby brother of the Master C-Stand Turtle base with a smaller footprint that allows the user to set up in smaller spaces. The compact design also saves on weight and storage space making it easier to transport.



US-KS705512

CT-SBS Compact C-Stand Base (Silver)

					
35cm 13.8"	35cm 13.8"	3.3kg 7.2lbs	75cm 29.5"	30kg 66.1lbs	U

US-KS705611

CT-SBSB Compact C-Stand Base (Black)

					
35cm 13.8"	35cm 13.8"	3.3kg 7.2lbs	75cm 29.5"	30kg 66.1lbs	U



A junior
1-1/8" (28mm)
receiver.



PATENTED
Locking system design.

Sliding Leg C-Stand

Features two legs that are spring loaded to open in fixed positions, while the third leg is height adjustable by loosening a locking knob and sliding it up and down the main riser section. This enables the user to raise one leg higher than the others to level out the stand on an incline or uneven terrain. This feature provides optimum support of your light heads, reflectors and gobos.



YOUTUBE
KUPO MASTER C-STAND
W/ SLIDING LEG
(CS-40M & CS-30M & CS-20M)

US-KS703312

CS-20M 20" C-Stand (Silver)

US-KS703411

CS-20MB 20" C-Stand (Black)



91cm
35.8"



196cm
77.1"



87cm
34.3"



5.6kg
12.3lbs



95cm
37.4"



10kg
22lbs



A

US-KS703512

CS-40M 40" C-Stand (Silver)

US-KS703611

CS-40MB 40" C-Stand (Black)



132cm
51.9"



323cm
127.1"



134cm
52.8"



7.0kg
15.43lbs



95cm
37.4"



10kg
22lbs



A

Master Series C-Stand with Sliding Leg

2 risers, 3 sections

Dia. 35mm, 30mm, 25mm

Chrome plated steel for silver


Powder coated steel for black



Features:



C-Stand with sliding leg



In action on stairs



Zinc casting alloy makes the leg base holders solid and sturdy.



US-KS703712 / US-KS703811

CS-20MK / MKB 20" C-Stand Kits (Silver / Black)

including : CS-20M/B, KCP-200/B and KCP-221/B

L	H	h	W	max	T
91cm 41.3"	196cm 89"	87cm 34.3"	7.5kg 16.53lbs	95cm 37.4"	10kg 22lbs
					A

Master Series C-Stand Kits with Sliding Leg C-Stand
includes one grip arm and 2.5" grip head
2 risers, 3 sections
Dia. 35mm, 30mm, 25mm
Chrome plated steel for silver
Powder coated steel for black



US-KS703912 / US-KS704011

CS-40MK/MKB 40" C-Stand Kits (Silver / Black)

including : CS-40M/B, KCP-200/B and KCP-241/B

L	H	h	W	max	T
132cm 51.9"	323cm 127.1"	134cm 52.8"	9.19kg 20.26lbs	95cm 37.4"	10kg 22lbs
					A

Master Series C-Stand Kits with Sliding Leg C-Stand
includes one grip arm and 2.5" grip head
2 risers, 3 sections
Dia. 35mm, 30mm, 25mm
Chrome plated steel for silver
Powder coated steel for black

KUPO 40in Master C-Stand With Sliding Leg & Quick-Release System

Kupo CL master C stand is the latest addition to Kupo C stand series, featuring a patent-pending mechanical design that allows you to enjoy quick-release set up and a sliding leg for an incline or uneven terrain. Just unlock the knob of the longest leg so that all legs can be swung to the correct positions in seconds. While the longest leg is doing a leveling job and the spring-loaded locating pin is engaged, then the middle leg is able to keep in place preventing tip-over from an accident. The Master Sliding Leg C-Stand provides quick, safe, and solid support.



KUPO MASTER C STAND WITH
SLIDING LEG & QUICK RELEASE
SYSTEM (CL-40M)



YOUTUBE
KUPO A CLOSER LOOK OF KUPO
CL MASTER SLIDING LEG
C-STAND (CL-40M)



YOUTUBE
KUPO 40" MASTER C-STAND KIT
WITH SLIDING LEG & QUICK RELEASE
SYSTEM (CL-40MK & CL-40MKB)

US-KS707412 / US-KS707511

CL-40M / MB KUPO 40in Master C-Stand With
Sliding Leg & Quick-Release System (Silver/Black)

L	H	W	FOR	max	T
132.5cm 52.2"	313cm 123.2"	6.8kg 14.99lbs	95cm 37.4"	10kg 22lbs	T

US-KS707612 / US-KS707711

CL-40MK / MKB KUPO 40in Master C-Stand
With Sliding Leg & Quick-Release System

Including: CL-40M/MB, KCP-200B and KCP-241B

L	H	W	FOR	max	T
132.5cm 52.2"	313cm 123.2"	9.1kg 20lbs	95cm 37.4"	10kg 22lbs	T

Features:




A sliding leg for an incline or uneven terrain.



Locating pin is designed to be engaged for preventing accidental collapse and tip-over.



Unlock the knob of the longest leg so that all legs can be swung to the correct positions in seconds.



KUPO Grip Head (also gobo head) is specially designed to be mounted on a C-Stand with its 16mm socket. Four different sizes and a rotatable V jaw allows the user to attach scrims, flags, cutters, reflectors and backdrops to meet various requirements of lighting control.

More Features:

1. Aluminum casting body with 16mm mounting hole for a 5/8" (Baby) stud or stand top.
2. Non-slip, non-stick, aluminum braking pad offers secure locking and precise control compared to fiber which would deteriorate.
3. Large size T-handle is ergonomically designed for the biggest torque
4. Four V jaws for different dia. (5/8", 1/2", 3/8", 1/4") pins or tubes.
5. V jaws with special tooth design offer a better grip.
6. Steel material makes the located pin sturdier than an aluminum casting pin.
7. Stainless steel central bolt provides the most durable construction.
8. Dedicated bearing added to reinforce the torque for a stronger grip.



YOUTUBE
KUPO GRIP HEAD
W/ HANDLE (KCP-200)



Aluminum friction disc



Diamond shaped jaws



Dots & fingers are able to be firmly mounted with the 1/4" V jaw.



KCP-200 US-KG203012

2-1/2" Grip Head - Silver

W 0.78kg
1.72lbs



KCP-200B US-KG203111

2-1/2" Grip Head - Black

W 0.78kg
1.72lbs



US-KG104511

KCP-225B

2-1/2" Grip Head for 25mm Tube - Black

W 0.72kg
1.6lbs

Constructed with solid die-cast aluminum and black powder finish, this 2.5" grip head features a 25mm V jaw for securely holding a 25mm tube as a frame and is easily mounted on the stand.



US-KG203911

W 970g
2.15lbs**KCP-280B** Double Gag Grip Head 2-1/2"-Black

Constructed by two sets of griphead discs mounted on a steel plate with a dia.10mm rod for 135mm / 5.3" length.



US-KG204011

KCP-290B Gag Grip Head 2-1/2"-Black**W** 600g
1.33lbs

Offers a second grip head for more applications. Comes with a rubber pad covering the wheel handle to provide comfort and a secure grip.



US-KG204112

W 870g
1.95lbs**KCP-210** 2-1/2" Grip Head w/ 16mm Baby Spigot

Grip head with fixed baby pin allows one lighting fixture or accessory to be mounted on this grip head without the need for additional lighting stands.



US-KG201412

KCP-230

2-1/2" Grip Head w/ a Swivel 16mm Baby Spigot

W 700g
1.55lbs

Swivel 5/8" (16 mm) baby pin designed for a wide variety of applications. This grip head also features a 16mm baby receiver (inside) and a 28mm junior pin (outside) to attach to the grip head for fitting onto various stand tops or mounting accessories.



YOUTUBE
KUPO GRIP HEAD
W/ HEX STUD
(KCP-260B)



US-KG202011


KCP-260B Grip Head w/Hex Stud**W** 650g
1.44lbs

US-KG202512

KCP-265 Grip Head w/ Coupler**W** 650g
1.44lbs

This Grip Head with Half Coupler has a working load of 44lbs (20kg). Coupler for tube size dia. 48-51mm

A Grip Arm (or Gobo Arm or Boom Arm) for a C-Stand can be used in conjunction with a 2-1/2" grip head (KCP-200), giving you complete flexibility to position a gobo such as flags, scrims and silks as well as other accessories virtually anywhere. The surface of the tubing is painstakingly machined to create a rough texture to ensure a non-slip surface. The 2-1/2" grip head consists of a pair of rotating aluminum discs attached to a 5/8" (16mm) receiver. The discs have four different sized "V" shaped jaws to accept any accessory with a 5/8", 1/2", 3/8" or 1/4" mounting stud or tubing. Also features an oversized ergonomic "T" handle and dedicated roller bearings designed for maximum torque, and constructed around a solid steel central bolt with a fixed solid pin to secure it to the aluminum casting for increased strength and durability.



Extra reinforced roller pin to secure extension arm.



KCP-220

20" Extension Grip Arm - Silver

KCP-220B

20" Extension Grip Arm - Black

W 1.09kg
2.4lbs

US-KG203212 /

US-KG203311



KCP-221

20" Extension Grip Arm with Baby Hex Pin- Silver

KCP-221B

20" Extension Grip Arm with Baby Hex Pin- Black

It features the arm with a hex baby pin which is suitable for mounting a lighting fixture or anything with a baby receiver.

W 1.09kg
2.4lbs

US-KG204212 /

US-KG204311



YOUTUBE
KUPO HEX GRIP ARM W/
BIG HANDLE (KCP-221)



KCP-240 / KCP-240B 40" Extension Grip Arm - Silver / 40" Extension Grip Arm - Black

W 1.47kg
3.25lbs

US-KG203412 /

US-KG203511



KCP-241 40" Extension Grip Arm with Baby Hex Pin - Silver

KCP-241B 40" Extension Grip Arm with Baby Hex Pin - Black

Features the arm with a hex baby pin which is suitable for mounting a lighting fixture or anything with a baby receiver.

W 1.47kg
3.25lbs

US-KG203711 /

US-KG203612

Baby hex pin



YOUTUBE
KUPO 40" HEX GRIP ARM
W/ BIG HANDLE (KCP-241)



KS-225 16mm Dia. Steel Tube Length 20" (50cm) - Silver

W 320g
11.3oz


US-KG011612

KS-245 16mm Dia. Steel Tube Length 40" (100cm) - Silver

W 640g
22.6oz

US-KG011712

16mm dia. steel tube with matte finish especially designed for rig shots.



KCP-246 Super Grip Arm **W** 1.45kg 3.2lbs **US-KG203812**

Offers an excellent mounting solution for precise placement of lights over obstructions or any awkward position. It is built with a 40" steel extension arm with a baby stud and equipped with a Super Grip Finger, and a 5/8" swiveling pin on a ball joint pivot. All axis lock positively with just one ratcheted handle.



YOUTUBE
KUPO GRIP ARM
SUPPORT (KCP-215)



KCP-215 Grip Arm Support **L** 56cm 22" **H** 78cm 30.7" **W** 0.5kg 1.1lbs **US-KG200912**

This is especially designed for giving the most support to a grip arm. It is constructed with an extendable aluminum column, and comes with the ball joint pivot clamp in one end, and an angle-adjustable attachment on the other end. The attachments can also be easily fitted into the KCP-930 which is a lightweight aluminum clamp for quickly coupling the stand tube from 35mm to 50mm with its spring locking design. In addition to Kupo 3 way clamp (KCP-930), the grip arm support can be also fitted into the 16mm socket of Super Convi clamp. With this functional support arm, the loading weight of a grip arm could be increased and a sliding problem could be solved.



KCP-216 Boom Arm Support **L** 56cm 22" **H** 78cm 30.7" **W** 0.5kg 1.1lbs **US-KG201012**

Similar to KCP-215P but gives the support for a boom arm instead of a grip arm. This is constructed with a two sectioned extendable aluminum column with angle-adjustable attachments at both ends. Connecting two 3 way clamps KCP-930 (or Super Convi clamp, KCP-700) on the stand tube and boom arm, the loading weight of boom arm is significantly increased.



KS-320 Microphone Boom Holder **L** 32cm 12.6" **W** 0.37kg 0.82lbs **US-KG011112**

Kupo boomgrip is designed for securely and easily mounting a microphone boom on a C-Stand through the grip head. Constructed with chromed plated steel and a rough texture surface treatment to ensure the holder is firmly attached on the grip head. The rubberized coat on both U hooks offers great protection for the boom pole from scratching by metal devices and keeps the boom pole from rotating on the U hooks. The super strength magnets are equipped to offer a great placement solution for easily attaching the holder on the steel column of the stand.

Designed primarily to control natural or artificial light on indoor or outdoor shoots. Flags are square or rectangular steel frames stitched with fabric and come with a 9.5mm diameter mounting pin welded on the steel frame for connecting a grip head (or gobo). Flags are typically used with C-Stands so you can position them into place to create contrast, change lighting ratios, add diffused light, or block light completely in specific areas.

FULL FRAME FLAG:



US-KG093811

KT-1824FBD

18"x24" Full Frame Black
Denim

W 0.79kg
1.75lbs

US-KG093911

KT-2436FBD

24"x36" Full Frame Black
Denim

W 1.55kg
3.42lbs

OPEN END FLAG:

US-KG094012



KT-1824OW

18"x24" Open End Frame
White Artificial Silk

W 0.57kg
1.26lbs

US-KG094112

KT-2436OW

24"x36" Open End Frame
White Artificial Silk

W 1.12kg
2.47lbs

US-KG094412



KT-1824OQ

18"x24" Open End Frame
Quarter Silk

W 0.57kg
1.26lbs

US-KG094512

KT-2436OQ

24"x36" Open End Frame
Quarter Silk

W 1.12kg
2.47lbs

US-KG096911



KT-1824OSWB

18"x24" Open End Frame
Single White Bobbin Net

W 0.57kg
1.26lbs

US-KG097011

KT-2436OSWB

24"x36" Open End Frame
Single White Bobbin Net

W 1.12kg
2.47lbs

US-KG094612



KT-1824ODWB

18"x24" Open End Frame
Double White Bobbin Net

W 0.58kg
1.28lbs

US-KG094712

KT-2436ODWB

24"x36" Open End Frame
Double White Bobbin Net

W 1.14kg
2.52lbs

US-KG094211



KT-1824OSBB

18"x24" Open End Frame
Single Black Bobbin Net

W 0.57kg
1.26lbs

US-KG094311

KT-2436OSBB

24"x36" Open End Frame
Single Black Bobbin Net

W 1.12kg
2.47lbs

US-KG094811



KT-1824ODBB

18"x24" Open End Frame
Double Black Bobbin Net

W 1.14kg
2.52lbs

US-KG094911

KT-2436ODBB

24"x36" Open End Frame
Double Black Bobbin Net

W 1.14kg
2.52lbs

OPEN END FLAG KITS:

Lighting control carrying bag is made of rugged polyester fabric with zippered closure and carrying handle making it a great solution for storage and transportation of flags. To cater for the needs of complete lighting control with flags, there are 6 varieties of flags including: single black net, double black net, single white net, double white net, artificial silk and 1/4 silk in each carrying bag. A deluxe bag with separated pockets is also available.

US-KG056913

KT-1824K

W 5.5kg
12.13lbs


18" x 24" Open End Net Kits

US-KG057013

KT-2436K

W 10.58kg
23.4lbs

24" x 36" Open End Net Kits




US-KG042712

/ US-KG042812

KCP-F1824 Flag Frame 18" x 24" (45 x 60cm)

KCP-F2436 Flag Frame 24" x 36" (60 x 90cm)

Kupo Flag frame is made by 5mm dia. stainless steel spring with a 9.5mm dia. mounting pin.



US-KG043012


/ US-KG043112

KCP-OF1824 Open Frame 18" x 24" (45 x 60cm)

KCP-OF2436 Open Frame 24" x 36" (60 x 90cm)

Kupo Open frame is made by 6.3mm dia. stainless steel spring with a 9.5mm dia. mounting pin.

A cucoloris, shortened to cookie, is used to create a more natural look by breaking up the light from a man made source. It can be used to simulate movement by passing shadows or light coming through a leafy canopy. Kupo wood cookies are made by 10mm thickness high quality plywood that is built for long lasting operation. The U-shaped metal cookie holder with 10mm pin is equipped and offers an easy combination method for the cookie with a light stand through a grip head.



YOUTUBE
**KUPU WOOD CUCOLORIS
(COOKIE) BREAK-UP
(KH-C1824 & KH-C2436)**

KH-C1824

W 1.2kg
2.66lbs

US-KG089211

Wood Cucoloris (Cookie) Breakup - 18" x 24"

KH-C2436

W 2kg
4.5lbs

US-KG089311

Wood Cucoloris (Cookie) Breakup - 24" x 36"



YOUTUBE
**KUPU WOOD CUCOLORIS
(COOKIE) BLINDS
(KH-B1824 & KH-B2436)**

KH-B1824

W 1.2kg
2.66lbs

US-KG089411

Wood Cucoloris (Cookie) Blinds - 18" x 24"

KH-B2436

W 2kg
4.5lbs

US-KG089511

Wood Cucoloris (Cookie) Blinds - 24" x 36"

Designed primarily to support overhead frames, also known as “butterfly frames”, this giant is ready to take your support needs skyward. Each riser is spring cushioned as a safety feature to protect lighting fixtures from a sudden drop if the locking collar becomes loose. The solid steel construction has a maximum load capacity of 88.2 lbs (40kg) and is equipped with braked casters to easily reposition heavy loads. Each caster is equipped with a peg that extends past the wheel allowing it to stand upright when collapsed. The High Overhead Stand also features a “true combination” head with a 4 1/2” grip head, and a junior 1-1/8” (28mm) receiver to accept any kind of mounting challenge.



US-KS600212

600MR High Overhead Roller Stand

3 risers, 4 sections.
Dia.: 45mm, 40mm, 35mm, 30mm
Leg: 25mm x 25mm
Chrome plated steel with KC-100S caster
Spring cushioned

L	H	h	W		max	T
186cm 73.2"	594cm 233.9"	209cm 82.3"	18.5kg 40.7lbs	156cm 61.4"	40kg 88.2lbs	G



US-KS600412

610MR Medium Overhead Roller Stand

3 risers, 4 sections.
Dia.: 45mm, 40mm, 35mm, 30mm
Leg : 25mm x 25mm
Chrome plated steel with KC-100S caster
Spring cushioned

L	H	h	W		max	T
146cm 57.5"	430cm 169.3"	139cm 54.7"	18kg 39.6lbs	156cm 61.4"	40kg 88.2lbs	KC-100S



YOUTUBE
KUPO WIDE BASE HIGH
OVERHEAD STAND (620M)

620M

US-KS600812

Wide Base High Overhead Stand

3 risers, 4 sections.

Dia.: 50mm, 45mm, 40mm, 35mm

Leg: 30mm x 30mm

With 2 leveling legs / 3 wind bracing eye rings

Chrome plated steel

Spring cushioned



188cm
74"



633cm
249.2"



184.5cm
72.6"



20.3kg
44.7lbs



196cm
77.2"



40kg
88.2lbs



G



KC-100G
(Optional)

KCP-450

US-KG400512

4.5" Grip Head w/ a Junior Stud & Receiver

W 2.4kg
5.29lbs

The KCP-450 is designed to convert a junior stand into an overhead stand. Features three V jaws in different diameter including 3/8"(10mm), 1/2"(13mm) 5/8"(16mm) and 1"(25.4mm) allows it to offer a solid lock for a gobo arm, large flag or butterfly in all directions.



YOUTUBE
KUPO 4.5 INCH
GRIP HEAD W/ JUNIOR
STUD AND RECEIVER
(KCP-450)



KCP-680B Grip Helper

W 5kg
11lbs

US-KG603211


The Grip Helper is constructed from a junior (29mm) receiver on the end of a 45 degree angle arm which can extended from 90 cm to 180 cm and a 4.5" Griphead on the other. Designed for a scrim, silk or blackout, it can be used with a lighting fixture from the same stand.



YOUTUBE
KUPO GRIP HELPER
(KCP-680B)




Kupo butterfly frames are made of heavy duty 30mm square section aluminum tubes, which can be easily locked together and disassembled for storage and transportation. Ear type frame supporters (or Stud type with wire for 20' x 20') are provided for mounting the butterfly frame on the stands allowing for a stable frame for silks, scrims, etc.



US-KG043311

KH-06 Butterfly Frame Kit 6' x 6' (1.8M x 1.8M)


- BF60 (6' square tube female) x 4
- FH10 (Ear type frame supporter) x 2
- FC15A (Corner) x 2
- FC15B (Corner with nut) x 2
- A17 (Corner Bolt) x 2



US-KG043411

KH-08 Butterfly Frame Kit 8' x 8' (2.4M x 2.4M)


- BF40 (4' square tube female) x 4
 - BF45 (4' square tube male) x 4
 - FH10 (Ear type frame supporter) x 2
 - FC15A (Corner) x 2
 - FC15B (Corner with nut) x 2
 - A17 (Corner Bolt) x 2
- Also fit for frame size 4' x 4'



US-KG043511

KH-12 Butterfly Frame Kit 12' x 12' (3.6M x 3.6M)

- BF40 (4' square tube female) x 4
 - BF45 (4' square tube male) x 8
 - FH10 (Ear type frame supporter) x 2
 - FC15A (Corner) x 2
 - FC15B (Corner with nut) x 2
 - A17 (Corner Bolt) x 2
- Also fit for frame size: 4' x 4', 8' x 8'




US-KG043611

KH-20 Butterfly Frame Kit 20' x 20' (6M x 6M)

- BF40 (4' square tube female) x 4
 - BF45 (4' square tube male) x 16
 - FH20 (Stud type frame supporter) x 2
 - FC15A (Corner) x 2
 - FC15B (Corner with nut) x 2
 - A17 (Corner Bolt) x 2
 - SW-TB (Safety wire) x 2
- Also fit for frame size: 4' x 4', 8' x 8', 12' x 12'


Optional accessories:



SW-TB
US-KG061712

BF40 (4')	BF60 (6')
US-KG040121	US-KG040321
BF45 (4')	BF65 (6')
US-KG040221	US-KG044111

Features:



Capture frame within the corners for storage and easy handling.



Easy to use slots and pin lock connector.



The corner contains all tubes in a captive state, for convenient storage and transportation. No more loose pieces that could be lost or damaged.





KHS-112 Round Pipe Butterfly Frame for Pipe 1-1/2" Schedule 40 (48.3mm) Kits

The Kupo Round Pipe Butterfly Frame Kits are made with 1.5mm thick steel with a chrome plated surface treatment. It contains corners, connectors and ears that offers the ability to make butterfly frames for silks and scrims in desired sizes with standard size pipe 1-1/2" schedule 40 (48.3mm).

US-KG093112



Steel ring welded on the corner to enhance stability of frames by strings.



Steel boss welded on the tube to maintain the long-lasting operation of knobs.



Two drilled holes on the corner for checking if the pipe is securely tightened by the knob.



KHS-L112 Frame Corner
for Pipe 1-1/2" Schedule 40 (48.3mm)

US-KG095012



KHS-C112 Frame Connector
for Pipe 1-1/2" Schedule 40 (48.3mm)

US-KG095112



KHS-E112 Frame Ear
for Pipe 1-1/2" Schedule 40 (48.3mm)

US-KG097112



FH30  950g
1.9lbs

Quick Reverse Ear for 30mm Square Tube

Features a quick release clamping design that allows you to lock down the 30mm frame tube in just seconds without removing the frame corner.

- T-slotted ear designed for dropping in to grip head
- Black Powder coating
- A safety T-slotted ear designed to avoid unexpected drop-off
- Designed for locking down the 30mm frame tube
- Frame Ear designed for overhead stand

US-KG040911

Casters make your light stands movable while doing work in the studio. Casters protect the floors, keep things quiet on set and of course, make repositioning the lighting fixtures that much easier. All Kupo casters are sold in sets of three and come with equipped brakes that prevent wheels from rolling and keeps your stands securely locked in place.



YOUTUBE
KUPO CASTERS ASSEMBLY
INSTRUCTIONS (KC-080R)

KC-080R **W** 0.6kg
1.32lbs

US-KS940322

Caster with round adapter
Dia.: 75mm w/ brakes
Leg Dia.: 7/8" (22mm)
Set of three



YOUTUBE
KUPO CASTERS ASSEMBLY
INSTRUCTIONS (KC-080S)

KC-080S **W** 0.6kg
1.32lbs

US-KS940422

Caster with square adapter
Dia.: 75mm w/ brakes
Leg size : 7/8" (22mm)
Set of three



KC-100 **W** 0.9kg
1.98lbs

US-KS940912

Dia.: 100mm w/brakes
and M10 attachment (17.5mm length)
Set of three



YOUTUBE
KUPO CASTERS ASSEMBLY
INSTRUCTIONS (KC-100)



KC-100M **W** 0.9kg
1.98lbs

US-KS941612

Caster with square speed adapter
Dia.: 100mm w/ brakes
Leg Size: 25mmx25mm
Set of three



KC-150 **W** 3.4kg
7.49lbs

US-KS941312

Caster with square mounting plate
Dia.: 150mm w/ brakes
Set of three



YOUTUBE
KUPO CASTERS ASSEMBLY
INSTRUCTIONS (KC-150)



KC-100G / KC-100S **W** 3.2kg
7.05lbs

Caster with square adapter
Dia.: 100mm w/ brakes
Leg size: 30mm x 30mm (KC-100G)
Leg size: 25.4mm x 25.4mm (KC-100S)
Set of three

US-KS940612 / US-KS940712



YOUTUBE
KUPO CASTER
W/ SQUARE ADAPTER
FOR 30X30MM (KC-100G)



**KC-215S PNEUMATIC WHEEL
WITH SQUARE SPEED ADAPTER**

US-KS941412

Dia.: 215mm (8") w/ Brakes
Leg size: 25mm x 25mm
Set of three

W 4.5kg
9.9lbs



This clever elastic stand leg protector set with embroidered KUPO logos is designed to protect the floor or surface under the stand and also helps guard against impacts. Made of a durable composite material including cotton, nylon and rubber which can withstand frequent machine washing without pilling or fraying. Five different color options for easy identification of your gear are available. Size: Length 12cm x Width: 4cm (Set of 3)



KS-0412BK Black

Size: 12cm x 4cm

US-KG027611



KS-0412R Red

Size: 12cm x 4cm

US-KG027713



KS-0412OG Orange

Size: 12cm x 4cm

US-KG027813



KS-0412BL Blue

Size: 12cm x 4cm

US-KG027913



KS-0412PK Pink


Size: 12cm x 4cm

US-KG028011



W 30g (1.06oz)
3pcs





YOUTUBE
KUPO BIG BOOM (KCP-636B) & 3 SECTION WIND UP STAND (483T)

KCP-636B Big Boom US-KG603311

Big Boom is the latest addition to the Kupo boom arms series, featuring a four-way geared control design including pan, tilt, rotation and telescopic extension which allows positioning lights with ease and comfort in difficult and demanding situations. The 1-1/8" (28mm) junior receiver and 5/8" (16mm) baby receiver on the top of the aluminum telescopic column are ready for any lighting fixtures to be securely mounted with positive locking knobs. Fully folded length is 2.25M (7.5'). With the telescopic column, the Big Boom can be extended to 3.63M (12') to meet the demands for most jobs. Saddlebag style counterweight bag with holding straps keeps it securely attached to the boom and increases the boom stability. Ideal to mount on castered wind-up stands to secure an exact position for your light with ease and convenience. The unique mechanical design allows the boom to fold down neatly which provides you with an ideal solution for storage and transportation.

2 sections: (dia. 45, 55mm)
Material: Combination of black steel and aluminum tubes.
*6kg / 13.2lbs at maximum extension.

L	H	W	↓
225cm	363cm	15kg	*6kg
93"	143"	33lbs	13.2lbs



KSD-77 US-KG091711

The heavy duty 77 LBS saddle sand bag (KSD-77) is included and allows easy increases to the stability of the boom.



KD-C55 US-KD303511

This cable clips (KD-C55) are included which helps keep your cable & hex wrench gathered to the light stand. (Set of 4)



120 degree operating angle.



Suggested stand: Wind-up series



Folds down neatly providing an ideal solution for storage and transportation.



More Features:



Cable clip accommodates one O.D. 10mm and one O.D. 6.5mm wire through.



The ergonomic handle is made for excellent operation.



The junior receiver and baby receiver on the telescopic column.



YOUTUBE
KUPO STEEL BABY
BOOM (KCP-640M)



Hex baby pin



The swivel hook end allows a hanging sandbag, while staying vertical.



KCP-640M Steel Baby Boom **US-KG601612**


This boom arm can be used to position reflectors, flash heads, screens, tungsten lights and muslin backdrops. A chrome steel boom with 5/8" baby stud, telescopes from 3'8" - 7'8" [1.24M - 2.17M (48.8" - 85.4")] and supports up to 11lbs (5kg) when fully extended. The heavy duty tilt locking device is designed to cooperate with a standard grip head to provide the ability to tightly lock and it allows the boom to slide within it to adjust the balance of your load. The hook end allows hanging a sandbag for added support.

With 5/8" (16mm) light stud
2 risers, 2 sections
(Dia.: 25mm, 30mm)

L	H	W	T
124cm 48.8"	217cm 85.4"	3.79kg 8.35lbs	A



YOUTUBE
KUPO ALUMINUM
BABY BOOM (KCP-641B)



Hex baby pin



The swivel hook end allows a hanging sandbag, while staying vertical.

US-KG601711

KCP-641B Aluminum Baby Boom

The same function as KCP-640M but with an aluminum boom arm. It telescopes from 3'8" - 7'8" [1.24M - 2.17M (48.8" - 85.4")] and supports up to 6.6lbs (3kg) when fully extended.

With 5/8" (16mm) light stud
2 risers, 2 sections
(Dia.: 25mm, 30mm)

L	H	W	T
124cm 48.8"	217cm 85.4"	2.28kg 5.02lbs	A



It's all about balance



US-KS900111

KCP-629B Aluminum Baby Handheld Boom Stick

The heavy-duty aluminum construction boom stick comes with three risers and four sections allowing you to extend the lengths from a minimum size of 117cm (3.83') to a maximum usable length of 305cm (10.08'). Ideal for mobile lighting on-location so that you can go anywhere and position the light in any way you need. Extension limit markings on each aluminum section and sizable locking knuckles for securely adjusting the length.

Tube Wall Thickness: 1.5 mm (0.06")

Aluminum material

3 riser, 4 sections

(Dia.: 35mm, 30mm, 25mm, 20mm)

L	H	W	T
117cm 46"	305cm 120"	1.5kg 3.3lbs	3.6kg 7.94lbs



Constructed from 3 assembled aluminum tubes with black anodized surface treatment, Kupo Aluminum Baby boom can be fully extended to 210cm (82.7") and loads up to 3kg (6.6lbs). It is fairly easy to set up and breaks down with the provided Allen key on T-handle. The dismantled length of each tube is 75cm (30") which is perfect for storage or transport. The metal pivoting boom clamp can attach to the shaft of most lightstands and comes with 20mm (3/4"), 25mm (1"), 28mm (1-1/8"), 35mm in diameter. The supplied 4.54kg (10lbs) wrap & go shot bag can easily be moved up or down the boom accordingly whereas many bags remain at the end of the boom. Features a safety wire for extra level of security.



Shot Bag is included
4.55kg / 10lbs



YOUTUBE
KUPO ALUMINUM BABY
BOOM ASSEMBLY (KCP-621B)



KCP-621B Aluminum Baby Boom Assembly

Ø: 25mm 3 sections boom arm with Pivoting Clamp
KCP-235 & Shot Bag KSW-10.
Shot Bag (KSW-10): 10lbs (4.55kg)



75cm
30"



210cm
82.7"



2kg
4.4lbs




3kg
6.6lbs

US-KG603711

Constructed from 3 assembled solid steel columns with black-painted surface treatment, this heavy duty boom arm can be fully extended to 2.8M and loads up to 6.8kg (15lbs). The built-in pivoting boom arm clamp not only offers a great flexibility to be mounted on the baby stud or junior receiver on the light stand, but also a positive lock with the ratcheted handle. The 4kg (8.8lbs) counter weight is included and easily increases the stability of the boom by the locking clamp. The steel safety wire is attached to the stand for an extra level of security while your lighting in the air.



Can easily be disassembled to 32"(93cm)
for storage or transport.



KD-C25P x 4 pcs included.



YOUTUBE
KUPO STEEL HEAVY DUTY
BABY BOOM (KCP-628B)



The spring loaded clips make sure the fit is
right, tight and secure.



T-handle can be used as tool
to assemble / disassemble
the tube.



Safety wire is attached for
an extra level of security.

KCP-628B Steel Heavy Duty Baby Boom

Ø: 35mm 3 sections boom arm with Pivoting Clamp
KCP-645 & Counter Weight KCW-04
Max. usable counterweight: 44.09lbs (20 kg)
Boom: 19.6lbs (8.9kg)
Counter weight (KCW-04): 4kg (8.8lbs)



2.8m
9.2'




13.45kg
29lbs



6.8kg
15lbs

US-KG603511



KCW-04 Counter Weight 4kg (8.8lbs) **US-KG093513**

Constructed from heavy duty painted iron, the Kupo counter weight is designed to work with a boom to balance heavier lighting rigs. Features a locking clamp which makes it easier to be moved up or down the boom accordingly whereas a bag remains at the end of the boom only. The rubber pad reduces surface damage and enhances gripping actions. Fits with any tube size between 20mm and 35mm in diameter.

Also known as "Menace Arm" it is designed primarily to boom the set in order to hold lighting in the desired position while keeping the stand out of the shot by the safest method. It works with a standard 1-1/2" schedule 40 pipe (48.3mm). The front adapter of the kit comes with 2 baby pins and 1 junior receiver which allows you to mount lighting fixtures or other grip accessories like a flag or frame. The rear adapter is also welded with 2 hooks for hanging over the sandbags to increase stability of the boom and a D-ring which is for a ratchet strap connection to the D-rings of the front adapter and center adapter which are mounted on the grip head. The joint pipe adapter comes with dual knobs for safely mounting while connecting the pipe from two sides. Features the unique captive locking knob which prevents the knob from coming off even if completely unscrewed. The safety wire with Linchpin is attached for an extra level of security.



Pipe Boom Kit Includes:

1. Dual baby pin and single junior receiver front adapter x 1 pc
2. Center adapter with T-slot ear x 1 pc
3. Joint pipe adapter with 4 knobs x 1 pc
4. Rear adapter with dual sandbag hooks x 1 pc

KCP-612 Pipe Boom Rig Kit

W 5.7kg
12.6lbs

US-KG603612



With 4 knobs



KHS-C112 Joint Pipe Adapter

US-KG095112

Constructed from heavy-duty steel with chrome plated surface treatment, this joint pipe adapter is designed for schedule 40 pipe (48.3mm).

RS-RS2550 Ratchet Strap

US-KG096513

This yellow ratchet strap comes 25mm in width and 5M in length which is designed to increase the stability of a Pipe Boom Rig (or Manace Arm Kits) by weaving through the top ring of the center mount with the strap hooks secure on both ends of the mounts.



YOUTUBE
KUPO 4.5" GRIP HEAD
W/ JUNIOR STUD (KCP-440)



KCP-440 4.5" Center Grip Head w/ Junior Stud

W 2.7kg
6lbs

US-KG401712

The 4.5" Center Grip Head consists of a pair of rotating aluminum discs attached to a junior 28mm (1-1/8") stud. The discs have two different sized "V" shaped jaws to accept any accessory with a 5/8" or 3/8" mounting stud or tubing. They are often used for clamping ears from an overhead or butterfly system. Features U-shape rotating disc holder welded with a junior 28mm (1-1/8") stud is specially designed for centering the weight over the stand.



YOUTUBE
KUPO JUNIOR DROP
DOWN PIN (KCP-630)



US-KG600912

KCP-630 Junior Drop Down **W** 1.32kg 2.91lbs

Designed for use on the end of a boom arm to maintain a constant downward angle of a mounted light box or other lighting instruments as the angle of the boom arm is changed. The 45° angle Drop Down is primarily used with reflectors to allow at lower angles than most stands permit.



US-KG604412

KCP-632 Coupler Junior Drop Down **W** 1.2kg 2.64lbs

This coupler comes with a junior receiver which allows mounting on any pipe with 2" (48-51mm) O.D. to maintain a constant downward angle of a mounted light fixture, as the angle of the pipe is changed.



YOUTUBE
KUPO PIVOTING LIGHT STAND
BOOM CLAMP (KCP-235)



US-KG215811

KCP-235 Pivoting Light Stand Boom Clamp **W** 1.68kg 3.71lbs

Designed for mounting a boom arm to a heavy duty stand. Constructed with solid aluminium, it makes tilt and swivel adjustments of the boom arm quick and simple with the metal ratcheted handle. Four tube size 19mm (3/4"), 25mm (1"), 28mm (1-1/8") and 35mm are well built for attaching different sizes of tubes.



YOUTUBE
KUPO BABY DROP DOWN
ADAPTER (KCP-631)




US-KG602512

KCP-631 Baby Drop Down **W** 0.62kg 1.37lbs

The same function as KCP-630 but with a baby receiver and baby pin. Additional knob on the elbow keeps the lighting fixture from moving when a specific angle is needed.



YOUTUBE
KUPO PIVOTING BOOM
ARM CLAMP (KCP-645)



US-KG601812

KCP-645 Pivoting Boom Arm Clamp **W** 0.72kg 1.58lbs

Kupo pivoting clamp is constructed with solid aluminum die-casting & a plastic cardboard insert which can fit a wider tubing size from 30-35mm diameter boom. With 1-1/8" (28mm) male pin and 5/8" (16mm) female receiver, the attachment of a clamp can fit into the junior receiver or mount on the baby pin which gives greater flexibility and adjustment.




FH35 **W** 830g 30oz

C-Boom Clamp for 1-1/4"(32mm) & 1-1/5"(35mm) Pipe Constructed rugged coupler for 1-1/4"(32mm) & 1-1/5"(35mm) pipe and a T-slotted ear designed for dropping into a large 4.5" Grip Head (lollipop). Connecting it with a Grip Head and stand it can be securely mounted to act as a light boom. Also works great for holding a butterfly or overhead frame.

US-KG604111

KCP-646 Tilt Crank Handle for Broncolor **W** 3.26kg 7.17lbs

The Kupo Heavy-Duty Tilt Head w/Crank Handle for Broncolor Para Reflectors is designed for Reflectors in the Broncolor lineup such as the 222, 220, and 177. Constructed from heavy-duty diecasting with a precision machinery gear wheel and ergonomic crank handle, this system allows you to replace the Para's provided tilt adapter with friction lock, with this crank-action head. With this practical crank, one person can effortlessly have easy single-hand locking adjustments for Para Reflectors.



KCP-653 3 Axis 48-51mm Camera Mounting Plate Kit

Constructed from lightweight and solid aluminum alloy, the 3 Axis 48-51mm Camera Mounting Plate Kit is primarily designed for mounting the camera on a pipe which is 48-51mm in diameter. Two couplers welded with 14cm long 2" pipe and the other weld with a camera mounting plate offers great flexibility to keep the camera in any desired position. Perfect for mounting on a pipe boom rig or a truss for overhead filming with ease and comfort.



W 2.5kg
5.5lbs

US-KG604312



Six standard 3/8" holes, spaced every 1" on center, allows to be connected with cheese plate for more applications.


KCP-651

2" Coupler w/ Camera Mounting Plate

Constructed from lightweight and solid aluminum alloy, the camera mounting plate is designed for mounting on a pipe boom rig or a truss for overhead filming with ease and comfort.

W 1kg
2.2lbs

US-KG604212



YOUTUBE
TELESCOPIC HANGERS

PATENTED

Quick Release Clamp allows quick and secure suspension of a Lighting Fixture Overhead for an Unobstructed Floor Area.



KCP-817

Quick Action Pipe Clamp

W 1.1kg
2.43lbs

50kg
110lbs

US-KG804111

Kupo Quick Action Pipe Clamp is designed for rigging on a pipe with diameters from 25mm (0.9") – 55mm (2.1"). Features an unique quick action locking device which allows you to tighten or loosen the knob in just a snap. The telescopic column is available for hanging a lighting fixture by attaching any pipe with max dia. 35mm in vertical and max dia. 30mm in horizontal direction. The 28mm (1-1/8") stud can be also used for directly hanging a lighting fixture or any gear with a 28mm (1-1/8") stud.



Push to lock



Press to release



US-KG804211

KCP-818 Adjustable Baby Side Arm

W 2.1kg
4.62lbs

Designed for offsetting lighting fixtures or accessories with twin baby (16mm) pins from a stand. Features an adjustable quick release coupler which mounts on tube sizes from 25-50mm and can be positioned anywhere along the 15" (380mm) length quickly and easily.



US-KG804311

KCP-819 Adjustable Junior Side Arm

W 2.1kg
4.62lbs

Designed for offsetting a boom arm or large lighting fixture from a heavy duty stand. Features an adjustable quick release coupler which mounts on any tube size from 25-50mm and can be positioned anywhere along the 16.1" (410mm) length quickly and easily.





YOUTUBE
KUPO SIDE ARM
W/ BABY PIN/RECEIVER
(KCP-806)

KCP-806 Side Arm with Baby Pin/ Receiver

20kg
44lbs

US-KG809012

The same function as KCP-808 but specially designed for tube sizes from 31mm (1.25") to 38mm (1.50"). For example, it can fit into a C-stand tube size 35mm (1.4"). Included with the welding adapters are one baby pin and baby receiver, which offers the flexibility of connecting the small lighting fixture with the baby pin and other accessories with the baby receiver.



KCP-808 Baby Side Arm

20kg
44lbs

US-KG809712

Baby side arm with heavy duty coupler fits on tubes w/ diameters 2"(48-51mm) with a total length 380mm and double baby pins. This enables you to position a light head or grip head at a lower position or mount an additional light without the need for another stand.



KCP-809 Junior Side Arm

40kg
88lbs

US-KG809812

A heavy duty coupler fits on tubes w/ diameters 2"(48-51mm) with a total length 380mm side arm and junior receiver, which allows offsetting or adding a large light fixture on a stand either over or under (a safety linchpin is attached).



YOUTUBE
KUPO PANEL
OFFSET ARM (KS-164B)




YOUTUBE
KUPO PANEL OFFSET ARM
(KS-164B)

KS-164B Panel Offset Arm

30kg
66lbs

US-KG081711

Made by solid steel with black powder coating, the 15.35" (390mm) long panel offset arm features dual junior receivers which enables the luminaire to be mounted in an upright or level position. Especially designed for the Arri Skypanel which can be mounted vertically without





YOUTUBE
KUPO BABY
OFFST ARM (KS-058)



KS-058 Baby Offset Arm

max 20kg
44lbs

US-KG006512

The 380mm Baby Offset Arm with two baby pins and one baby receiver, mounts on a baby stand where a light cannot be placed as close as desired to a subject or if you need to come over the top of the set to hide the stand behind a set wall. Caution: When offsetting a light it also offsets the weight, and it is necessary to place a sandbag or counterweight to prevent the tipping of the stand.



KS-059 Junior Offset Arm

max 40kg
88lbs

US-KG006612

The 470mm Junior Offset Arm with a junior pin and receiver, can offset a large light fixture from its stand. It mounts to a stand with a junior pin top and with a junior receiver it allows a light to be mounted either over or under (a safety linchpin is attached). An additional junior receiver is welded for an extra lighting fixture or an umbrella while working on a rainy day.



KS-158B Baby Adjustable Offset Arm

max Closed: 20kg (44lbs)
Full Extended: 10kg (22lbs)

US-KG011311

The same function as KS-058 but supplied with a length-adjustable device which allows you to extend the length from 48 to 71cm for the flexibility to adjust the distance from the center.



KS-159B Junior Adjustable Offset Arm

max Closed: 40kg (88lbs)
Full Extended: 20kg (44lbs)

US-KG011411

The same function as KS-059 but supplied with a length-adjustable device which allows user to extend the length from 48 to 71cm for the flexibility to adjust the distance from the center (a safety linchpin is attached).





YOUTUBE
KUPO BABY TRIPLE
HEADER (KS-066)



A threaded nub on the side of bar to hold the knob when using on a junior stand.

KS-066 Baby Triple Header **W** 1.5kg 3.30lbs **US-KG009312**

The handy adapter allows you to mount multiple light fixtures or accessories onto a single light stand. Features five baby studs with embossed necks welded onto sturdy steel measured 20mm(H) x 20mm(W) x 800mm(L) and offset for mounting five lights. It can be mounted on the stand top of a baby stud (16mm) or fit into a junior receiver (28mm). Additional 5/16"-18 threaded nub on the side of bar to hold the knob when using on a junior stand.



KS-055 Junior Multi-Header **W** 4.59kg 10.10lbs **US-KG004111**

The Junior Multi-Header is a 40 x 40mm solid steel square tube, 100cm (40") length with anti-reflection black coating. Five junior receivers are welded to the header for a maximum of five lighting fixtures. The header is attached with a junior stud (28mm) for a universal stand top or any mounting accessories that come with a junior socket. Both underside junior receivers are equipped with safety wires to ensure this essential safety aid is always on hand. The Multi Header will support up to 50kg (110lb) of gear equally distributed on both sides of the Header and 15kg (33lb) of gear mounted on one side.



US-KG004211

W 4.65kg 10.23lbs

KS-056 6 x Lantern T-Bar

The 6x Lantern T-Bar is a handy way to mount up to six light fixtures on a heavy-duty light stand at once. The steel bar is measured 25mm(H) x 50mm(W) x 1420mm(L) and has six butterfly nuts to secure lights. It will support up to 12kg (26.4lb) of gear equally distributed on both sides of the Header and 6kg (33lb) of gear mounted on one side. The T-Bar mounts to a Junior stand via its (28mm) 1-1/8" spigot.

Constructed with chrome-plated steel, the handy baby stand extension is designed for adding the length from a top of a baby stand, baby plate or any equipment that comes with a baby stud. Features the unique design of 5/8"(16mm) ID and 1-1/8"(28mm) OD in the end of the extension tube that allows a fit for a baby pin and a junior receiver after removing the knob. An extra 1/4"-20 female thread on the top provides a great mounting solution to any lighting or video accessory that comes with a 1/4"-20 male thread. The knurled neck design on the baby stud also prevents slippage while the light is mounted.



YOUTUBE
KUPO BABY STAND EXTENSION
(006, 012, 018, 024 & 025)



006 6" Baby Stand Extension

L 23cm 9.05" **W** 0.47kg 1.04lbs **T** A **US-KG019212**

012 12" Baby Stand Extension

L 38cm 14.96" **W** 0.58kg 1.28lbs **T** A **US-KG019312**

018 18" Baby Stand Extension

L 53.5cm 21.06" **W** 0.69kg 1.52lbs **T** A **US-KG019412**

024 24" Baby Stand Extension

L 69cm 27.2" **W** 0.79kg 1.74lbs **T** A **US-KG019512**

025 **US-KG093212**

Telescopic Baby Stand Extension

L 40.2cm 15.8" **H** 61cm 24" **W** 0.8kg 1.76lbs **T** A

Constructed with solid chrome steel, Kupo Telescopic Baby Stand Extension is made to extend a light stand or boom from 40.2cm(15.8") to 61cm(24"). The 16mm(5/8") baby pin is ideal for standard lights, grip heads and other studio equipment, comes with a 16mm(5/8") baby receiver.



STAND EXTENSIONS

These double riser sections are identical to the ones that come with the Master C-Stands with Turtle Base. C-Stands get their sizing from the length of their riser sections. The 30" double riser for instance, has two (double riser) telescoping risers and one main section for a total of 90". Add the height of the base and you arrive at your maximum height, 2 risers, 3 sections (Dia.: 35mm, 30mm, 25mm)



US-KS704912 / US-KS705011

CT-20M-TUBE

CT-20MB-TUBE (Black)

L 72cm
28.3" **H** 152cm
max 59.8" **W** 3.2kg
7.1lbs **T** A

US-KS705112 / US-KS705211

CT-40M-TUBE

CT-40MB-TUBE (Black)

L 113cm
44.4" **H** 274.5cm
max 108" **W** 4.7kg
10.4lbs **T** A



YOUTUBE
KUPO C-STAND
RISER COLUMN
(CT-20M-TUBE)



YOUTUBE
KUPO C-STAND
RISER COLUMN
(CT-40M-TUBE)



120M Junior Stand Extension US-KS100112

The Steel Combo Stand Extension is a single riser double section chrome plated stand extension with a Triple Function Universal Head with 1/8" (28mm) and 5/8" (16mm) Receivers with a Multi-Direction 5/8" (16mm) Stud. The bottom of the riser section has a junior 1/8" (28mm) stud that will fit into a Master C Stand Base, Runway Base or any piece of gear with a junior 1/8" (28mm) receiver. It can extend the length from 138cm to 228cm.

L 138cm
54.3" **H** 228cm
89.8" **W** 4.9kg
10.8lbs **T** V



027M 17" (45cm) Junior Stand Extension US-KS080312

Made of chromed-plated steel with a die-casting junior receiver, the junior stand extension allows you to extend 17.7" (45cm) on a stand, baby receiver wall plate or junior wall plate, or any equipment that comes with a junior receiver.

L 45cm
17.7" **W** 1.9kg
4.2lbs **T** V



017 2-Section Extension Pole US-KG092411

The extension pole includes one riser and two sections and comes with a 3/8"-16 thread male on one end and 3/8"-16 thread female in the other. It allows it to be extended from 27cm (10.7") to 43cm (17") and can be locked with the die-casted aluminum wing locking knob. Aluminum material. 1 riser, 2 sections (Dia. 30mm & 25mm)

L 27cm
10.7" **H** 43cm
max 17" **W** 0.42kg
0.9lbs



013-A Pole For Folding Mini Stand US-KS041411

2-section black aluminum vertical pole for KUPO folding base mini stand which allows extending the maximum height of 2.7' (80cm). Aluminum material. 1 riser, 2 sections (Dia.: 1", 7/8")

L 48cm
19" **H** 80cm
max 31.5" **W** 0.35kg
0.77lbs **T** T



042 4-Section Baby Stand Extension US-KS041511

4-section black aluminum pole for extending your stand to the maximum height of 4.2' (127cm). Aluminum material. 3 risers, 4 sections (Dia.: 1", 7/8", 3/4", 5/8")

L 42cm
16.6" **H** 127cm
max 50" **W** 0.4kg
0.91lbs **T** A



092 3-Section Baby Stand Extension US-KG092311

3-section black aluminum pole allows extending from 3' (89cm) to 7.7' (230cm) and can be locked with the die-casting wing locking knob. Also may be used as a hand held light or microphone boom. Features a TVMP adapter at the bottom of the pole which allows a fit for a 16mm (5/8") stud or 28mm (1-1/8") receiver. Aluminum material. 2 risers, 3 section (Dia.: 25mm, 22mm, 19mm)

L 89cm
35" **H** 230cm
max 92" **W** 0.6kg
1.32lbs **T** T



The super Viser Clamp is built with an aluminum die casting body making it sturdy and lightweight. The moveable jaws are designed for mounting on tubes or planks up to 101mm (228mm is available for longer version KCP-601). With the innovative grooved design on the threaded shaft, both jaws can be kept in the same direction all the way. In addition to the 16mm pin located at the end of the shaft, the unique design of 16mm socket is also built on the clamp that allows all Convi Clamp accessories to fit onto the Super Viser.

Features:

(1) Anti-Twist

A clever groove notched into the back of the clamp keeps the jaws aligned with one another as they open and close.

(2) Rubber Padded Jaws

Mechanical interlocking design instead of glue between the rubber pad and the aluminum die-casting jaws, makes the rubber pad firmly attached to allow secure mounting vertically or horizontally.

(3) 5/8" (16MM) Baby Pin

The threaded shaft terminates in a 5/8" pin for mounting lights or grip accessories.

(4) Hex Receiver

The hex socket is compatible with Convi or Super Clamps for additional mounting options.

(5) Ergonomic Handle

The ergonomically designed handle provides maximum torque and security



YOUTUBE
KUPO SUPER
VISER CLAMPS




The groove keeps the jaws aligned with one another.



Mechanical interlocking design makes the rubber pad firmly secure on the jaw.




Knurled neck for the maximum friction.




US-KG602912

KCP-600 Super Viser Clamp 4" (10.16cm) **W** 0.67kg 1.48lbs




US-KG603012

KCP-601 Super Viser Clamp 9" (24cm) **W** 0.86kg 1.9lbs



KCP-601-L Super Viser Clamp 17" (44cm) **W** 1.36kg 3lbs


US-KG600312



KCP-607 Super Viser Clamp End Jaw 9"(23.5cm)

W 0.68kg
1.5lbs


US-KG603912



KCP-604 Super Viser Clamp End Jaw 4"(10.5cm)

W 0.61kg
1.35lbs

US-KG604012



KCP-602

Super Viser Clamp Center Jaw 3.5"(9cm)

W 0.67kg
1.48lbs

The Center Jaw Super Viser clamp features a fixed baby stud instead of a fixed baby receiver at the end of the jaw which offers a different mounting solution to the traditional Super Viser Clamp in certain operating conditions.

US-KG602712



KS-610

Super Viser 10in Extension Adapter


W 0.4kg
0.88lbs

Constructed from precision machined steel with chrome plated surface treatment, the extension adapter allows the center jaw of the super viser clamp to increase the length for a wider gripping range to 10"(25.4cm).

US-KG028712



Application:





1/4"-20 threaded female on the dia. 3/8"(10mm) knurled rod.



3/8"-16 threaded male stud on the bottom of jaw.



Groove design keeps the jaws aligned with one another as they open and close.

KCP-660B Mini Viser Clamp

W 280g
9.9oz

US-KG602811

Mini version of the Super Viser Clamp which features a 1/4"-20 thread female on the dia. 3/8"(10mm) knurled steel rod and a 3/8"-16 male stud on the bottom of the jaw for connecting with a variety of lighting and video accessories. Ideal for a small backlight, to help hold a portable greenscreen, shotgun mic and perfect for confined spaces like tabletop photography or car interior photography. Jaws are constructed with alloy die-cast aluminum and mechanically interlocked with the rubber pad which gives superior weather assistance for locking it securely and gives maximum gripping range up to 2"(51mm). The 1/4" male -1/4"male adapter spigot (KS-051) is included.



1/4"-20 threaded female on the dia. 5/8"(16mm) baby stud.



3/8"-16 threaded male stud on the bottom of jaw.



Groove design keeps the jaws aligned with one another as they open and close.

KCP-662B Mini Viser Clamp w/ Baby Stud

W 351g
12.4oz

US-KG603111

Features a 5/8"(16mm) baby stud instead of 3/8"(10mm) shaft for connecting with lightweight lighting fixtures and any accessories with 5/8"(16mm) baby receiver. Meanwhile, a 1/4"-20 threaded female is design for fitting into variety of lighting and video accessories.



5/8"-27 Male Thread for Microphone Mount Holder.



3/8"-16 threaded male stud on the bottom of jaw.



Groove design keeps the jaws aligned with one another as they open and close.

KCP-667B Mini Viser Clamp w/ 5/8"-27 Thread

W 400g
14oz

US-KG603811

Features a 3/8"-16 female to 5/8"-27 male bushing on the 3/8"(10mm) threaded stud for easily mounting microphones on shelves, benches, cross bars, carts or desktop. The removable bushing also allows you to mount any equipment that comes with 3/8"-16 female threaded on the clamp.



US-KG702612

KCP-724 Wall Spreader Set For Lumber 2" x 4"

Designed for a background support, or an overhead beam to hang lighting fixtures by placing cut lumber at each end. Just simply screw the planks into the wall spreader ends and then adjust the bolt to ensure a tight fit to wall. It can be used in both horizontal and vertical positions. The thickness of the square steel plate is 0.25"(0.64cm).

W 3.2kg
7lbs



US-KG701812

KCP-712

Wall Spreader Set For Pipe 1-1/2" Schedule 40

The function is as the same as KCP-724 but rigging of any round pipe comes with 1-1/2" schedule 40 which is OD 1.9"(48.3mm) instead of lumber between two rigid points. The thickness of the square steel plate is 0.25"(0.64cm).





KCP-605 6" Chain Clamp

W 1kg
2.2lbs

US-KG600412



KCP-606 10" Chain Clamp

W 1.2kg
2.64lbs

US-KG600512

The Kupo Chain Clamp with Duel Baby 5/8" Studs is a versatile lighting rig that allows you to mount on any size pipe up to 6"(KCP-605) or 10"(KCP-606) in diameter. Due to the flexibility of the chain, it can be wrapped around odd shaped objects such as a tree branch. This clamp features two baby 5/8"(16mm) studs, one mounted on the back of the clamp and another at a right angle at the end of the handle that is used to adjust the tension when locked down. The studs have a knurled texture to prevent fixtures from rotating when locked in place. The release lever has a set-screw with a knob to prevent accidental opening of the clamp when locked in place.

Features:

1. Ideal for holding awkwardly shaped pieces.
2. Easy to adjust pressure and fit. Works by turning the 5/8" baby stud in the rear of clamp.
3. The chain is built with high-grade heat-treated alloy steel for maximum toughness and durability.
4. Two 5/8" baby pins provides strong support for lighting fixtures in opposite directions.
5. The embossed neck of 5/8" baby studs offer the maximum friction for mounting a lighting fixture.



Embossed neck offers the maximum friction.



Always lock with safety T-handle for better protection.




On a tree.



On a steel tube.



YOUTUBE
KUPU LARGE GAFFER
GRIP (KCP-500)



KCP-500 Large Gaffer Grip

W 1.25kg
2.75lbs


max 10kg
22lbs

US-KG500511

A quick mounting and multi-purpose clamp which will grip on flat or round surfaces. There is a variable tension control knob with a removable baby 5/8"(16mm) pin mounted in a female baby receiver in the handle and another 5/8"(16mm) pin mounted on the flat part of the jaw. The clamp works on diameters from 0.63-2.36"(16-60mm).



YOUTUBE
KUPU SMALL ADJUSTABLE
GAFFER GRIP (KCP-550)



KCP-550 Small Adjustable Gaffer Grip

W 0.66kg
1.45lbs

US-KG500611


A quick mounting and multi-purpose clamp which will grip on flat or round surfaces. There is a variable tension rubberized control knob with a removable baby 5/8"(16mm) pin mounted in a female baby receiver in the handle and another 5/8"(16mm) pin mounted on the flat part of the jaw. The clamp works on diameters from 0.63-2.36"(16-60mm).



YOUTUBE
KUPO WALL PLATE
W/ 3" BABY STUD (KS-046)

KS-046 3" Baby Wall Plate **W** 0.4kg 14.1lbs **US-KG003512**

Same plate size 3.5 x 6" (9 x 15cm) and function as KS-043, but with a welded 3" long 5/8" baby stud. The 75mm x 75mm drilled holes allows to easy mount for any LCD monitor which comes with standard VESA mount 75mm x 75mm.



YOUTUBE
KUPO RIGHT ANGLE BABY
WALL PLATE (KS-043)

US-KG008012

KS-043 Right Angle Baby Wall Plate **W** 0.65kg 1.44lbs

3.5 x 6" (9 x 15cm) plate welded with a right angle 5/8" baby stud. 8 anchor points are for nails or screws giving options for mounting anywhere. May be used on a wall, ceiling, or an apple box where it is not easy to set up a lighting stand or boom arm.



YOUTUBE
KUPO JUNIOR WALL
PLATE (KS-048)

US-KG003712

KS-048 Junior Wall plate **W** 0.68kg 1.5lbs

Same plate size 3.5 x 6" (9 x 15cm) and function as KS-043, but welded with a 4" long 1-1/8" junior receiver for larger lighting.



YOUTUBE
KUPO BABY WALL PLATES
(KS-045 & KS-044)

US-KG008212

KS-045 6" Baby Wall Plate **W** 0.72kg 1.59lbs

Same plate size 3.5 x 6" (9 x 15cm) and function as KS-043, but with welded 6" long 5/8" baby stud.



US-KG008412

KS-057 Offset Baby Wall Plate **W** 0.94kg 2.07lbs

With the same plate size 3.5 x 6" (9 x 15cm) and function as baby wall plate, but with welded 9" long post with 2 Baby (5/8") mounting studs for fixtures.



US-KG008312

KS-047 Baby Receiver Plate **W** 0.62kg 1.37lbs

With the same plate size 3.5 x 6" (9 x 15cm) and function as baby wall plate, but welded with a 5/8" baby receiver. Great tool to mount a lighting fixture or grip accessory to a wall. Mount to a baby stand directly or take off the knob for access in to a junior receiver or use as a platform for monitor, speaker or lighting fixtures.



US-KG022111

KS-145 Baby Cheater Wall Plate **W** 0.47kg 1.04lbs

With the same plate size 3.5 x 6" (9 x 15cm) and function as a baby wall plate, but with welded 3" long baby pin at an angle. It is designed for eliminating barn door interference when positioning a lighting fixture.



US-KG301012

KCP-340 Baby Plate w/ EZ Grip Finger **W** 0.8kg 1.77lbs

The square plate attached to the ball joint pivots from -45° to 90° while the collar rotates 360° incorporating another 5/8" pin. Plate size: 3.5 x 6" (9 x 15cm)



YOUTUBE
KUPO BABY WALL PLATES
(KS-045 & KS-044)

US-KG008112

KS-044 9" Baby Wall Plate **W** 0.85kg 1.88lbs

Same plate size 3.5 x 6" (9 x 15cm) and function as KS-043, but with welded 9" long 5/8" baby stud.



REMOVABLE TWIST-ON CENTER MOUNTING PLATE

Removable twist-on center mounting plate equipment provides an ideal mounting solution for all lighting fixtures and Kino flo in particular. Features a rigid steel ball head and a ratcheting handle allowing all axis lock with one locking handle. The located pin and obvious laser marking makes it effortless to twist-on or remove the mounting plate from the lighting fixture.



YOUTUBE
KUPO OFF-SET
MOUNTING PLATE
W/ BABY RECEIVER
(KCP-415)



Compatible with kino flo rear mounting plate.

US-KG400212

KCP-415

W 975g
2.15lbs

Off-Set Mounting Plate w/ Baby Receiver (16mm)

Mounting plate to attach Kino flo 2' and 4' fixtures to any industrial standard 16mm spigot. Features a steel ball head welded with the offset adapter for the maximum strength and offers excellent balance for the weight of fixture on the center of the stand.



YOUTUBE
KUPO OFF-SET
MOUNTING PLATE
W/ 3/8" (10MM) PIN
(KCP-417)

US-KG400312

KCP-417

Swivel Mounting w/ 3/8" Pin (10mm)

W 715g
1.58lbs

Mounting plate to attach Kino flo 2' and 4' fixtures to a griphead (century stand knuckle). Features a steel ball head welded with the 10mm knurled rod for the maximum strength.



YOUTUBE
TWIST LOCK REAR
MOUNTING PLATE | KINO
FLO DOUBLE (KCP-416) &
4-BANK (KCP-418)



Dimension:
23cm(L) X 10cm(W) X 0.3cm(T)

US-KG401311

KCP-416

W 180g
6.35oz

Twist Lock Rear Mounting Plate for Kino Flo Double

This ingenious engineered plate is made with lightweight and durable aluminum and is designed for attaching the back of the lighting fixture. It accepts KCP-415 (off-set mounting adapter with baby receiver) or KCP-417 (Swivel mounting adapter with 3/8" rod) and Kino flo Double in particular.



YOUTUBE
TWIST LOCK REAR
MOUNTING PLATE | KINO
FLO DOUBLE (KCP-416) &
4-BANK (KCP-418)



Dimension:
23cm(L) X 20cm(W) X 0.3cm(T)

US-KG401411

KCP-418

W 360g
12.7oz

Twist Lock Rear Mounting Plate for Kino Flo 4 Bank

This ingenious engineered plate is made with lightweight and durable aluminum and is designed for attaching the back of the lighting fixture. It accepts KCP-415 (off-set mounting adapter with baby receiver) or KCP-417 (Swivel mounting adapter with 3/8" rod) and Kino flo 4 Bank in particular.



US-KG037611

KCP-423

W 390g
0.86lbs

Mounting Plate w/ Super Knuckle Baby Receiver (16mm)

Mounting plate to attach Kino 2' and 4' fixtures to any grip equipments comes with 5/8" (16mm) stud. Features double socket arm with balls and central knob allowing you to lock with one clamping action.

SUPER CONVI CLAMP

The Super Convi Clamp is more than just an amazing clamp, it's the foundation of an entire grip system. Features a hexagonal receiver that accepts dozens of Convi accessories from a simple stud to the versatile Max Arm to mount almost any light fixture, camera or accessory.



The Super Convi Clamp, made of lightweight cast alloy, can be securely mounted on any tube from 5 to 51mm and equipped with a saddle for mounting onto flat surfaces. The elastic P.U. pad also reduces surface damage and enhances gripping action. All metal parts are made of stainless steel to make them sturdier with anti-rust features. The die-cast aluminum of the locking knob make it very rugged. With a built-in female socket it allows the use of any attachments to hold anything from backgrounds to lighting fixtures. The spring safety locking system also offers double insurance when the screw locking action is not completely finished.



US-KG701212 / US-KG700511



KCP-700 Super Convi Clamp-Silver
KCP-700B Super Convi Clamp-Black

W 0.45kg
1lbs

max 20kg
44lbs



YOUTUBE
KUPO SUPER CONVI CLAMP
SYSTEM (KCP-700 & KCP-710)



US-KG701712 / US-KG701511


KCP-710 Super Convi Clamp w/Racheted Handle-Silver
KCP-710B Super Convi Clamp w/Racheted Handle-Black

W 0.45kg
1lbs

max 20kg
44lbs



YOUTUBE
KUPO SUPER CONVI CLAMP
SYSTEM (KCP-700 & KCP-710)



US-KD700712 / US-KD700611

KD-730 Silver
KD-730B Black
Super Convi Clamp Additional Socket **W** 130g
4.58oz
Offers an additional 5/8" (16mm) socket to Super Convi Clamp.



US-KD704111

KD-731B
Additional Socket w/ Spring Safety Pin **W** 141g
4.98oz
Same function as KD-730B, but with a spring safety pin and hole for safety wire.





US-KG703411

KCP-7SDL Super Convi Clamp Saddle **W** 0.01kg 0.02lbs

This Super Convi Clamp accessory is a durable triangular plastic wedge that presses into the jaw of any Convi Clamp to enable the clamp to be mounted securely on flat surfaces. (Set of four)

Specifications:

Length: 1.7"(4.31cm) / Height: 0.75"(1.91cm) / Width: 1.06"(2.69cm)



US-KG702512

KCP-720 Double Super Convi Clamp (Silver) **W** 1.09kg 2.4lbs

The Double Super Convi Clamp is a pair of Super Convi Clamps joined back to back providing a 90 degree angle. You can use a couple of Double Super Convi Clamps to join a whole variety of materials together such as a cross bar on a pair of Kupoles.



US-KG702311

KCP-720B Double Super Convi Clamp (Black) **W** 1.09kg 2.4lbs



YOUTUBE
KUPO GRIP HEAD
W/ HEX STUD (KCP-260B)



US-KG202011

KCP-260B Grip Head w/ Hex Stud **W** 0.64kg 1.41lbs

The Grip Head with Hex Stud is identical to the 2-1/2" Grip Head with big handle but is not mounted to a baby 5/8" (16mm) receiver, it's mounted to a hexagonal stud designed to fit the Super Convi Clamp and Super Viser Clamp systems. It is most often used in conjunction with a grip arm, giving you complete flexibility to position gobos "go betweens" such as flags, scrims and silks as well as other accessories virtually anywhere. This grip head is clad in a stealthy black powder coated finish.



US-KG202711

KCP-270B Super Convi Clamp Griphead **W** 1.09kg 2.4lbs

This is a small and lightweight component of the Super Convi clamp and Grip Head with hex stud that allows you to insert lighting and grip arms. The Super Convi Clamp securely fastens around a lighting stand or tripod leg or many other sources allowing you to be versatile with your lighting set-ups.





US-KG701312

KCP-701 Toothy Convi Clamp - Silver

W 0.5kg
1.1lbs

The Toothy Convi Clamp is designed, as the name suggests, with teeth for the purpose of biting and gripping trees and other wood surfaces.



US-KG702112

W 1kg
2.2lbs

max 15kg
33lbs

KCP-715 Toothy Convi Clamp w/ Coupler

Featuring a half coupler for 2"(48-51mm) tube with the toothy Convi clamp making it useful in a variety of situations.



US-KG704511

KCP-735 Binocular Clamp

W 0.45kg
1lbs

max 20kg
44lbs

Ideal mounting solution for keeping your binocular in place on any tripod head or fluid head. It features an unique large serration design that keeps your binocular from slipping and the 1/4"-20 thread female under the clamp is used for mounting on any tripod head or fluid head.



Clamp Barrel Range: 13-55mm



US-KG704812

W 0.51kg
1.12lbs

KCP-738 Super Convi Clamp for ARRI PSU Rail Mount

Super Convi Clamp equipped with a CNC aluminum plate which allows Arri PSU Rail Mount Adapter to be effortlessly slid on. A great mounting solution for supporting the power supply unit on any tube from 5-51mm (especially on wheeled light stand) or flat surface.



YOUTUBE
KUPO PSU RAIL MOUNT
ACCESSORIES (KCP-738 &
KCP-700-PRM)

CUSTOM COLORS & LASER ENGRAVING LOGO are available upon request! (MOQ 200 pcs)





US-KG010712

KS-001 3/8" Snap In Pin **W** 85g 3oz
Solid steel 3/8"(9.5mm) Snap in Pin works with gobo head or fixture with 3/8" receiver.



US-KG010812

KS-002 1/2" Snap In Pin **W** 120g 4.23oz
Solid steel 1/2"(12.7mm) Snap in Pin works with gobo head or fixture with 1/2" receiver.



US-KG000112

KS-003 5/8" Snap In Pin **W** 160g 5.64oz
Made by chrome steel, this 5/8" Snap in Pin comes with hex end for Convi Clamp and the other round end for lighting fixture or gobo head.




US-KG000212

KS-004 M12 x 30 Stud **W** 70g 2.46oz
Solid steel TVMP Snap In Pin comes with M12 male threaded. Allows it to attach right to the yoke of lighting and works with Covi clamp.



US-KG000312

KS-005 M10 x 25 Stud **W** 65g 2.29oz
Solid steel TVMP Snap In Pin comes with M10 male threaded allowing it to attach right to the yoke of lighting and works with Covi clamp.



US-KG009612

KS-006 M12 Threaded Socket w/ Bolt **W** 85g 3oz
Solid steel TVMP Snap-in Pin comes with M12 threaded socket and bolt allowing it to attach right to the yoke of lighting and works with Covi clamp.



US-KG009712

KS-007 M10 Threaded Socket w/ Bolt **W** 90g 3.17oz
Solid steel TVMP Snap-in Pin comes with M10 threaded socket and bolt allowing it to attach right to the yoke of lighting and works with Covi clamp.



US-KG006812

KS-008 Joining Stud/Swivel **W** 25g 0.88oz
Made by chrome steel, this double hex stud allows you to join two Convi Clamps at six different locking positions to each other.



YOUTUBE
KUPO JOINING
STUDSWIVEL (KS-008)



US-KG009812

KS-009 150mm Extension **W** 100g 3.53oz
Made by chrome steel, this 150mm extension bar allows you to join two Convi Clamps together at a distance of 15 cm from each other.



US-KG000412

KS-010 Offset Arm 215mm (8.4") **W** 540g 19oz
Steel made offset arm with a two hex adapters, one on the end of the arm and another at a right angle to it for mounting flexibility. The other side of the arm features two opposing baby 5/8" pins for mounting light fixtures or any other baby accessory with a baby receiver.



US-KG006912

KS-016 90 / 45 degree Joining Stud **W** 25g 0.88oz
Designed for Convi clamps it can be joined back to back at right or repeatable angles. Useful for making frames or mounting heavy duty crossbars.



YOUTUBE
KUPO 90/45 DEGREE
JOINING STUD (KS-016)



YOUTUBE
KUPO HEX J HOOK
(KS-012)



US-KG000712

KS-012 Swivel Steel U hook (Set of 2) **W** 182g 6.42oz
The Steel U hook with a hex pin is perfect for hanging strobe packs, ballasts, or rigging background crossbars to light stands. The hook accepts pipes that measure 2" in diameter.



YOUTUBE
KUPO CUP HOLDER
(KD-815P)



US-KD800612

KD-815P Cup Holder **W** 200g 7.05oz
Cup holder is an ideal widget allowing easy connection with Convi clamp (KCP-700) or 4 way clamp (KCP-950) to add space to a cluttered desk and keep you from accidentally spilling your drinks. The holder is made of durable aluminum alloy with dia. 7.4cm space which can fit most standard coffee cups.





US-KG000812

KS-014 Hex Stud 3/8"-16M & 1/4"-20M **W** 40g 1.41oz

Solid brass hex camera stud is designed for Convi clamps. It comes with 3/8"-16 male and 1/4"-male thread to mount camera directly to a camera head.



US-KG001012

KS-015 Hex Stud 3/8"-16F & 1/4"-20F **W** 25g 0.88oz

Solid brass hex adapter is designed for Convi clamps. It comes with 3/8"-16 female and 1/4"-20 female thread.



W 38g 1.34oz



US-KG002012 / US-KG001911

KS-020 / KS-020B 5/8" Compact Alu. Snap in Pin

Lightweight aluminum 5/8" (16mm) adapter with hex stud for Convi clamp and round head in the other side. Special for Desisti & laniro lighting fixtures.



YOUTUBE
KUPO HEX BABY
STUD 3/8"-16
(KS-025)



US-KG002512

KS-025 Hex Baby Stud 3/8"-16 **W** 70g 2.47oz

Solid brass made, this stud comes with hex end for Convi Clamp and the other round end for lighting fixture. It also allows rotating while connecting two Convi clamps. 5/8"(16mm) baby stud with 3/8"-16 male threads.



YOUTUBE
KUPO HEX BABY
STUD 1/4"-16
(KS-026)



US-KG002612

KS-026 Hex Baby Stud 1/4"-20 **W** 70g 2.47oz

Solid brass made, this stud comes with a hex end for Convi Clamp and the other round end for lighting fixtures. It also allows rotating while connecting two Convi clamps. 5/8"(16mm) baby stud with 1/4"-20 male threads.



W 45g 1.59oz



US-KG008712

KS-038 Hex Adapter w/ 3/8"-16F & 3/8"-16M

Solid brass made 5/8" hex adapter keeps it from rotating while in Convi clamp with one end 3/8"-16 female threads and the other end 3/8"-16 male threads.



W 45g 1.59oz



US-KG034412

KS-130 Hex Adapter w/ 3/8"-16F & 1/4"-20M

Solid brass made 5/8" hex adapter keeps it from rotating while in Convi clamp with one end 3/8"-16 female threads and the other end 1/4"-20M male threads.



US-KG013512

W 100g 3.53oz

KS-023H 3/8" Head Mounting Plate w/5/8" Hex Stud

Round flat plate made to mount ball head or any other accessory tapped with a 3/8"-16 threads for Convi clamp. Features a hex stud which keeps the stud from rotating inside the Convi clamp.



US-KG000512

KS-011 100mm Square Mounting plate **W** 290g 10.23oz

10 x 10cm plate welded with a 5/8" hex stud for fitting into Convi clamps.



US-KG055012

KS-018H Hex 16mm Stud W/M10 Thread **W** 62g 2.19oz

Solid brass made hexagonal stud comes with M10 threads and wing nut for stirrup's fixture for a rapid connection to Convi Clamp.



US-KG009112

KS-031 Snap-in Right Angle Pin **W** 410g 14.46oz

This stud features a hex pin on one side for the Convi & Super Viser Clamp Systems and a baby stud for easy mounting of lighting fixtures or accessories.



US-KG001712

KS-019 Swivel Extension Arm w/ 5/8" Receiver **W** 354g 12.5oz

A mini extension arm with 5/8" baby receiver on one side and a hexagonal stud on the other for fitting into the Convi clamp. The double ball elbow joint offers the ability to articulate the two sides in any directions.



YOUTUBE
KUPO HEX SWIVEL
EXTENSION ARM W/
BABY RECEIVER (KS-019)



US-KG026311

KS-195 Extension Arm w/ Universal Adapter Spigot **W** 0.2kg 0.44lbs

Constructed from solid aluminum die-cast material with black powder coating, the Kupo Extension Arm is a 6" extension arm designed for attaching to a Super Convi clamp for hanging a light or a camera from a light stand or pole. The extension arm features a 16mm(5/8") baby receiver and a removable universal adapter spigot with 1/4"-20 and 3/8"-16 male threads. The arm end has a hex-shaped stud that snaps into a Super Convi Clamp or Super Viser clamp preventing the arm from rotating.



US-KD700912

KD-735P Mini Flex Arm w/ Alligator Clip **W** 118g 4.2oz

The Mini Flex Arm with Alligator Clip is a flexible arm with a 3/8"-16 female thread tapped inside a baby 5/8"(16mm) stud on one side and an alligator clip on the other. It's the perfect accessory to hold small items such as a mini flag or reflector. It's 11.4"(29cm) in length.



YOUTUBE
KUPO MINI FLEX ARM W/
ALLIGATOR CLIP (KD-735P)





Fit to Convi clamp



Fit to four way clamp



Opening for shoulder strap

KS-099 Bracket for Vagabond Mini Lithium Portable Power Pack

W 160g
5.7oz

US-KG012611

Great widget for offering mounting solutions to the Vagabond Mini Lithium Portable Power Pack. Matte-black, neat profile, and the sturdy steel yoke is built to go through strap slots on the Vagabond and hold it without slipping. Through a single screw, it can be quickly and firmly fastened to the 1/4"-20 socket of a power pack. The welded hex stud is customized to fit the Convi clamp and four-way clamp, leaving the power pack mounted anywhere without spinning. Each end of the yoke is slotted for accommodating a shoulder strap, making it easy for moving and carrying the portable power pack. * Vagabond Mini Lithium is a registered trademark of PAUL C. BUFF, INC.



With adapters



With adapter and V mount battery



KS-199 Multifunction V-mount Battery Bracket Kit

US-KG022411

Made with Convi Clamp (KCP-700) and a V-mount battery bracket, it offers a great storage and mounting solution for your battery and transformer and an ideal way to both stabilize your light stand and free up floor space. The bracket constructed from precise laser-cut steel with black matt powder-coated finish, makes it work seamlessly with battery, transformer and Convi clamp. The built-in V-mount battery holder allows you to secure mount a battery on the bracket effortlessly and a D-Tap output is also equipped for connecting your gear. In the reverse position of the bracket, the unique transformer cradle keeps your transformer in place inside the bracket with the elasticized Velcro. Simply making use of two tear-shaped holes, the bracket can be quickly hung on the plastic stoppers mounted in the bottom of Convi Clamp. With the spring-loaded clamp, it allows it to fit a variety of stand widths up to 50mm in diameter and is easy to snap on and off for quick set up or take-down.



YOUTUBE
KUPO PSU RAIL MOUNT
ACCESSORIES (KCP-738 &
KCP-700-PRM)



KCP-700-PRM PSU Rail Mount Adapter for Convi Clamp

W 55g
1.94oz

US-KG704912

CNC made anodized aluminum plate designed for the Super Convi Clamp with two M5 sets screws. This allows for the Arri PSU Rail Mount Adapter to be easily attached, and provides a mounting solution for supporting the power supply unit on any tube from 5-51mm (especially on a roller stand) or flat surfaces with the Super Convi Clamp. (Size: 50 x 29.5 x 16mm)



YOUTUBE
KUPO SQUARE
J HOOK (KD-795B)



KD-795B Compact U Hook - Black

US-KD703811

The aluminum made Compact U Hooks (Set of two) are accessories for the Convi Clamp (KCP-700). It has a narrow profile (1.6cm in depth) which can hold thinner objects that are flat and narrow.

KD-790B Bracket Shelf Holder - Black

US-KD703611

The aluminum made L Bracket Shelf Holder is 2 right angle brackets with a hex stud mounted to one side. They are good for mounting flat objects to a pair of Kupoles with Convi clamp (KCP-700).



YOUTUBE
KUPO ROUND STUD
W/ 3/8\"-16M & 1/4\"-20M
THREADS (KS-014R)



US-KG000912

KS-014R Round Stud 3/8\"-16M & 1/4\"- 20M **W** 40g 1.41oz
Solid brass round camera stud with 3/8\"-16 male and 1/4\"-20 male thread to mount directly to a camera head. This is a replacement stud for the Tilting Umbrella Adapter.



YOUTUBE
KUPO ROUND STUD W/
3/8\"-16F AND 1/4\"-20F
RECEIVERS (KS-015R)



US-KG001112

KS-015R Round Stud 3/8\"-16F & 1/4\"- 20F **W** 32g 1.13oz
Solid brass round adapter comes with 3/8\"-16 female and 1/4\"-20 female. This is a replacement stud for the Tilting Umbrella Adapter.



YOUTUBE
KUPO UNIVERSAL
STUD (KS-017)



US-KG001212

KS-017 Brass Universal Adapter Spigot **W** 70g 2.47oz
Universal 5/8\" (16mm) stud w/ 3/8\"-16M and 1/4\"- 20M.



US-KG013012

KS-073
Adapter Stud 3/8\"-16F & 1/4\"-20M **W** 40g 1.41oz
Solid brass made 5/8\" adapter stud with 3/8\"-16 female thread is designed to convert an accessory with 3/8\"-16 male threads to an industry-standard 5/8\" stud to support equipment such as light fixtures. The stud is topped with 1/4\"-20 male threads for additional mounting options.



US-KG001412

KS-018 5/8\" (16mm) Stud w/ M10 Thread **W** 62g 2.19oz
Easy to be mounted on the yoke of a lighting fixture with the M10 thread and wing nut.



US-KG013112

KS-075 Adapter Stud to 3/8\"-16 Thread **W** 70g 2.47oz
Solid brass round 5/8\" adapter stud with 3/8\"-16M.



US-KG010112

KS-027 5/8\" (16mm) Male Adapter (M10) **W** 70g 2.47oz
Steel made 5/8\" (16mm) Adapter with tapped M10 thread female.



US-KG010212

KS-037 5/8\" (16mm) Male Adapter (3/8\") **W** 70g 2.47oz
Steel Made 5/8\" (16mm) Adapter With tapped 3/8\"-16 thread female.



YOUTUBE
KUPO BABY 5/8" STUD W/
1/4"-20F THREAD (KS-076)

US-KG008612

W 40g
1.41oz

KS-076 5/8" Stud w/ 1/4"-20 Female Thread

3.5" long 5/8" baby stud with 1/4"-20 female thread which is designed to mount a stud on a tripod or anything with a 1/4"-20 thread.



US-KG016512

W 40g
1.41oz

KS-096 5/8" Stud w/ 3/8"-16 Female Thread

3.5" long 5/8" baby stud with 3/8"-16 female thread which is designed to mount a stud on a tripod, suction cup or anything with a 3/8"-16 thread.



US-KG008512

KS-074 Long Double Stud-5/8"

4.9" long double 5/8" baby stud is designed to connect a lighting fixture to a Convi clamp or an arm with a grip head.



W 160g
5.64oz



US-KG012412

unit: inch

W 50g
1.76oz

KS-077 5/8" Stud w/ 1/4"-20M Thread(12MM)

3.5" long 5/8" baby stud with 1/4"-20 male thread designed to screw into a 1/4"-20 hole of a small light, a monitor or anything with 1/4"-20 female thread on a Gobo head or Convi clamp.



Microphone



US-KG012512

unit: inch

W 50g
1.76oz

KS-078 5/8" Stud w/ 3/8"-16 Male Thread

3.5" long 5/8" baby stud with 3/8"-16 male thread 12mm in length designed to screw into any equipment with 3/8"-16 female thread.



US-KG091612

unit: inch

W 60g
2.11oz

KS-129 Extra Long 5/8" Stud w/ 3/8"-16 Male Thread

3.5" long 5/8" baby stud with 3/8"-16 male thread 25.4mm in length designed to screws into or any equipment with 3/8"-16 female thread.



▲ 1/4"-20 male thread

US-KG026211



◀ 1/4"-20 female thread

KS-149 Baby Pin w/ 1/4"-20 Male Thread

W 200g
70oz

The 5.5"(140mm) long steel made baby pin with a 1/4"-20 male thread and a 1/4"-20 female thread in reverse position allows you to use your equipment with a variety of grip equipment including standard grip heads, suction cups, light stand, articulating arm and more.



US-KG090912



W 180g
6.3oz

KS-115 Double Ended Spigot

Solid brass spigot features a 5/8" (16mm) baby at one end allowing it to fit into the 5/8" receiver of Super Convi Clamp or any piece of gear with a 5/8" receiver providing compatibility with cameras or accessories with a 1/4"-20 threads at the other.



YOUTUBE
KUPO BABY 5/8"
GRIP ARM PIN (KS-022)

▼ 1/4"-20

US-KG002212

KS-022 Grip Arm Pin w/ Collar 0.16kg 0.35lbs

5/8" steel baby pin, with 5.5" (14cm) length, is designed for fitting into the grip head and can be connected to the lighting fixtures or other grip accessories. Features a 1/4"-20 female hole on one side and a 3/8"-16 female hole on the other. The knurled neck offers maximum friction and the collar design provides an anchor to prevent the pin from sliding completely through the grip head.



YOUTUBE
KUPO 3/8"-16 MOUNTING PLATE
W/ BABY 5/8" STUD (KS-023)

US-KG002312

KS-023 3/8" Head Mounting Plate w/ 5/8" Stud 100g 3.53oz

Round flat plate made to mount ball head or any other accessory tapped with a female 3/8"-16 threads for the Convi clamp. Features 3 locking set screws underneath the plate to fasten the camera or ball head.



US-KG002412

KS-024 1/4" Head Mounting Plate w/ 5/8" Stud 100g 3.53oz

Round flat plate made to mount ball head or any other accessory tapped with a female 1/4"-20 threads for Convi clamp. Features 3 locking set screws underneath to fasten up the camera or ball head.





YOUTUBE
KUPO BABY RECEIVER (16MM)
W/ 1/4" THREAD MALE (KS-060)

US-KG004511

KS-060

5/8" Baby Receiver w/ 1/4" Thread

W 90g
3.17oz

Locking adapter for 5/8" light stand allows vertical or horizontal mounting of a light fixture, flash, or camera that has a 1/4"-20 threaded receptor.



US-KG004611

KS-062

5/8" Baby Receiver w/ 3/8" Thread

W 90g
3.17oz

Locking adapter for 5/8" light stand allows vertical or horizontal mounting of a lighting fixture, flash, or camera that has a 3/8"-16 threaded receptor.



US-KG024511

KS-144

5/8" Baby Receiver To 3/8" Diameter Stud

W 110g
3.87oz

Made of solid metal, which allows for mounting smaller or 3/8" lights & grip gears to larger 5/8" stud of light stands. This design enables mounting in either a vertical or horizontal configuration!



US-KG013312

KS-098

Adapter Stud 5/8" Receiver to 5/8" Stud

W 100g
3.52oz

Constructed from lightweight aluminum to increase the length of the regular baby stud. It converts the threaded baby stud into a non-threaded stud. You may use this adapter at the end of a grip arm or a stand when attaching a right angle mount.



US-KG023811

KS-152

Profoto Stand Adapter Plus 16mm (5/8")

W 120g
4.23oz

Specially designed for mounting Profoto, or other strobe heads or monolights with a 16mm (5/8") female mount. The length on this adapter provides a small distance from an overhead pipe or boom to improve aiming of the light head alone over a stud. * Profoto is a registered trademark of Profoto AB. Weight: 110g (3.9oz)



YOUTUBE
KUPO BABY ADAPTER
FOR ELINCHROM
(KS-079)

US-KG013212

KS-079

Adapter for Elinchrom

W 70g
2.47oz

Constructed from lightweight aluminum with knurled neck for the maximum friction while tightening the knob. 1/4"-20 female thread on the top of 16mm stud for attaching any accessories, comes with 1/4"-20 male thread. * Elinchrom is a registered trademark of Elinchrom SA.






US-KG009412

KS-071 Double Baby Receiver Adapter **W** 0.91kg
0.42lbs

Chrome-plated steel female to female adapter, it includes a welded boss to ensure long-lasting operation of the locking knobs. The KS-071 adaptor can be used to convert 5/8" male light stand top to a 16mm female socket or to obtain a 16mm female attachment from 16mm spigot.



US-KG022011

KS-147 Baby Receiver to Cheater Baby Pin **W** 0.25kg
0.56lbs

A 5/8" baby receiver welded with a 3" long baby pin at an angle. It is designed for eliminating barn door interference when positioning a lighting fixture or making it effortless to angle down a beauty dish.



US-KG023712

KS-146 Right Angle Baby Adapter **W** 0.5kg
1.1lbs

Made of solid steel, this baby adapter permits a fixed 90-degree angle offset from any baby pin. The other end is TVMP adapter which allows fitting into 1-1/8" (28mm) junior receiver or a 5/8" (16mm) baby stud.



YOUTUBE
KUPO 3-WAY BABY
ADAPTER (KS-148)



US-KG024612

KS-148 3-Way Baby Adapter **W** 0.65kg
1.43lbs

Made of solid steel comes with three 16mm (5/8") baby male pins and TVMP adapter which allows fitting into 1-1/8" (28mm) junior receiver or a 5/8" (16mm) baby stud.



US-KG024812

KS-201 Junior Baby Adapter **W** 435g
0.96lbs

Constructed from solid steel with chrome plated, this adapter allows lighting fixture that come with a junior stud being mounted on a baby stand or a baby c-clamps. The V shape receiver design makes it effortless to insert irregularly sized studs. Both receivers feature an ergonomic metal knob with stainless blot for a secure grip and tightening.



YOUTUBE
KUPO JUNIOR BABY
ADAPTER (KS-201)





US-KG004711

KS-070 Female Adapter 16 to 17mm

W 100g
0.22lbs

This is an aluminum female to female adapter and is used to convert a 5/8" male light stand top into a 17mm female socket or obtain a 17mm female attachment from 16mm spigot.



US-KG005412

KS-090 TVMP Adapter

W 290g
0.64lbs

TV to Motion Picture Adapter which allows fitting into 1-1/8" (28mm) junior receiver or a 5/8" (16mm) baby stud. The adapter is designed to attach on the yoke of a lighting fixture that can be mounted to the stand or fit into a junior receiver of a clamp rigged on the truss. The included top bolt thread size is 1/2"-13.



YOUTUBE
**KUPO TVMP
ADAPTER (KS-090)**



US-KG016312

KS-116

Baby Receiver (16mm) w/ 1/4"-20 Male Thread

W 85g
0.18lbs



US-KG016212

KS-117

Baby Receiver (16mm) w/ 1/4"-20 Female Thread

W 85g
0.18lbs



US-KG014212

KS-097 Baby Ball Head Adapter With 3/8"-16 X 29.5mm Bolt

W 350g
0.78lbs

Baby Ball Head Adapter features a 16mm socket (I.D.) and 28mm barrel (O.D.) which allows you to mount a ball head with 3/8"16 female thread to any grip gear. The 49mm diameter aluminum plate comes with 3 locking set screws underneath to secure the equipment being mounted and prevent unwanted rotation. The compact size and lightweight aluminum material makes it ideal for traveling. Perfect for mounting on a c-stand, light stand, or slider stand.



YOUTUBE
**BABY BALL
HEAD ADAPTER**



Inside diameter: 5/8" (16mm)
outside diameter: 1-1/8" (28mm)



For C-stand.



For lightweight
aluminum stand.



For stand with
Junior stand top.



Mounting on a boom as
an overhead camera



On the slider stand.



US-KG002812

KS-030 **W** 300g
0.73lbs

28mm steel spigot with M10 thread and wing nut, attaches to a lighting yoke then fits into standard lighting stand with 28mm receiver.



US-KG002912

KS-032 **W** 300g
0.73lbs

28mm steel spigot with M12 thread and wing nut, attaches to a lighting yoke then fits into standard lighting stand with 28mm receiver.



US-KG003012

KS-034 **W** 500g
1.15lbs

Solid steel 28mm TV spigot tapped for M10 screw with washer, ideal for mounting lighting fixture directly on to stands or any TV clamps with 28mm receiver.



YOUTUBE
KUPO STAND ADAPTER
AND STUDS (KS-200)



US-KG006312

KS-200 Junior to Baby Adapter **W** 600g
1.32lbs

This female to male adapter converts 1-1/8" female receiver to 5/8" male stud. Well constructed with solid steel and chrome plated. Very helpful to fit into heavy duty light stands and T.V. clamps or turtle base C-stands to mount standard studio flash or video lighting fixtures. (A.k.a 750 male to 2K male spigot / butt plug.)



US-KG003212

KS-040 **W** 710g
1.57lbs

28mm steel spigot with a 12cm round mounting plate fits into standard lighting stands or can convert a 28mm receiver to a M10 thread with wing nut.



US-KG003312

KS-042 **W** 710g
1.57lbs

28mm steel spigot with a 12cm round mounting plate fits into standard lighting stands or can convert a 28mm receiver to a M12 thread with wing nut.



US-KG004812

KS-080 Ball Race Spigot M10**W** 820g
1.82lbs

A rotating 28mm spigot with M10 screw attached. Use this to make a lighting fixture into a follow spot. The smooth panning action is assured by roller bearings inside and a locking knob to control the position.



US-KG005012

KS-082 Ball Race Spigot M12**W** 820g
1.82lbs

A rotating 28mm spigot with M12 screw attached. Use this to make a lighting fixture into a follow spot. The smooth panning action is assured by roller bearings inside and a locking knob to control the position.



KCP-410 Super Grip Finger

W 0.73kg
1.61lbs

US-KG400812

Designed to mount a lighting fixture or accessories onto the baby swivel pin and angle it in any direction. Unique ratcheting handle allows all axis to lock with one locking handle which is made by zinc die-casting. The 16mm socket (inside) and 28mm (outside) barrel also fit a junior receiver while removing the tightening knob.



5/8"(16mm) baby receiver fits industrial standard lighting stand top which comes with a 5/8" (16mm) baby stud.



Knob can be stored on the ball joint pivot holder while inserted into junior receiver.



YOUTUBE
KUPO SUPER GRIP
FINGER (KCP-410,
KCP-412 & KCP-414)



KCP-412 Super Grip Double Baby Receiver

W 0.86kg
1.90lbs

US-KG400912

Converts a fixed 5/8" baby pin or 1-1/8" junior receiver to a baby receiver for versatility. Unique ratcheting handle allows all axis to lock with one locking handle which is made by zinc die-casting.



5/8"(16mm) baby receiver fits industrial standard lighting stand top which comes with a 5/8" (16mm) baby stud.



Knob can be stored on the ball joint pivot holder while inserted into junior receiver.



YOUTUBE
KUPO SUPER GRIP
FINGER (KCP-410,
KCP-412 & KCP-414)




KCP-414 Super Grip Finger w/ a Round Camera Plate

W 0.72kg
1.59lbs

US-KG400412

A heavy-duty, all-metal, adjustable ball head that has two ways to attach gear: a 1/4"-20 male thread located in the center of the round camera plate for your camera, and a TVMP adapter on the bottom for quickly attaching to stands, booms, cranes, and similar equipment. A ratchet handle allows you to tilt the head up to 115°, and the elliptical knob located near the base makes it easy to rotate your gear 360° horizontally. For added stability, the round camera plate features three set screws that help hold your camera in place while attached.





KS-207 Swivel Junior Receiver Adapter **W** 1.62kg 3.6lbs **US-KG066611**

Constructed from heavy duty iron casting, the Kupo Swivel Junior Receiver Adapter comes with a male 1-1/8" pin (28mm) at one side designed to drop into a combo stand junior receiver. Also features a swivel female 1-1/8" receiver at the other end with a rosette mechanism that allows you to have a tilting angle every 30 degrees. Ideal for rotating a fixture, such as the ARRI Skypanel, from horizontal to vertical and eliminating interference of barn door/softboxes when positioning a light on the stand.



US-KG401612 **W** 1kg 2.2lbs

KCP-409 Super Grip Finger w/ Auger Spike

Made of chrome plate steel, the 25.4cm (10") long auger spike is sturdy and welded with a swivel 16mm (5/8") baby receiver for ensuring stability of your lighting fixtures, cameras and other accessories by drilling into sand or soft ground. Features a ratcheting handle which allows all axis to be locked with one locking handle.



3/8"-16 thread female

W 490g 1.03lbs


KCP-419 Super Grip Ball Head

US-KG401512

Made of heavy duty metal the ball head has a 3/8"-16 thread male and a 3/8"-16 thread female in the base. Features a ratcheting handle which is made by zinc die-casting allowing all axis to lock with one locking action.



YOUTUBE
KUPO EZ GRIP
FINGER (KCP-310)



US-KG300612

KCP-310 EZ Grip Finger **W** 0.78kg 1.72lbs


The EZ Grip Finger is an angling knuckle for a light. It has a 5/8" (16mm) inside and 1-1/2" (28mm) outside socket attached to a ball joint so it pivots 196° while the collar rotates 360° incorporates a 5/8" (16mm) pin.



US-KG300812

KCP-320 EZ Grip Twins **W** 0.67kg 1.48lbs

The EZ Grip Twins is an angling knuckle that comes with 5/8" (16mm) pin attached to a ball joint so it pivots 196° while the collar rotates 360° incorporates a 5/8" (16mm) pin.



US-KG015611

KS-101 Umbrella Swivel Bracket

W 0.36kg
0.8lbs

Umbrella Swivel Bracket is made of aluminum with 5/8"(16mm) receiver in both ends that can connect to stands or accessories with a baby pin to make aiming the light or flash easy with the swivel design. The locking umbrella socket also accepts umbrella shafts up to 3/8" diameter.



US-KG007012

KS-102 Umbrella Swivel Bracket w/ Adapters

W 0.41kg
0.9lbs

Same function as KS-101 but with KS-014R & KS-015R which are removable, reversible 5/8" studs with 1/4"-20 and 3/8" threads; can be mounted with various attachments like umbrellas, soft boxes, strobes and speedlites.



YOUTUBE
KUPO UMBRELLA SWIVEL
BRACKET WITH ADAPTER (KS-102)




YOUTUBE
KUPO VERSATILE
SWIVEL ADAPTER (KS-103)

US-KG007112


KS-103 Versatile Swivel Adapter

W 0.4kg
0.88lbs

Versatile Swivel Adapter comes with a two ball joint 5/8"(16mm) studs, one is tapped for 3/8" and the other is for 1/4". It offers the ability to clamp onto a support at odd angles with stands or suction cups. Both ball joint studs are also designed to fit into baby sockets for Convi Clamp, super viser and will hold the object stable.



YOUTUBE
KUPO VERSATILE SWIVEL
ADAPTER W/ CAMERA
BRACKET (KS-104)



US-KG007212

KS-104 Versatile Swivel Adapter w/ KS-CB01

Same function as KS-103 but with Camera bracket. W 0.52kg
1.15lbs



US-KG007611

KS-105 Versatile Swivel Adapter w/ KS-CB02

Sames function as KS-103 but with Quick release camera plate. W 0.5kg
1.1lbs



A heavy-duty cast aluminum alloy bracket which features a counterbalance mechanism designed to prevent the speedlite from flopping over when the knob is loosened. With a non-slip aluminum disk, two aluminum brackets and a ratcheting locking handle, the speedlite or lighting fixture is able to be locked securely in place and there is also a hole with a knob-screw to lock an umbrella shaft in place. It includes two removable, reversible studs to adapt to light stands with top studs smaller than the standard 5/8". A universal cold-shoe adapter is included for accepting virtually any shoe-mount flash unit. Additionally, the adjustable locking handle, wide tilt angle, and oversized knobs add to its overall functionality.



YOUTUBE

**KUPO ROLY POLY
COUNTERBALANCED
UMBRELLA SWIVEL BRACKET**

US-KG013411

KS-101RP

Roly Poly Counterbalanced Umbrella Swivel Bracket

Length: 12.25"(31.1cm) / Height: 3"(7.62cm)

Width: 7.75"(19.7cm) / Weight: 0.969lbs(0.44kg)



The spring loaded tilt mechanism is designed to prevent the flash from flopping over when the knob is loosened.



Accepts umbrella shafts up to 9mm.



10 degree tilt umbrella shaft hole.



Double female 5/8" (16mm)



Brass adapters fit perfectly into the baby receiver.




Rosette design disc with aluminum braking pad.



270 degree wide tilt angle

Application:





YOUTUBE
KUPO 3/8\"-16F TO 1/4\"-20M
ADAPTER (KS-052)

US-KG003912

KS-052 3/8\"-16F to 1/4\"-20M Adapter **W** 30g 1.06oz


Solid brass small adapter that converts a 3/8\"-16 female thread to a 1/4\"-20 male thread.



US-KG008912

KS-063 3/8\"-16M to 1/4\"-20\" F Adapter **W** 30g 1.06oz

Solid brass small adapter that converts a 3/8\"-16 male thread to a 1/4\"-20 female thread.



unit: inch




YOUTUBE
KUPO 1/4\"-20M TO 1/4\"-20M
THREAD ADAPTER (KS-051)

US-KG007412

KS-051 1/4\"M - 1/4\"M Adapter Spigot **W** 10g 0.35oz

Dual male stud with standard 1/4\" 20 tripod thread.



unit: inch



YOUTUBE
KUPO 3/8\"-16M TO
1/4\"-20M THREAD
ADAPTER (KS-054)

US-KG007512

KS-054 3/8\"M - 1/4\"M Adapter Spigot **W** 10g 0.35oz

Dual male stud with 3/8\" to 1/4\" thread adapter.



unit: inch

US-KG092212

KS-128 3/8\"M-3/8\"M Adapter Spigot **W** 10g 0.35oz

Stainless CNC 3/8\"-16 male threaded to 3/8\"-16 male threaded adapter with 1\" (25.4mm) in length.




unit: inch

US-KG004012

W 10g 0.35oz

KS-053 Reducing Bushing Set 3/8\"-16 to 1/4\"-20

Used to mount any accessory with a female 3/8\"-16 threaded socket onto a 1/4\"-20 male screw. (Set of 5)




unit: inch



US-KG023511

KS-150 3/8\"-16 Camera Screw w/Flat Head & Slotted Drive **W** 10g 0.35oz

Stainless steel screw that attaches to any camera with a 3/8\"-16 threaded with 18mm shaft in length.



unit: inch



US-KG001312

W 10g 0.35oz

KS-153 3/8\"-16 Camera Screw w/ Flat Head & Slotted Drive

Stainless steel screw that attaches to any camera with 3/8\"-16 threaded 13mm shaft in length.



US-KG012112

KS-061 1/4"-20 D-Ring Screw**W** 10g
0.35oz

Kupo 1/4"-20 D-Ring Screw made with stainless steel can be hand-tighten with hinged D-ring or with a screwdriver to the flat head slot. Ideal for quick-release plates or any 1/4"-20 thread compatible device. The shaft is 10mm in length and the total length including the head is 14mm. (Set of 5)

US-KG012012

KS-064

Female 1/4"-20 to Male 3/8" Thread Adapter w/ 1.18" (30mm) Flange

W 15g
0.53oz

Kupo KS-064 Adapter is a 1/4"-20 to 3/8" thread adapter with a 1.18" knurled flange also known as a reducing bushing. Perfect for adapting a lighting fixture, camera or accessory with a 3/8"-16 female thread. Needs to be mounted on a tripod or light stand with a top screw of 1/4"-20.

US-KG012712

KS-068

Round Knurled 1/4"-20 Female Thread Knob w/ 1.77" (45mm) Flange

W 20g
0.71oz

This Round Knurled Knob with 1/4"-20 Female Thread is made of lightweight and quality aluminum which can be used on anything with a 1/4"-20 male threaded shaft. The additional 3.8mm through hole design allows you to use a tool to effortless tighten or loose the knob.

US-KG014412

KS-120 Mini Round Knob w/ 1/4"-20 Female Thread**W** 10g
0.35oz

Made of lightweight and quality aluminum which can be used on anything with a 1/4"-20 male threaded shaft. Dia. of the round plate is 25mm.

US-KG014512

KS-122

Round Knob w/ 1/4"-20 Female Thread

W 80g
2.82oz

Made of lightweight and quality aluminum which can be used on anything with a 1/4"-20 male threaded shaft. Dia. of the round plate is 59mm. Features three set screws that allows you to tighten up the object and keeps it from rotating.


US-KG079112

KS-163

Round Knob w/ 3/8"-16 Female Thread

W 80g
2.82oz

Made of lightweight and quality aluminum which can be used on anything with 3/8"-16 male threaded shaft. Dia. of the round plate is 59mm. Features three set screws that allows you to tighten up the object and keeps it from rotating.

**W** 10g
0.35oz

US-KG019812

KS-142 1/4" D-Ring Camera Mounting Screw

The metal captive screw fits directly into the base of camera via the 1/4"-20 screw. A black rubber pad is also equipped on the 1/4" screw keeping camera equipment from being scratched. The D ring allows you to quickly attach your shoulder camera strap with spring hook.

US-KG027212

KS-123

3/8" to 1/4" Double Male Threaded Adapter

W 10g
0.35oz

3/8"-16 to 1/4"-20 double male threaded adapter, stainless steel with dia. 26mm flange.

US-KG019712

KS-141 1/4" Male to 1/4" Female Screw Adapter**W** 30g
1.06oz

Features a 13mm (0.5") long 1/4"-20 threaded stud on top and a 1/4"-20 socket on the bottom. The adapter's edge is knurled for a secure grip while turning it, and this helps you attach a camera to a bracket or mount a tripod head to a tripod.



unit: inch



US-KG012212

KS-067 3/8"-16 Female To 5/8"-27 Male Screw Microphone Adapter

W 20g
0.71oz

Useful adapter bushing which is ideal for placing microphone mounts onto lighting stands, tripod stands or any device with 3/8"-16 male thread.




US-KG016811

KS-140 Adapter W/ Cold Shoe for 5/8"-27

W 50g
1.76oz

Durable metal made adapter w/standard cold shoe for all mic clip w/ 5/8"-27 allows you to easily mount a microphone on a camera.



US-KG016412

KS-050 Flag Holder

W 50g
1.76oz

The steel made flag holder comes with one end M6 male thread another end with dia.6mm shaft designed to fit on KCP-343 (Flex Arm Kit for Dots & Fingers) and KCP-300 (Articulated Arm).



US-KG015511

KS-139 3/8"-16 M to 5/8"-27 F Thread Adapter for Microphone Stand

W 80g
2.82oz

Solid adapter designed for quickly mounting cameras, recorders and other accessories onto microphone stands.



US-KG019911

KS-143 Cold Shoe Mount w/ 1/4" Thread Screw

W 40g
1.41oz

Built by a plastic injection, the cold shoe housing has no electronic connection to a camera. It comes with a 1/4"-20 thread screw and a double 1/4"-20 female barrel adapter. Ideal to be used for mounting shoe mount accessories to a bracket, tripod, lightstand, or any accessory that features a 1/4"-20 screw or socket.



US-KG008812

KS-038DR Dot Receiver

W 80g
2.82oz

Dot receiver top end with 3/8"-16 female thread and 5/8"(16mm) O.D. as a baby pin. The other end with 3/8"-16 male screw fit into any related accessory.



YOUTUBE
KUPO OFF-SET FEMALE
5/8" BABY KINO
ADAPTER (KCP-411)

US-KG400612

KCP-411 Off-Set Female Baby Mounting Adapter - Kino Adapter

W 680g
1.5lbs

Kino Adapter from Kupo is built with solid steel and is chrome plated to allow you to mount lighting fixtures closer to the center of the stand, increasing the stability.



US-KG089111

KSC-PIN Camera Support Adapter

W 100g
3.53oz

Kupo aluminum made Camera Support Adapter provides a great supporting solution for a camera with a built-in hot shoe. It features a 15 cm length 5/8" (16mm) baby stud which offers an ample space for mounting two grip heads to connect with extra supporting rods. The ergonomic knurled knob design also makes it quick and easy to firmly tighten this adapter on the camera hot shoe.

US-KG003812

**KS-049R Scraper****W** 141g
4.96oz

The Scraper from Kupo is a stiff-bladed putty knife with a built-in baby 5/8-inch stud. The thin metal blade is designed to be wedged into the gap between a door and its frame, placed under a stack of books or between two books on a shelf, or even clamped to a ladder step. An additional four anchor points for the screws and nails fixed on the woodenware or ground. The lamp spring clips are also able to be equipped through the anchor points to hold your T-12 lamp. The knurled neck 5/8"(16mm) baby stud can be for firmly hanging a small lighting fixture or any equipment that comes with 5/8"(16mm) baby receiver.

US-KD302112



YOUTUBE
KUPO DROP CEILING
ADAPTER W/ 5/8" STUD
(KD-CM16P)

**KD-CM16P****W** 90g
0.2lbs**Ceiling Frame Mount w/ Male 5/8" Spigot Adapter**


The Kupo Ceiling Frame Mount with Male Spigot Adapter is designed to attach to the metal frame which supports your ceiling tiles. This ceiling clip bracket mount has a 5/8" male stud that accepts lighting fixtures or any compatible 5/8" receiver accessory. Additional 1/4"-20 female thread on the top of baby pin also provides a great mounting solution for a Video/ Audio transmitter.



US-KD302012

KD-CF16P Ceiling Clip Female Bracket**W** 160g
0.3lbs


The Kupo Ceiling Clip Female Bracket is an adapter designed to clip on the metal part that supports your ceiling tiles and presses its other side to secure in place. This ceiling clip bracket mount has a 5/8" receiver with metal fastener that accepts lighting fixtures or any compatible 5/8" stud accessory.



US-KG818912

KCP-830PRM**W** 370g
0.81lbs**2" Half Coupler for Skypanel PSU Mounting**

Aluminum made coupler for 2" tube comes with a CNC aluminum plate which allows Arri PSU Rail Mount Adapter to be effortlessly slid on and secured. It is a great solution for mounting the power supply unit to standard 2" truss or pipe.



YOUTUBE
KUPO RECESSED LIGHT SOCKET
ADAPTER (KS-127)

KS-127

US-KG015912

W 190g
6.7oz**Recessed Light Socket Adapter to 5/8" Baby Pin**

Made of electrically non-conductive Nylon with 1-1/8"(28mm) outer diameter which allows it to fit into a junior receiver (28mm) or screws into a standard E27 household light socket. A 5/8" aluminum baby pin (16mm) can be used for any lighting fixtures or grip accessories that comes with a baby receiver (16mm).



28mm outside dia. fits
to a junior receiver




Screw into standard
household E27 socket
as a mounting point



Spotlight mounted
with the baby receiver
on the yoke



YOUTUBE
KUPO FREEFLY TOAD
MALE MOUNT (KS-154)



US-KG023911

KS-154 Freefly Toad Male Mount

W 70g
2.5oz

6061-T6 CNC aluminum with black hard anodized finish makes this Toad (male adapter) precisely mounted on "Toad In The Hole Quick Release" which allows quickly moving the gimbal from one setup to the other. Features a 3/8"-16 female threaded on the bottom designed for easy mounting on any grip equipment, comes with 3/8"-16 male threaded stud that provides a great mounting solution for the gimbal on the light stand, suction cups and a variety of grip equipment. Freefly is a registered trademark of Freefly Systemes Inc.




Aluminum with a black anodized finish has a 3/4"-5 TPI female thread that allows it to be mounted on most painter's poles. The 1/4"-20 screw made with stainless steel is equipped on the other side, designed for camera, flash, ball head, GoPro or microphone. The screw can also be removed with a screwdriver if 1/4"-20 female threaded is desired. An aluminum 5/8"(16mm) pin with 1/4"-20 screw is included as a standard accessory for screwing in the adapter for a lightweight lighting fixture or anything that comes with a 5/8"(16mm) receiver. The stainless steel set screw is attached for secure mounting on the extended poles. Perfect for aerial photography, underwater video shoots or point of view (POV) shots.



YOUTUBE
PAINTER POLE
ADAPTER (KS-345)



1/4"-20 thread receiver



Component drawing



US-KG019111

KS-345 Painter Pole Adapter

W 90g
3.17oz



US-KG014312

KS-114 1/4"-20 Thread Screw w/ 1"(25.4mm) Long
Adapter to convert 1/4"-20 female to 1/4"-20 male thread (Set of 5).

W 30g
1.06oz



US-KG014712

KS-138 3/8"-16 Thread Screw w/ 1"(25.4mm) Long
Adapter to convert 3/8"-16 female to 3/8"-16 male thread (Set of 5).

W 80g
2.82oz

Designed for attaching your GoPro camera to a standard tripod mount with Grip gear to expand your mounting options. All the Kupo gears for GoPro are designed to be ultra portable which makes it easy to throw in your pocket or carrying bag.



US-KG012811

KS-065 Metal Quick Release GoPro Mount

Quick release Gopro tripod mount is made from lightweight and sturdy aluminum which allows it to move conveniently between shots and locations. This precision base mount is for Gopro's quick release buckle system. Built in Arca-Swiss compatible base for directly sliding into a head that accepts an Arca-Swiss plate. A 1/4"-20 female thread in the central body for a standard tripod mount or anything else that has a 1/4"-20 screw. Three additional holes for securing with machine or wood screws. Weight: 0.3kg (0.66lb)



US-KG012911

KS-069 Metal GoPro Mount

The metal GoPro Tripod Mount allows you to mount your action camera to a standard tripod, suction cups, monopods, camera poles, clamps or anything else that has a 1/4"-20 screw. It is made with lightweight aluminum alloy which makes it solid and easy to travel with. Also compatible with all GoPro Hero Housings. Dimensions: (H x W x D) 0.9 x 1.4 x 1.4" (2.3 x 3.6 x 3.6cm) Weight: 0.02kg (0.051lb)




US-KG014612

KS-124 Metal GoPro Mount w/ 1/4"-20 Male Thread

Convert your GoPro to Super claw, Convi clamp, Max arm, Vision arm or any gear that comes with 1/4"-20 female thread.

W 45g
1.58oz



US-KG014911

KS-131 Gopro Mount w/ 1" Coupler

Made of aluminum alloy, the coupler comes with GoPro Tripod Mount designed for mounting your GoPro camera on the handle of stabilizer, gimbal, motorcycle, bike or anything with dia. 1" (25.4mm) tubes.

W 90g
3.7oz



US-KG015011

KS-133 GoPro Mount w/ Ball Head Adapter

W 100g
3.25oz



US-KG015111

KS-134 GoPro Mount w/ Cold Shoe Adapter

W 50g
1.76oz



US-KG015211

KS-136 GoPro Mount w/ 5/8" (16mm) Baby Receiver

W 100g
3.25oz



US-KG015311

KS-137 GoPro Mount w/ 5/8" (16mm) Baby Pin

W 70g
2.46oz






US-KG400712

KCP-413 Kino Single T12 Lamp Holder

W 300g
0.66lbs

Designed for holding a single Kino Flo T12 fluorescent lamp / tube with double spring steel clips. Swivel ball joint design with neck-embossed 5/8" Baby stud can neatly mount in a grip head, C-Stand, or gaffer grip for offering multiple positions. Metal adjustable lever handle designed for a specific handle position if desired.



US-KG402012

KCP-402 Twist-lock Mounting Plate For Dual T12 Lamps

W 0.48kg
1lbs


Lightweight & black anodized aluminum made, the twist-lock mounting plate equipped with two pair rubberized spring clips (KCP-401) allows it to mount 2 Kinoflo Lamp or T12 lamp. The plate comes with 4 pairs dia.3/8" hole for fastening with cheese plate. The rest holes on each corner are for connecting and safeties. Size: 330 x 100mm.



YOUTUBE
KUPO TWIST-LOCK
MOUNTING PLATES
FOR DUAL(KCP-402)
& QUAD (KCP-404)
T12 LAMPS



Note: Plate only, off-set mounting plate with baby receiver is not included please check p.84.



US-KG402212

KCP-404 Twist-lock Mounting Plate For Four T12 Lamps

W 0.94kg
2lbs

Lightweight & black anodized aluminum made, the twist-lock mounting plate equipped with four pair rubberized spring clips (KCP-401) allows it to mount 4 Kinoflo Lamp or T12 lamp. The plate comes with 12 pairs dia.3/8" hole for fastening with cheese plate or mounting V lock set for battery. The rest holes on each corner are for connecting and safeties. Size: 330 x 202mm.



YOUTUBE
KUPO TWIST-LOCK
MOUNTING PLATES
FOR DUAL(KCP-402)
& QUAD (KCP-404)
T12 LAMPS



Allows to mount V-lock set (KS-273, not included) for V-mount battery.



Note: Plate only, off-set mounting plate with baby receiver is not included please check p.84.



US-KG030211

KS-205

Connecting Clamp Set

W 80g
2.8oz

The connecting clamps set designed for connecting two T12 mounting plate with supplied M6 screws. It allows you to add 2 or 4 tube holder plates with ease and convenience. (Set of 2)



YOUTUBE
KUPO MAX ARM
(KCP-101)



US-KG100211

KCP-101 Max Arm w/ Ratcheted Handle

The Max arm is especially designed for lighting, video, film or still use. The multi-positioning arm has 90° pivoting, 360° rotating ends and a 360° elbow rotation. The center ratcheted handle controls and locks all three movements, which allows partial loosening for safe and precise positioning of a small light fixture or camera exactly at the angle you need it. Both ends come with ball joint 5/8" (16mm) studs; one is tapped for a 3/8" and the other is tapped for a 1/4". It is so versatile that can be set at any awkward position or odd place.

H max	W	L max
53cm 20.8"	1kg 2.21lbs	4kg 8.8lbs

Features:

1. Metal ratcheted handle for easy slight adjustment and can be set to any angle.
Ideal for clamping in a confined space, or if a specific handle position is desired.
2. The metal-like engineering thermoplastic friction discs with Anti-Slip rosettes friction disc design offers a solid grip.
3. The storage length is 28.5cm and fully extends to 53cm with net weight 1kg making it compact & portable.
4. Both ball joint studs with multi-milling flats can fit into baby sockets fast and hold objects stable.



Ratcheted handle



6 milling flats



Anti-Slip rosettes
friction disc.



YOUTUBE
KUPO MAX ARM
W/ WHEEL HANDLE
(KCP-101W)



US-KG100911

KCP-101W Max Arm w/ Wheel Handle

The function is as the same as KCP-101 Max Arm but with a wheel handle which comes with a rubber cover. This is a standard accessory designed for KCP-101W for more comfortable and better torque while tightening the round knob, especially for those users without gloves in a cold working environment. This is made with silicon rubber which offers excellent weather durability for long-lasting operation.

H max	W	L max
53cm 20.8"	1kg 2.21lbs	4kg 8.8lbs



Wheel Handle



Anti-Slip rosettes
friction disc.



6 milling flats





US-KG100611

KCP-101CB Max Arm w/ Camera Bracket **W** 1.2kg / 2.64lbs

This especially-designed articulated max arm with a camera bracket is ideal for mounting a camera or a camcorder exactly at the position you desire. Works perfectly with Convi Clamp KCP-700 with baby stud and 6 milled flats on the neck of the Max arm.



US-KG101111

W 1.2kg / 2.64lbs

KCP-101QW Max Arm w/ Quick Release Plate

A variable friction Max Arm equipped with a quick release camera plate for precise positioning. It works perfectly with Convi Clamp KCP-700 with baby stud and 6 milled flats on neck of the Max arm.



US-KG101021

KCP-101K Max Arm Kit

W 2.65kg / 5.83lbs

The Same function as KCP-101CB but with more standard accessories including Convi Clamp KCP-710B, Max Arm KCP-101W, Camera Bracket KS-CB01 and backlite base 013BS.



With Convi Clamp for camera.

Product Applications:



With Convi Clamp for lighting.



With Convi Clamp for camera.



With suction cup for DV.



US-KG300512

KCP-300 Articulated Arm

L 80cm 31.5" **W** 0.86kg 1.90lbs

Articulated arm is used to lock and hold small lighting and effects in accurate position. The end socket is a 5/8" baby pin on the outside which can hold a small lighting fixture. The inside is a 3/8"-16 thread which will accept the standard dot and camera accessories.



US-KG302711

KCP-343 Flex Arm Kit for Dots and Fingers

The kits comes with a 14mm diameter, 45cm long double 3/8"-16 female threads, flex arm and two adapters. Included is KS-038 which is a hex adapter tapped with a 3/8"-16 female thread at one end and a 1/4"-20 male thread at the other for connecting to a flex arm with Convi clamp. And KS-038DR which is dot receiver with 3/8"-16 female thread and 16mm O.D. as a baby pin. Each adapter can be fixed with the included M4 set screw, which offers the flexibility to fix or unfix the adapters from the arm whenever there is 3/8"-16 threads available. It is good for positioning of small Gobos, flags, reflectors, props or a flash head. Loading: 0.3kg (0.66lbs)



US-KG302811

KCP-344 Flex Arm

The 45 cm long flex arm comes with double 3/8"-16 female threads which are connected with the brass made 3/8"-16 female and 1/4" male thread adapters. It works great with Convi Clamp or stand with 3/8"-16 stand top for easy adjusting position of any objects mounted on the arm. The same way to fix and unfix the adapters from the arm by set screws as KCP-343 and KCP-345. Loading: 0.3kg (0.66lbs)



US-KG302911

KCP-345 Flex Arm for French Flag

The 45cm long flex arm comes with double 3/8"-16 female threads which attach on one side with a zinc casting clamp for connecting to a camera and the other side with French flag holders which hold the flag to block unwanted light from hitting the lens which usually results in a lens flare. Loading: 0.3kg (0.66lbs)



US-KG008712

W 45g 1.59oz

KS-038 Hex Adapter w/ 3/8"-16F & 3/8"-16M

Solid brass made 5/8" hex adapter with 3/8"-16 female thread and 3/8"-16 male thread. The hex adapter keeps it from rotating in Convi Clamp and allows you to have a 3/8"-16 female receiver or a 3/8"-16 male thread. It also can be easily exchanged with the adapters from Kupo flex arm by a built-in sets screw.



US-KG301212

KCP-346 French Flag

W 290g 0.63 lbs

This French Flag from Kupo is a 40cm(15.7") x 25cm(9.8") metal accessory that is usually used with a piece of grip gear such as a flexible or articulating arm to block the light from the camera lens, preventing flare.




- 1. for tube size dia. 10mm
- 2. for tube size dia. 10mm
- 3. for tube size dia. 13mm
- 4. 16 mm hex baby pin w/
3/8"-16 female thread.

US-KG101211

KCP-170 Hybrid Head

W 100g
0.22lbs

Mini version of double grip head (1.7") system that is tapped with two V jaws for tubes size (4/8")13mm and (3/8")10mm in both sides. Features one 5/8"(16mm) hex baby stud with 3/8"-16 female thread which offers a variety of combinations for lighting and video accessories. Superior high-pressed gasket is equipped between two metal-like thermoplastic friction discs with a teeth device, and aluminum die-casting shells give the most solid grip and precise positioning. Compact size (dia. 43mm) and light weight (100g) is ideal for car-mounted shooting, tabletop and product imaging as well as miniature work.



US-KG101311

KCP-172 Mini Articulated Arm-Single Section

L 28.5cm
11.2" **W** 280g
0.62lbs

Constructed with two Hybrid Heads and an aluminum tube (dia.13mm, 1.1mm thickness and 28.5cm length) with a matt black anodized finish. Each Mini Grip Head is equipped with a baby pin with multi-milling flats that can fit into a baby socket fast and hold an object stable. The 3/8" and 1/4" thread are tapped separately in each baby pin which allows it to fit into a variety of lighting and camera accessories.



US-KG101411

KCP-173 Mini Articulated Arm - Two Sections


L 57cm
22.5" **W** 460g
1lbs

Similar function as KCP-172 but also includes one Hybrid Head and one aluminum tube. It's easy for positioning your camera accessories or a small lighting fixture at any awkward position or odd place with Kupo Convi Clamp. Ideal for clamping in a confined space, or if a specific handle position is desired.

The Kupo Rocks arm is a precise and versatile articulating arm designed for holding field monitors, recorders, LED lights and microphones on camera rigs. Friction wheel controls ball-joint tension simultaneously making the arm handy and convenient to operate. The ends are engineered for 360 degree rotation plus 90 degree pivoting that provides great versatility for easy positioning. A unique taper engagement mechanism facilitates ball-joint fine adjustment even when tightened. The interchangeable 7 different accessory tips can be easily installed using the #3 Allen key. This provides a great solution for connection and mounting needs in video and film application.

Features:

1. Made of solid aluminum alloy with CNC machined and black anodized.
2. 9" & 11" two standard length measures from end to end with tips.
3. One end 1/4"-20 male and another end 3/8"-16 male stainless steel accessory tips are included as standard.
4. Load Capacity : 8kg (17.6lbs) in 90 degree set up.



Two milled flats on the neck of the knob allows using a tool to tighten or loosen with ease and convenience.



Interchangeable stainless steel 1/4"-20 male threaded adapter and 3/8"-16 male threaded are equipped in each end of the arm.



A unique taper engagement mechanism facilitates ball-joint fine adjustment even when tightened.



KS-341 US-KG049212

1/4"-20 Male Tip for Rocks Arm

W 35g
1.24oz

Interchangeable stainless steel 1/4"-20 male tip for the Rocks Arm that can be mounted on each end of the arm to make it compatible with equipment that comes with 1/4"-20 female threads.



KS-342 US-KG049312

3/8"-16 Male Tip for Rocks Arm

W 36g
1.27oz

Interchangeable stainless steel 3/8"-16 male tip for the Rocks Arm that can be mounted on each end of the arm to make it compatible with equipment that comes with 3/8"-16 female threads.



KS-343 US-KG049411

1/4"-20 Male Anti-Slip Tip for Rocks Arm

W 45g
1.59oz

The 1/4"-20 anti-slip tip comes with rubber padding on top to increase friction and prevent scratches. Integrated is a knurled tightening knob that can be tightened by hand via the thumbscrew, which provides a quick release for users. Also, featured is a hole for using the #3 Allen wrench to re-tighten it.




KS-344 US-KG049511

3/8"-16 Arri Style Anti-Rotation Tip for Rocks Arm

W 45g
1.59oz

The 3/8"-16 screw with ARRI-Style Anti-Rotation tip features a widely used connection in the video and cinema industries regularly found on camera cages. Integrated is a knurled tightening knob that can be tightened by hand via the thumbscrew, which provides a quick release for users. Also, featured is a hole for using the #3 Allen wrench to re-tighten it.



KS-346 US-KG049612

5/8"(16mm) Baby Stud Tip for Rocks Arm

W 110g
3.88oz

Interchangeable stainless steel 5/8"(16mm) stud tip for the Rocks Arm with female 1/4"-20 threads on top can be mounted on each end of the arm to make it compatible with equipment that comes with a 5/8"(16mm) socket.



KS-347 5/8"(16mm) Hex Stud Tip for Rocks Arm to Super Convi Clamp

US-KG049711

W 60g
2.11oz

Interchangeable stainless steel 5/8"(16mm) Hex stud tip for the Rocks Arm be affixed to a Super Convi Clamp (KCP-700) to offer more mounting options.




KS-348 3/8"-16 Female Tip for Rocks Arm

W 60g
2.11oz

US-KG043912

Interchangeable stainless steel 3/8"-16 female tip for the Rocks Arm that can be mounted on each end of the arm to make it compatible with equipment that comes with 3/8"-16 male threads.



This precisely crafted articulating arm is designed for holding a wireless transmitter, receiver or accessories. The two 1/4"-20 threads at either end are attached to ball joints that rotate 360 degrees, plus a cut-out in the sleeve surrounding the ball allows the thread to be bent at 90 degrees. The central elbow rotates 360 degrees for infinite adjustability. In addition to the included hot shoe adapter, a 3/8"-1/4" barrel adapter allows you to connect two items with different thread sizes.



KCP-102R US-KG102711
Vision Arm (11")

L 30cm 11.8" **W** 0.25kg 0.55lbs **max** 3kg 6.6lbs



KCP-103 US-KG100811
Mini Vision Arm (7")

L 18.7cm 7.3" **W** 0.2kg 0.44lbs **max** 2kg 4.4lbs



KCP-104 US-KG101511
Mountable Universal Smartphone Holder

It comes with a 5" long articulating arm for mounting small devices above camera and allows photographers to keep the attention of children, pets, and other subjects for effective shooting. Also an ideal teleprompter display screen for those users recording videos by themselves. Meanwhile, a small monitor is created for the photographers to see images as they are shot. The spring-loaded Smartphone holder can hold any device up to 3"(76mm) wide. Non-skid pads are equipped for protecting your smartphone or device while holding it firmly in place. The position of the smartphone holder can be easily set-up with the ratcheted handle on the Mini Vision Arm and also is simple to install on the hot shoe of the camera with the hot shoe adapter (included).



KS-CB14 US-KG046212
Vision Lock Quick Release Mounting Set

Constructed from CNC made aluminum alloy with black anodized, this quick release mounting set is an ideal gadget for connectivity of LCD monitor and articulating Rock's arm or Vision arm. The removal plate comes with a counter bore for a 1/4"-20 threaded screw and 1/4" thread holes allows mounting LCD monitor, LED light, flash and other camera accessories. The 3/8"-16 counter bore of plate holder allows attaching arm or any equipment that comes with 3/8"-16 female thread or 1/4"-20 female threaded. The interlocking dovetail designs connect securely and unlock using a quick release lever.




KS-CB13 US-KG046111
ARRI Style 3/8"-16 Spacer for Vision Lock

Made by CNC blacked anodized aluminum, the spacer attaches on the bottom of Vision Lock to an ARRI-style 3/8"-16 anti-twist accessory mount. Remove the 3 screws which are fixed on the bottom of Vision Lock and attach this Spacer with supplied screws, it will be able to be installed in 3/8"-16 locating holes of ARRI. With anti-twist pin of Arri Style 3/8"-16 spacer, the Vision Lock won't be rotated even if a heavier monitor is mounted.



KS-CB15 US-KG046311
Vision Lock w/ ARRI Style 3/8"-16 Spacer

The same function as Vision Lock (KS-CB14), but with Arri Style 3/8"-16 Spacer that allows fitting for an ARRI-style 3/8"-16 anti-twist accessory mount with the 3/8"-16 screw (Supplied).



YOUTUBE
KUPO MINI BALL
HEAD WITH HOT SHOE
ADAPTER (KS-CB03)




KS-CB03 Mini Ball Head w/ Hot Shoe Adapter

W 108g
3.8oz

US-KG010011

Loosening the one-action knob allows movement of the ball head in all directions. The extra groove allows the ball to tilt 90 degrees in one direction. The hot shoe adapter is also equipped with a 1/4"-20 thread socket on the bottom of the solid aluminum-constructed ball head.




KS-CB05 Midi Ball Head

W 140g
4.94oz

US-KG006211

Constructed from lightweight aluminum housing, the hard ball moves smoothly into position with the single-action lever. A groove design also allows it to tilt 90° in one direction. It can allow you to properly orient your camera on any other tripod model, whether it has a 1/4"-20 or a 3/8"-16 stud – the head has a 3/8" thread and comes with a reducer bushing to make it compatible with the 1/4"-type stud. A camera can be attached directly to the ball head, or a quick release system can be added to speed up camera attachment.



KS-CB07 Midi Ball Head with Hot Shoe Mount

W 150g
5.3oz

US-KG019012

Constructed with sturdy aluminum, the Kupo Midi ball head with hot shoe offers an ideal mounting solution for your lights and monitors on a camcorder or camera while shooting video. Feature a single locking knob for fast and safe operation and providing a rock solid support up to 4.4 lbs (2kg).

Featuring a fantastic spring-loaded ball bearing mechanism that allows you to pull a 1/4"-20 top mount out of the bottom portion in just a second. The aluminum built bottom portion has a 1/4"-20 female thread that can be securely attached to any lighting or video accessory and comes with 1/4"-20 male stud. The spring locking mechanism with hex-shaped receiver not only keeps the top mount from rotating, but makes it easy and quick to attach or remove by just pushing the red release collar down. Ideal for mounting monitors, lighting and mics on the articulated arms or anything that comes with 1/4"-20 male thread.



US-KG013912

KS-085 1/4"-20 Quick Release Adapter Set

W 50g
1.76oz



Easy and quick to attach or remove the top mount by just pushing the red release collar down.



Quick release adapter mounted on the vision arm for monitor.



US-KG013812

KS-084

1/4"-20 Quick Release Adapter

W 35g
1.24oz

This adapter allows easy switching of different top mounts to make quick changes to your equipment configuration through the 1/4"-20 thread at the bottom.



US-KG013612

KS-081

1/4"-20 Male Top Mount

W 19g
0.67oz



US-KG013712

KS-083

3/8"-16 Male Top Mount

W 20g
0.71oz



US-KG014012

KS-086 5/8" Baby Stud w/ 1/4"-20 Top Mount

W 55g
1.94oz



US-KG014112

KS-087

5/8"-27 Male Top Mount

W 30g
1.06oz





YOUTUBE
KUPO CAMERA
BRACKET (KS-CB01)

KS-CB01 Camera Bracket

W 200g
0.44oz

US-KG006411



This camera bracket is designed for the Max Arm. Constructed with aluminum die-casting which makes it very lightweight and durable. In addition to a standard 1/4"-20 inch thread mount for a small camera, it also comes with a 1/4" to 3/8" adaptor to accept different sizes of thread mounts. There are four 3/8" female sockets available on the bracket that can connect two max arms from each side giving it the most stability. The 7mm female socket is also built for an umbrella reflector.




KS-CB02 Quick Release Camera Plate

W 200g
0.44oz


US-KG093611

The quick release plate is easy to set up and works great offering the ability to quickly move from tripod to hand held photography. Safety lock is also equipped to prevent the quick release from inadvertently opening. The standard 3/8"-16 thread is tapped on the bottom and a 1/4"-20 reducer bushing is attached making it compatible with flash brackets, tripods, light stands, Convi clamps, etc.

The Kupo Super Knuckle System is an innovative modular system that features a double-ended shell that accepts two ball joints mounted to interchangeable accessories on either side. Constructed from a die-cast aluminum alloy shell, the Super Knuckle System can support up to 17.6lbs (8kg) and is ideal for a wide range of mounting applications for lighting, cameras, monitors, tablets, smart phones and any other mobile device. The shell has a single knob in the center to tighten both ball joints simultaneously and offers complete freedom to position accessories in any position. The standard dia. 26mm ball has a serrated surface for secure locking, and the blue silicon rubber sleeve allows for simple operation by holding the unit together while changing the ball or adjusting the angle. An array of interchangeable components and accessories are available with the Super Knuckle system, in addition to the popular Hex Baby Pin version for mounting with a Convi-Clamp, or the Super Knuckle with a Baby Receiver, or the VESA Monitor Mount Kit.



US-KG037111



KS-470 Super Knuckle w/ Hex Baby Pin

Aluminum die-casting double socket arm and ball head in each end. One end with hex pin fits into Super Convi Clamp, another end with 1/4"-20 screw for mounting any mobile phone, camera & lighting related accessories.

US-KG037211



KS-472 Super Knuckle w/ Baby Receiver

With the same function as KS-470 but with a 1/4"-20 male thread on one end and baby receiver on the other.

US-KG037311



KS-474 3" Double Socket Arm w/ Knob

W 120g 4.2oz

3" long die-casting aluminum double socket arm comes with metal knob and silicon rubber sleeve, allows you to custom make your own super knuckle mounting solution with those available ball heads.



US-KG018011

KS-404 Ball w/ 1/4"-20 Male Thread

W 48g
1.7oz

CNC aluminum ball (Dia. 26mm) with black anodized finish. The round plate offers extra support and stability for cameras that rest on top of it. The male 1/4"-20 threaded steel stud matches most standard camera and camcorder female threads found on the bottom of the camera. Thanks to the flexibility of the removable knurled knob for fitting into different depths of 1/4"-20 female thread, all cameras and camcorders are able to be kept in place with ease and convenience.



US-KG025111

KS-403

Ball w/ 1/4"-20 female Thread

W 30g
1.0oz

Features a 1/4"-20 female threaded on the CNC machining aluminum ball head (Dia. 26mm) for mounting any equipment that comes with a 1/4"-20 male threaded.



US-KG091511

KS-420

3" Extension Arm Double Ball

W 80g
2.9oz

An aluminum extension arm with 3/8"-16 & 1/4"-20 female threaded made by CNC with black anodized finish which has a 26mm ball on each end measuring 5 inches (127mm) in total length. It is ideal for building and extending custom arm configurations with super knuckle (KS-400).



US-KG025211

KS-407 Ball w/ Cold Shoe Adapter

W 50g
1.7oz

Feature a cold shoe adapter which allows you to effortlessly mount a ball head on a camera for attaching any lighting, video and microphone accessories.



US-KG025711

KS-415 Ball w/ 5/8"(16mm) Baby Receiver

W 85g
3.0oz

Features a solid ball head with a 5/8"(16mm) baby receiver which allows it to be mounted on the light stand of any grip equipment. Comes with 5/8"(16mm) pin.



US-KG026511

KS-416 Ball w/ 16mm Baby Pin

W 58g
2.05oz

The ball head features an aluminum 5/8"(16mm) baby pin which allows you to mount a lighting fixture or any equipment. Comes with 5/8"(16mm) baby receiver on the super knuckle. The 1/4"-20 female thread is on the top of the baby pin.



US-KG018111

KS-406

Hex Stud Ball for Convi Clamp

W 40g
1.4oz

Made by sturdy CNC aluminum, this ball head features a 5/8"(16mm) hex baby stud which keeps it from rotating while connecting with Super Convi Clamp.



US-KG078911

KS-417 Ball w/ M6 Thread Male

W 50g
1.77oz

CNC aluminum ball head with M6 thread male 4cm in length allows it to be operated with center knob of the super knuckle for providing an additional ball head on one super knuckle.



US-KG080011

KS-419 Ball For Convi Clamp & Cheese Plate

CNC machining aluminum ball head with holes in the round plate, designed to mount on the Super Convi clamp with the M5 screws (supplied) or standard cheese plates with two 3/8" or two 1/4"-20" (supplied) on 1" center-to-center holes for easy connecting super knuckle system.



US-KG074411

KS-425 Ball w/ 1/4" Screw

W 40g
1.41oz

CNC machined aluminum ball head with 1/4" -20 screw and rubber padding on top to increase friction and prevent scratches. Integrated a knurled tightening knob can be tighten by hands via the thumbscrew, which provide a quick release for users. Also it comes with a hole for using the #3 Allen wrench to re-tighten it.



US-KG074311

KS-426 Ball w/ 3/8"-16 Anti-Rotation Screw

W 40g
1.41oz

CNC machining aluminum ball head with 3/8"-16 screw and Arri style Anti-rotation features a widely used connection in the video and cinema industries regularly found on camera cages. Integrated with a knurled tightening knob that can be tighten by hand via the thumbscrew, which provides a quick release for users. Also it comes with a hole for using the #3 Allen wrench to re-tighten it.



AMPS holes
Pattern

US-KG021911

KS-412 Square Plate w/ Ball

W 60g
2.1oz

Made by durable and lightweight aluminum alloy, this square plate (55 x 50mm) is designed with the standard AMPS holes pattern and will accept any device which uses the familiar pattern including, phone cradles, tablet cradles, GPS units, HAM radios holders and more. It comes with a ball head for connecting with the super knuckle accessories.



US-KG700211

KCP-734B Super Claw w/ Ball

W 175g
6.2oz

Aluminum alloy clamp equipped with a ball head for connecting the super knuckle accessories. The adjustable jaws offer a great mounting solution which fits tube sizes from 13mm to 35mm or a flat object from 5 to 20mm.



Twist-to-fit



US-KG021611

KS-418 Cup Holder w/ Ball

W 260g
9.2oz

This universal mounting car cup holder is perfect for all your mounting needs which can fit tightly in the cup holder of car center console. It features a twist-to-fit design and utilizes an expanding weighted base to securely mount your device holder quickly and with more stability. The adjustable car cup holder comes with a ball head for connecting super knuckle accessories and is perfect for iPad, GPS, Smartphone, MP3 player, and other types of device mounts!



Red-line indicator for warning
vacuum loss.



US-KG018211

KS-422 3" Suction Cup w/ Ball

W 150g
5.3oz

Feature a 3" (7.62cm) pumping suction cup with ball head for connecting the super knuckle accessories. It is ideal for temporarily mounting lightweight video cameras or a variety of lights and sound recording equipment on smooth and nonporous surfaces.



US-KG603411

KCP-664B

Mini Super Viser Clamp w/ Ball

W 315g
11.2oz

Constructed from aluminum jaws with steel shaft which gives maximum gripping range upto 2"(51mm). It comes with a dia. 26mm ball head for connecting with the super knuckle accessories.



US-KG017911

KS-402 GoPro Holder Ball

W 40g
1.4oz

This ball head features an aluminum GoPro mount which allows you to mount your action camera on the super knuckle to a stand, tripod, suction cups, clamps or anywhere you need.




US-KG025311

KS-409

Ball w/ a 1/4"-20 Quick Release Bracket

W 80g
2.8oz

Features a CNC aluminum ball with a 1/4"-20 Quick Release Bracket provides you with a great mounting solution for monitor with various combinations of super knuckle accessories.



US-KG056711

MH-003 Metal Universal Smartphone Clamp

L 75mm
2.95" **H** 110mm
4.33" **W** 66g
2.33oz

Aluminum made universal smartphone clamp is ideal to convert your smartphone to a digital camera on any sized tripod with 1/4" -20 screw. Features two 1/4" female threads at the bottom and on the back of the clamp for mounting your phone onto various supporting gears in multiple positions. It's compatible with phone size from 2.3" to 3.34" (58mm - 85mm). The spring locking mechanism with 3 aluminum bolts and ergonomic thumb screw offers the most secure mounting solution. Silicon rubber pads are equipped to protect your phone from slipping and scratching.




US-KG021711

KS-408 VESA Monitor Bracket w/ Ball

W 130g
4.6oz

Made by sturdy aluminum, the mounting plate is a great mounting solution for your monitor. Standard VESA mounting holes pattern for 75 x 75mm and 100 x 100mm are easy to interface with your monitor.



US-KG021811

KS-410 Universal Tablet Holder w/ Ball

W 210g
7.4oz

Made from reinforced ABS material comes with sturdy aluminum hooks which makes it lightweight and durable and is ideal for holding 7" to 11" tablets securely. Feature 5 length-adjustable aluminum hooks with protective rubber and 9 hook slots available on the holder which make it easy to fit variety of tablets. Dimension: 191-272(L) x 110-190(W) x 10(H)mm.



US-KG073911

KS-411

Universal Tablet Holder for iPad Pro w/ Ball

W 285g
10.1oz


With the same function as KS-410, the Universal Tablet Holder for iPad Pro comes with bigger dimension, 215-376(L) x 162-281(W) x 10(H)mm, which can hold iPad Pro 12.9" and also perfect for a Graphics tablet holder.



US-KG093711

KS-CB10 Car Window Mount Kit **W** 320g 0.71lbs

Kupo car window mount kit includes a car window mounting clamp (KS-CB04) and a midi ball head (KS-CB05) and is ideal for providing a stable platform for a camera or spotting scopes from cars. The clamp can be attached to the top edge of the glass in your cars window quickly and securely. The aluminum made ballhead mounted on the clamp allows it to be instantly locked off in any position with one single knob.



US-KG010911

KS-CB04 Car Window Mount Clamp **W** 180g 6.4oz

Car window mount clamp is ideal gear for photographing and videography from an automobile. The clamp can be easily mounted on the window glass of an automobile with a screw down knob. Also the window glass is well-protected by rubberized cork on flats inside the clamp including the screw down disk. 3/8"-16 stud with a large screwdriver slot and two screw sets are equipped for secure tightening the clamp and Ball-head or camera bracket for camera.



YOUTUBE
KUPO ALUMINUM ADJUSTABLE
COLD SHOE MOUNT (KS-039)



US-KG006711

KS-039 Adjustable Cold Shoe Mount **W** 20g 0.71oz

Constructed with lightweight and durable aluminum this provides a secure mounting option for virtually any type of shoe-mounted device - radio slaves, speedlights, light meters, etc. It also comes with spring-tensioned adjustment knob to ensure strength and a secure fit to almost any flat foot flash. Standard 1/4"-20 mounting thread is tapped on the bottom for quickly and easily attaching to flash brackets, tripods, light stands, Convi clamps, etc.



US-KG009211

KS-041 Hot Shoe Adapter 3/8" - 1/4" w/ Barrel Adapter

This adapter can fit on the hot shoe of most cameras. It has a 3/8" to 1/4" threaded stud and is used as a Monitor Bracket or anything else that has a 1/4" -20 receiver. Two large knurled locking nuts are quipped for easy adjustment of the tension. It comes with a 1/4"-20 double female barrel adapter as the standard accessory that makes the 1/4" -20 receiver is available.





YOUTUBE
KUPO V-LOCK SET
(KS-273)



KS-273-MAC US-KG068611 V-Lock Set with Extension Handle

W 123g
4.3oz

- (1) 6061 aluminum wedge x 1pc
- (2) 6061 aluminum base x 1pc
- (3) M3 x 15 Phillips flat head screw x 3 pcs
- (4) 3/8"-16 slotted countersunk head x 2pcs
- (5) M5 x 14 hex socket cap screw x 2 pcs
- (6) 1/4"-20 set screw x 1pc
- (7) 3/8" to M5 adapter x 1pc

The quick release V-lock set includes the V-Lock Wedge and V-Lock Base. The V-Lock Wedge can attach to a standard V-mount battery or any device that comes with 1/4"-20 or 3/8"-16 hole with the supplied screws. The V-Lock Base can also attach to a Convi Clamp with the included screws. Two 3/8"-16 tapped holes on the back of the base are spaced 1" (center to center) also allowing for the base to be mounted onto any standard cheese plate. The extension handle comes with 1/4"-20 male thread and screws into the knob allowing for a 1" extension.



YOUTUBE
KUPO V-LOCK SET
(KS-273)



KCP-739-MAC US-KG705411 Super Convi Clamp with V-Lock Set and Extension Handle

W 123g
4.3oz

- (1) 6061 aluminum wedge x 1pc
- (2) 6061 aluminum base x 1pc
- (3) M3 x 15 Phillips flat head screw x 3 pcs
- (4) 3/8"-16 slotted countersunk head x 2pcs
- (5) M5 x 14 hex socket cap screw x 2 pcs
- (6) 1/4"-20 set screw x 1pc
- (7) 3/8" to M5 adapter x 1pc
- (8) Super Convi Clamp

This set includes the classic Super Convi Clamp with V-Lock Base, Extension Handle, and V-Lock Wedge, making it a complete all-in-one system and an easy fit to pipes or tube dia. 5-51mm, or for any device with a V-Lock Wedge. Two 3/8"-16 tapped holes on the back of the base are spaced 1" (center to center) also allowing for the base to be mounted onto any standard cheese plate. The extension handle comes with 1/4"-20 male thread and screws into the knob allowing for a 1" extension.

Made by precisely machined stainless steel and aluminum, this Kupo Arri Rosette (60 tooth with 31.8mm in diameter) mount is designed for attaching to a cage, rosette handle and other any ARRI standard rosette fitting.

KS-734

US-KG035611

Arri Rosette Bolt-on Mount (1/4"-20)

W 32g
1.2oz



The 1/4"-20 internal female thread specially designed for Sony camera or any accessories which comes with 1/4"-20 rosette-based to your camera rig.

KS-736

US-KG035711

Arri Rosette Bolt-on Mount (M6)

W 32g
1.2oz

The M6 internal female thread designed for mounting Arri standard rosette-style accessories.

KS-738

US-KG035811

Arri 3/8" Locating Pin To Arri Rosette (M6) Adapter

W 60g
2.1oz



Made by precisely machined stainless steel and aluminum, this Kupo Arri Rosette (60 tooth with 31.8mm in diameter) mount is designed for being attached to cage, rosette handle and other any ARRI standard rosette fitting. The M6 internal female thread designed for mounting Arri standard rosette-style accessories and it allows 360 degree rotation.

KCP-253AR

US-KG200111

Universal Gimbal Clamp with Arri Rosette (M6)

W 140g
4.9oz



The lightweight aluminum tube mounting coupler designed for DJI Ronin, Freefly Movipro or any Gimbal support system comes with dia. 25-30mm tube. Features a M6 internal female thread designed for mounting Arri standard rosette-style accessories and it allows 360 degree rotation.

KCP-730AR

US-KG700312

Super Claw clamp with Arri Rosette (M6)

W 170g
6oz



Aluminum alloy clamp equipped with a M6 internal female thread designed for mounting Arri standard rosette-style accessories and it allows 360 degree rotation. The compact super claw clamp offers a great mounting solution which fit tube sizes from 13mm to 35mm or a flat object from 5 to 20 mm.

KS-197

US-KG047812

1/4"-20 Hex Socket Cap Screw

Stainless steel made hex socket cap 1/4"-20 screw with 6.3mm shaft in length. (Set of 6)



The Super Claw from Kupo is a scaled down, lighter weight 130g(4.6oz) version of the popular Convi Clamp. Ideal for tight spaces, its jaws feature spring action and will grip tubes from 0.51-1.37" in diameter and flat surfaces from 0.19 - 0.78" thick. The unique mechanical interlocking rubber pads adhered to the jaws really help to keep this clamps performance at a high level on round and rectangular shapes. The Super Claw is tapped with both 1/4"-20 and 3/8"-16 threads to accept a wide range of adapters, grip accessories, cameras, lights or monitors weighing up to 6kg(13.2lbs).

KCP-730B Super Claw

US-KG702811

Material: Aluminum

Attachment: 1/4"-20 & 3/8"-16

Fit tube size: 13mm ~ 35mm

Fit flat surface size: 5mm ~ 20mm

W 130g
45.6OZ

max
6kg
13.2lbs




YOUTUBE
SUPER CLAW



Features:

1. Two jaws are aluminum making it sturdy and durable.
2. Mechanical interlocking rubber pads are adhered to the jaws.
3. Ergonomic aluminum casting knob offers better grip.
4. 1/4" and 3/8" female sockets can be used simultaneously without space limitation.
5. Inside steel spring keeps the jaws moving smoothly while twisting the knob.



Microphone with Mini Ball Head and Cold Shoe mount on the Gobo arm.



Speedlite and Pocket Wizard with one Super Claw on the stand.



Monitor with Vision Arm on the tripod.



H4N audio recorder and microphone on the stand.

**KCP-252** US-KG205011


Tube Mounting Coupler Dia. 25mm **W** 72g
2.5oz
w/ 1/4" & 3/8" Holes & Cold Shoe

The lightweight aluminum tube mounting coupler for 25mm tube comes with a 1/4"-20, 3/8"-16 female threaded and a cold shoe which allows you to rig your small LED panel, microphone, flash or any compatible shoe-mounted accessory and any equipment that comes with 1/4"-20, 3/8"-16 male threaded.

**KCP-253** US-KG204611


Tube Mounting Coupler Dia. 25-30mm **W** 90g
3.2oz

Made of aluminum extrusion, this coupler features a removable rubber pad inside which allows it to fit any tube size or Gimbal handlebar with a dia. 25mm or 30mm. There are also various threaded holes including 3/8"-16 (2 pcs), 1/4"-20 (7 pcs) and M4 (4 pcs) on the main base to accept a wide range of adapters, grip accessories, cameras, lights or monitor arm. etc.

**KCP-253BH** Coupler w/ Ball Head for Dia. 25 to 30mm **W** 140g
5oz

US-KG204711

This lightweight aluminum tube mounting coupler comes with a ball head designed for mounting additional accessories on the DJI Ronin series, Freefly Movipro series or any other items with 25mm or 30mm tube. EVF Mount, Ball Head, Cold Shoe mount or any accessories that comes with 1/4" or 3/8" adapters can be mounted by screws on the array of 1/4" and 3/8" screw holes.



45-degree angle

**KCP-253SP** Mounting Coupler Dia. 25 to 30mm w/ Spindle for Ready Rig **W** 215g
7.58oz

US-KG204811

Made of aluminum extrusion, this coupler equipped with superior bearings allows you to adjust the weight to tilt your MōVI Pro Carbon Fiber Ring/gimbal as a support system while using with a Ready Rig GS. Features a removable rubber pad inside which allows it to fit any tube size or Gimbal handlebar that comes with dia. 25mm to 30mm. There are also threaded holes including 3/8"-16 and 1/4"-20 (4 pcs) on the main base to accept a wide range of adapters, grip accessories, cold shoe mount, lights or monitor arm. etc. (Set of 2)

Note: READY RIG is a trademark and brand of The Alba Group, Ltd.

Constructed from black powder coated steel, the Steadicam stand is primary designed to rest the heavier payloads like Steadicam rigs and stabilizer systems between takes. The 8" premium pneumatic tires included with 163MBC makes for easy rolling in the studio or on location. Features a leveling leg for uneven terrain and a detachable central pole which can be removed from the base and used as a "Moses Pole." A must have tool for every Steadicam operator, camera assistant and dolly grip.



The 8" pneumatic tires x 3



Detachable



US-KS101711

163MB Steadicam Stand

US-KS141611

163MBC Steadicam Stand with 8" Pneumatic Tires

1 riser, 2 sections / Dia. 45mm, 40mm


Leg: 25 x 25mm / One Leveling leg

Powder coated stand / With 8" Pneumatic Tire

L	H	h	W	FWD	max	T
125.3cm	203.4cm	132.4cm	20.2kg	132cm	36kg	A
49.33"	80"	52.1"	44.4lbs	51.9"	79.2lbs	


More features:

1. Also suitable for heavier lighting fixtures that comes with a 5/8"(16mm) baby pin.
2. The central tube can support for slider systems while rigged on a dolly to prevent sag.
3. Simply slide tires onto the stand and tighten knob and makes the stand easy rolling.
4. The stand caster is easy to assemble and removable for any occasion.
5. Folded stand can set on its own as a great space saver.



Telescopic Central Pole:

L	H	W
94.6cm	165.7cm	3.9kg
37.2"	66.2"	10lbs



KS-230 Steadicam Stand Tray

W 2.1kg
4.62lbs

US-KG034011

Constructed from 2mm thickness solid steel with black coated finish, the Kupo Steadicam Stand Tray comes with a lip in the rear allowing for easy mounting on the leg struts of the Kupo Steadicam Stand (163MB). It provides extra space as an ideal storage solution for tools and other accessories. Fit for stands included 145M,155M,228M,228MB,226M,226MB, 542M,543M,546M,653M,600MR,610M and 620M. Also fit for stands with casters included ,483 ,483SH, 470, 481, 482T.



KS-257 Speed Rail Shim

W 45g
1.59oz

US-KG038912

Made by durable black POM, The Kupo Speed Rail Shim allows for a 2"coupler to be perfectly mounted on 1-1/4"(42.2mm) tube with the shim attached. (Set of 2)





US-KG812611 / US-KG812512

KCP-811B / KCP-811 Mini Coupler

Fits Tube 1" (25.4mm)

Incorporates 1/4" - 20 male thread screw (3/4" long).

W 60 g 0.13 lbs **max** 100 kg 220 lbs



US-KG813211 / US-KG813112

KCP-815B / KCP-815 Mini Swivel Coupler

Fits Tube 1" (25.4mm), For quick and easy interconnection for truss, pipe or bars.

W 120 g 0.26 lbs **max** 100 kg 220 lbs



US-KG811211

KCP-811BH Mini Half Coupler w/ Ball Head

Constructed from aluminum alloy, the mini half coupler for 1" tube comes with 26mm ball head and is ideal for mounting your LCD monitor on the rod of a video camera stabilizer with the accessories of super knuckles.

W 108 g 3.9 oz **max** 8 kg 17.6 lbs




US-KG079011

KS-704 Monitor Bracket for ARRI WCU-4

W 70g 2.47oz

Made by CNC aluminum alloy, this monitor bracket is compatible with the ARRI WCU-4 Wireless Compact Unit. Designed for being easily mounted on top or bottom of the WCU-4 hand unit with two bolts (included) and attaches to on-board monitors with any accessory, comes with a 1/4"-20 male threaded. The 18 degree tilt help you view the monitor with easy and convenience. Ideal for using quick-release mounting set (KS-CB14) that makes it fast and easy disconnect monitor from the bracket when needed. And a 16mm (5/8") baby stud with 1/4"-20 male thread (KS-077) on bottom to connect gobo head and this bracket.



KS-CB14



KS-077



US-KG079211

KS-706 ARRI WCU-4 Monitor Mount and Docking Bracket

W 390g 13.76oz

The Kupo ARRI WCU-4 Monitor-Bracket with handgrip allows you to place your monitor as close to the index mark of the focus knob as possible. Features the ergonomic design handgrip that transfers efficiently the weight from the wrist to the biceps. Additional 5/8" (16mm) baby receiver is designed on the bottom of the handgrip which allows it to serve as a docking bracket for a c-stand. The monitor bracket also allows you to attach an on-board monitor with any equipment that comes with 1/4"-20 male thread. Ideal for using quick-release mounting set (KS-CB14) that makes it fast and easy disconnect monitor from the bracket when needed.



US-KG070312



YOUTUBE
KUPO FRONT BOX
AND ACCESSORIES
(KAB-013)



KAB-013 Camera Assistant Front Box

W 1.4kg
3.08lbs

Exterior Dimensions (L) x (W) x (H) : 13"(330mm) x 8"(202mm) x 5-1/8"(131mm)
Interior Dimensions (L) x (W) x (H) : 12"(306mm) x 7" (178mm) x 2-5/8"(66.5mm)

Camera assistant front box is designed to be attached onto tripods and holds items like markers, cleaning supplies, tools and a standard slate board. Kupo front box is made of high quality European beech wood and comes with natural finish. Features four removable and interchangeable dividers to meet your particular needs. One pen holder fixed on the box includes variously sized holes for your pens and cine tools. Slots on the underside of the front box hold standard sized slate board.




US-KG705011

W 150g
0.33lbs



KCP-700-FBP Front Box Mounting Plate for Convi Clamp

Aluminum plate with black anodized finish, the Kupo Front Box mounting plate is a great combination of front box and Convi clamp. Simply use two M5 screws (supplied) to easily attach the mounting plate on the Convi clamp and slide the hanging pins into the groove of the bracket to mount the front box on. Features a spring locking pin equipped on the plate to prevent the box from dropping off accidentally. Excellent gadget that allows you to mount your front box on the stands, tripods, tables, dolly or any object comes with outside dia. from 5mm to 51mm.



YOUTUBE
KUPO FRONT BOX
AND ACCESSORIES
(KAB-013)

KS-722 Assistant's Front Box Mount for Fluid Head

W 360g
0.79lbs

US-KG047611

An aluminum plate with a black anodized finish, the Kupo Assistant's Front Box Mount is built for easily mounting a front box to a fluid head. Features two twist-locking sleeves for firmly attaching the front box pins to geared or fluid heads along with a unique spring locking pin that ensures the front box remains securely in place.



W 100g
0.22lbs

US-KG030312




KS-724 Front Box Bracket

Kupo front box bracket is constructed from durable aluminum bracket with black anodized finish. The bracket comes with four set of M5 bolts & nuts that can be affixed to your custom front box when needed. Fits perfectly with Kupo KCP-700FBP or KS-722 mounting plate.



W 80g
0.18lbs

US-KG035412



KS-710 Side Mount Bracket

Made by CNC aluminum with black coated finish, this side mount bracket is primary designed for attaching on the Front Box Mounting Plate for Convi Clamp (KCP-700-FBP) or ARRI WCU4 Monitor Mount and Docking Bracket (KS-706) with supplied screws. It allows for mounting on any camera or video equipment like a wireless transmitter with 1/4"-20 or 3/8"-16 female threaded holes.

APPLE BOX

Apple Boxes are one of the most useful pieces of equipment on a set! They are the ultimate multi-taskers and are used for propping up furniture and light stands, for leveling camera dolly tracks, or to provide temporary seats, workbenches, or stepladders. Ideal for posing, standing, stacking, or support, Kupo Apple boxes are available in a variety of different sizes and made of high-quality birch plywood that's built for long lasting use.



Apple box is one of the most useful pieces of equipment on a film set. They are used for propping up furniture and light stands, for leveling camera dolly track, or to provide temporary seats, workbenches, or stepladders. Kupo Apple boxes are made of high quality birch plywood that are built for long lasting use. Standard sizes include pancake, quarter, half and full with a neutral wood color smooth finish. Each box has rounded-edge ergonomic hand and finger grips for easy handling. Internal supports are equipped in three larger size boxes for ensuring extra strength and dimensional stability. The brace of both side panels is for thread wires, poles or others gears through the box if needed.



YOUTUBE
KUPO APPLE BOX SET -
FULL, HALF, QUARTER &
PANCAKE (KAB-015)

KAB-015 US-KG070412

Apple Box Set (Full, Half, Quarter, Pancake) **W** 9.6kg 21.21lbs

The Kupo Apple box Set comes with four different sized apple boxes that give you a variety of support heights to keep your production professional.



8-ply Baltic birch plywood with a natural finish.



Interior reinforcement from central brace.



Round edge for easy handling.



KAB-001 US-KG087011

APPLE BOX-PANCAKE 20"x12"x1"

W 1.7kg
3.7lbs



KAB-002 US-KG087111

APPLE BOX-QUARTER 20"x12"x2"

W 2.1kg
4.6lbs



KAB-004 US-KG087211

APPLE BOX-HALF 20"x12"x4" w/ Kupo logo (on one side)

W 2.5kg
5.5lbs



KAB-008 US-KG087311

APPLE BOX-FULL 20"x12"x8" w/ Kupo logo (on one side)

W 3.3kg
7.3lbs

Kupo nesting apple box set features a space-saving design advantage that pancake, quarter and half apple boxes are able to be well stored inside the full apple box. The innovative track design with the magnet on one side panel allows you to precisely slide into the storage box and snap to lock the panel within seconds. Ideal for storage and transportation.



YOUTUBE
KUPO 4-IN-1 NESTING
APPLE BOX SET (KAB-41K)

US-KG087411

KAB-41K Nesting Apple Box Set

W 12.1kg
26.6lbs

Nesting Pancake Apple Box

18 1/2" x 10" x 1"

W 2kg
4.4lbs

Nesting Half Apple Box

18 1/2" x 10" x 4" w/ Kupo logo

(on one side) **W** 3kg
6.6lbs

Nesting Quarter Apple Box

18 1/2" x 10" x 2"

W 2.1kg
4.6lbs

Nesting Full Apple Box

20" x 12" x 8" w/ Kupo logo

(on one side) **W** 5kg
11lbs




3/8"-16 thread female on the side panel allows you to mount a baby pin with 3/8"-16 screw for small lighting fixture or other accessories.



Please note one side of the full apple box has a handle and is completely smooth on the other.



8-ply Baltic birch plywood with a natural finish.



Innovative track design allows you to slide the side panel smoothly and securely.



Both super strength magnets increase the stability of the side panel attached on the box.

Available in Half and Full-Size, as well as a Combined Set, these apple boxes are handcrafted with Birch Plywood. The stained look is meticulously achieved layer by layer to create an antique style with smooth, rounded edges for easy handling.

Kupo stained apple boxes are extremely versatile, durable and strong. Ideal for posing, standing, stacking, or support they will not only add interest to a portrait scene, but also blend into a scene and will not distract from the subject.



YOUTUBE
KUPO BROWN STAINED
APPLE BOX (FULL, HALF
AND SET)

KAB-008-BST US-KG057611

Kupo Brown Stained Apple Box-full 20"x12"x8"

KAB-004-BST US-KG037812

Kupo Brown Stained Apple Box-half-20"x12"x4"

KAB-048-BST US-KG037912

KUPO Brown Stained Apple Box Set- Half And Full Size

Made from 1000 Denier Textured Nylon with a 2" foam insert, The Kupo apple box seat cushion is designed for turning a full size apple box into a soft, comfy, padded seat. The attached pocket is a brilliant storage solution for tools, water bottles, notes, pens and more with easy access. Two varieties include horizontal and vertical.



Elastic equipped on the side allows to slip on and off with ease.

Compact-folding design make it easy to store and travel.

US-KG090611

W 0.39kg
0.86lbs

KAB-023 Apple Box Seat Cushion- Vertical

The Vertical fits a box "standing up," sized 8"(20cm) x 12"(30cm)



Elastic equipped on the side allows to slip on and off with ease.

US-KG090711

W 0.45kg
0.99lbs

KAB-025 Apple Box Seat Cushion- Horizontal

The Horizontal fits an Apple Box "on its side," sized 8"(20cm) x 20"(50cm)



US-KG092612

KAB-018 Wood Hi-Hat Board

W 1.5kg
3.3lbs

The Octagon Hi-Hat Board is an ideal mounting solution for your camera in low position. The cut corners (octagon shape) allow it to fit into tighter spaces. Size: 18"(L) x 18"(W) x 3/4"(T)



US-KG043211

KAB-128 Lockable Sliding Cover

W 0.9kg
1.98lbs

The Kupo lockable sliding cover is designed for the Kupo full size nesting apple box. Features a keyed cam lock with two keys equipped on the cover that allows you to safely store your valuables in the apple box.

Designed primarily for camera assistants in the film Industry and suitable to anyone who needs rapid access to various tools. The Kupo Utility AC bag is made by 1,000 Denier cordex textured nylon fabric with a water resistant polyurethane coating on the inside. Inside the main compartment is a separate pouch, as well as a Velcro see-through mesh pocket on the underside of the main flap which is ideal for storing media cards and other small items. The bag fits utility belts up to 2 inches in width allowing you to take the bag on and off easily. Exterior of the bag has 6 slip pockets (two of them are with a Velcro flap) which can hold dry-erase markers, sharpies, pens, chalk, pencils, hex keys, screw drivers, Leatherman and Maglite for easy access. An ideal AC bag that keeps all your essential tools and accessories organized.



YOUTUBE
KUPU UTILITY
AC BAG (KSB-010)



US-KG026611

KSB-010 Utility AC Bag

W 450g
11lb

Exterior Size: 24.5cm(9.65") (L) x 10cm(3.94") (W) x 16cm(6.3") (H)
Interior Size: 20cm(7.87") (L) x 9cm(3.54") (W) x 14.5cm(5.71") (H)



Velcro top flap ensures tools won't accidentally fall out when on a ladder.



A slip bag on the side of the bag with a Velcro flap for additional storage.

More Features:



The top flap can be folded and attached to the cover for easy access without noise.



D-Rings on one side of the bag for attaching a gaffer tape holder strap or glove gripper.



The side metal hook is perfect for mounting a tape measure.




Can be easily carried on a 2.5" width belt.

WS-140 Wingnut Multi-Spanner

W 100g
3.52oz



US-KG070211

Constructed with carbon steel and engineered for rigging demands, this smart gadget offers you the maximum versatility with the greatest durability. Made for M8, M10 and M12 with cross slot for wingnut and setscrews and built to meet the most common needs in the professional rigging industry. Palm-size and extremely lightweight. The spring hook for attaching the tool to your belt makes this must-have multi spanner easy to store and transport.



Key features included:

- 3 x Hex Bolt
- 2 x Wing Nut
- 2 x Set Screw
- 1 x Key Chain
- 1 x Bottle Opener
- 1 x Flat Screw Driver



Kupo Camera Marker is primarily designed for quickly and easily marking positions on set. It is filled with shot and is heavy enough to not blow away in the wind. It features a nickel plated grommet for simple transportation and storage. The marker is made of 1,000-denier nylon, so it won't break down or wear easily. It is also large enough to serve as a point of reference for anyone during a shoot. Ideal alternative when you don't want to use tape markers.



YOUTUBE
KUPO T-MARKERS &
SAUSAGE MARKERS

T Marker

Size: 6" x 8"
Weight: 510g (18oz)



Sausage Marker

Size: 6" (Length)
Weight: 280g (9.9oz)



T Marker



KS-168BK Black

Camera T Marker 6" x 8"

US-KG020711



KS-168G Green

Camera T Marker 6" x 8"

US-KG021113



KS-168P Purple

Camera T Marker 6" x 8"

US-KG021213



KS-168R Red

Camera T Marker 6" x 8"

US-KG021013



KS-168BL Blue

Camera T Marker 6" x 8"

US-KG020913



KS-168W White

Camera T Marker 6" x 8"

US-KG021413



KS-168Y Yellow

Camera T Marker 6" x 8"

US-KG021313



Sausage Marker



KS-160BK Black

Sausage Camera Marker 6"

US-KG020011



KS-160G Green

Sausage Camera Marker 6"

US-KG020313



KS-160P Purple

Sausage Camera Marker 6"

US-KG020413



KS-160R Red

Sausage Camera Marker 6"

US-KG020213



KS-160BL Blue

Sausage Camera Marker 6"

US-KG020113



KS-160W White

Sausage Camera Marker 6"

US-KG020613



KS-160Y Yellow

Sausage Camera Marker 6"

US-KG020513



EZ TIE

Ideal for sound, lighting and audio/video equipment. EZ-Tie is made by Swiss-made looms and strict quality control to assure consistent quality with superior performance. Hook is made from A grade Nylon and has high peel giving it an average 55 hooks per sq inch. It is formed under high temperatures to keep it with better elasticity and more durability. EZ-TIE has been tested under +93 degree C and -56.7 degree C and lasted 1,000 hrs matting without fail. The working temperature from 80 degree C to -20 degree C. High life cycle with over 10,000 closures. Washable, UV resistant to prevent discoloration.

Applications:

- Help to organize cable sets neatly with diverse colors.
- Write-on identification label for great cable organization.
- Sturdy Nylon buckle offers greater holding power against movement, and makes for longer use.
- Perfect for use as tie down for attaching equipment on a desk or table.
- Convenient for wrapping up lighting stand legs to keep them well fastened for transportation.
- Ideal for use as a temporary hanger during installation.

Large EZ-TIE



EZ560-B Black

Size: 5.0 x 60cm / Per Pack: 5 pcs

US-KG088313



EZ560-R Red

Size: 5.0 x 60cm / Per Pack: 5 pcs

US-KG088413



EZ560-Y Yellow

Size: 5.0 x 60cm / Per Pack: 5 pcs

US-KG088513



EZ560-BL Blue

Size: 5.0 x 60cm / Per Pack: 5 pcs

US-KG088613



EZ560-W White

Size: 5.0 x 60cm / Per Pack: 5 pcs

US-KG088713



Small EZ-TIE



EZ241-B Black

Size: 2.0 x 41cm / Per Pack: 10 pcs

US-KG085213



EZ241-R Red

Size: 2.0 x 41cm / Per Pack: 10 pcs

US-KG085413



EZ241-BL Blue

Size: 2.0 x 41cm / Per Pack: 10 pcs

US-KG085313



EZ241-W White

Size: 2.0 x 41cm / Per Pack: 10 pcs


US-KG085013



EZ241-Y Yellow

Size: 2.0 x 41cm / Per Pack: 10 pcs

US-KG085113



MEZ-TIE

The simple cable ties are lighter and thinner than the deluxe cable ties but are still incredibly strong. They feature an opening in the “head” of the tie that the tip of the “tail” goes through to pull it snug. They also come in five different color options to easily categorize your cables.



MEZ220-B Black

US-KG085513

20mm(W1) x 13mm(W2) x 200mm(L) / 50 pcs



MEZ220-R Red

US-KG085713

20mm(W1) x 13mm(W2) x 200mm(L) / 50 pcs



MEZ220-Y Yellow

US-KG085913

20mm(W1) x 13mm(W2) x 200mm(L) / 50 pcs



MEZ220-BL Blue

US-KG085613

20mm(W1) x 13mm(W2) x 200mm(L) / 50 pcs



MEZ220-W White

US-KG085813

20mm(W1) x 13mm(W2) x 200mm(L) / 50 pcs



YOUTUBE
KUPO SIMPLE CABLE
TIES (MEZ-TIE)



MEZ Strap

This hook and loop Nylon strap grips and secures cabling or wiring. It comes seamlessly in a roll and can be cut into the length you need. Ideal for organizing all of the loose cables or odd shape gears. Customize the length for your need to make your own cable tie. Available in white/ black/ red/ yellow/ blue/ green colors.



Part Number	Description		
MEZ-S1605B	MEZ Strap, 16mm (W) x 5M (L)	Black	US-KG096112
MEZ-S1605R	MEZ Strap, 16mm (W) x 5M (L)	Red	US-KG097713
MEZ-S1605W	MEZ Strap, 16mm (W) x 5M (L)	White	US-KG097813
MEZ-S1605Y	MEZ Strap, 16mm (W) x 5M (L)	Yellow	US-KG097913
MEZ-S1605BL	MEZ Strap, 16mm (W) x 5M (L)	Blue	US-KG098013
MEZ-S1605G	MEZ Strap, 16mm (W) x 5M (L)	Green	US-KG098113
MEZ-S3005B	MEZ Strap, 30mm (W) x 5M (L)	Black	US-KG096212
MEZ-S3005R	MEZ Strap, 30mm (W) x 5M (L)	Red	US-KG098213
MEZ-S3005W	MEZ Strap, 30mm (W) x 5M (L)	White	US-KG098313
MEZ-S3005Y	MEZ Strap, 30mm (W) x 5M (L)	Yellow	US-KG098413
MEZ-S3005B	MEZ Strap, 30mm (W) x 5M (L)	Blue	US-KG096212
MEZ-S3005G	MEZ Strap, 30mm (W) x 5M (L)	Green	US-KG098613




MEZ-P01B / W

US-KG096311

US-KG096413

Black & White EZ Tie Petite, 7pcs per pack

EZ Tie Petite is a small cable holder ideal for USB and microphone cables. It keeps tiny cable neat and trim without using bulky cable ties. Two perforated slots can be used for double wrapping cable to keep it firm at all times. Each pack comes with 7 units. Reusable and easy to use.



For cell phone USB cable.



For earphone cable.




Reusable and easy to use.



For earphone cable.

Mounted with large metal eyelet, this cable holder is made with a sturdy Nylon loop and hook with excellent holding strength for handling heavy weight. Helps to keep cables in place and well-organized. With carabiner and additional clamp, cables can be attached on the truss, tube or pipe without much effort. Handy write-on area for custom identification and labeling. Maximum cable bundle diameter 10cm. Pack of 5 with twist locking aluminum carabiner.



US-KG095311

EZ440CH-B Cable Holder

Maximum cable bundle diameter 10cm.
Pack of 5 with twist locking aluminum carabiner.



US-KG090811

BG4506 6 Inch Heavy Duty Black Ball Bungees

Each bungee cord measures (4.5mm) 3/16" in diameter and has an attached black plastic ball measuring 28mm (1-1/8") in diameter. Set includes 50 ball bungees. Easy to use, quick to install. Just feed the elastic loop through a grommet until the plastic ball is flush, then attach the loop to a fixed point to secure a tarp. Great for securing textile on the butterfly frame, cables, stands, hoses, camping and tying down tarps and shades, etc. Elastic cord design allows for stretching and variations in length from 6" up to 8".



SUCTION CUPS

KUPO Pumping Suction Cups offer a temporary solid mounting solution for smooth, nonporous surfaces. A red line indicator is equipped in most suction cups warning of any vacuum loss. Pumps in any adverse shooting circumstances.



SUCTION CUPS

Kupo Pumping Suction Cups offers a temporary solid mounting solution for smooth, nonporous surfaces. Each Kupo Suction cup comes with 5/8" baby pin, 3/8" thread bolt or 3/8" thread socket to allow user to mount small lights, cameras and accessories on windows, mirrors, automobiles, boats and any smooth, nonporous surfaces. Because of the excellent rubber material with silicon, it can be used at temperatures from -12 degree to 49 degree C. Red-line indicator is equipped in most suction cups warning of any vacuum loss. Pumps in any adverse shooting circumstances.



With GoPro

US-KG087911

KSC-14 **W** 140g 5oz **max** 7kg 15.4lbs

3" (7.62cm) Pumping vacuum suction cup with 1/4"-20 thread x 5/8" length. Ideal for mounting lightweight video cameras or a variety of lights and sound recording equipment. (Supplied with pad protector)



With Lighting

US-KG088011

KSC-16 **W** 140g 5oz **max** 7kg 15.4lbs

3" (7.62cm) Vacuum suction cup with a 5/8" (16mm) baby pin (included) providing a great temporarily mounting solution for lightweight lighting, video camera or sound recording equipment on smooth and nonporous surface. (Supplied with pad protector)



US-KG090111

KSC-13 **W** 0.3kg 0.66lbs **max** 22kg 48.5lbs

5" (12.2cm) Pumping vacuum suction cup with 3/8"-16 thread x 5/8" length. (Supplied with pad protector)



YOUTUBE
KUPO 6" PUMP CUP
W/ 3/8"-16M
THREAD (KSC-03)

US-KG088611

KSC-03 **W** 0.45kg 1lbs **max** 32kg 70lbs

6" Pumping vacuum suction cup with 3/8"-16 thread x 5/8" length stud for use with ball head camera mounts. (Supplied with pad protector)



US-KG083711

KSC-04 **W** 0.47kg 1.1lbs **max** 20kg 44lbs

6" Pumping vacuum suction cup with fixed baby pin. (Supplied with pad protector)



US-KG083811

KSC-05 **W** 0.7kg 1.54lbs **max** 4.5kg 9lbs

6" Pumping vacuum suction cup with swiveling adapter, KS-103, which is detachable. Both ends of the adapter come with a ball joint 5/8" (16mm stud); tapped for 3/8" and 1/4". (Supplied with pad protector)



US-KG083911

KSC-06 **W** 1kg 2.2lbs **max** 13kg 28.6lbs

6" Pumping vacuum suction cup with swivel baby pin which is fixed with cup. (Supplied with pad protector)



US-KG088211

KSC-12 **W** 0.5kg 1.1lbs **max** 32kg 70lbs

6" (15.24cm) Pumping vacuum suction cup with fixed 5/8" baby receiver. (Supplied with pad protector)



US-KG088111

KSC-10 **W** 1kg 2.2lbs **max** 20kg 44lbs

6" (15.24cm) Pumping vacuum suction cup with swivel 5/8" baby receiver. (Supplied with pad protector)



US-KG079512

KSC-33
Suction Cup w/ Swivel coupler **W** 1.4kg 3.08lbs **max** 20kg 44lbs

6" suction cup comes with a swivel coupler for 2" tube primarily designed for vehicle rigging, offers a temporary mounting solution on the car and excellent support arm with the swiveling coupler. (Supplied with pad protector)



Mount to car hood



US-KG097311

KSC-101 **W** 1kg 2.2lbs **max** 6kg 13.2lbs


6" Vacuum Suction Cup w/ Compact Camera Bracket
6" pumping suction cup equipped with a lightweight angle adjustable camera bracket for side-door car mounting to any desired position with ease and comfort. The aluminum mounting plate drilled with 3/8" (10mm) holes to support all ball heads. Unique mechanical interlocking design makes it a snap from side-door to hood car mounting. (Supplied with pad protector)



KSC-102 US-KG097411

10" Vacuum Suction Cup w/ Cheese Plate **W** 2.5kg 5.5lbs **↓ max** 15kg 33lbs

10" pumping suction cup equipped with an aluminum cheese plate drilled with 3/8" (10mm) holes. Ideal for rigging cameras or lighting fixtures on cars or any smooth non-porous surface. A red-line indicator warns if there is any vacuum loss. (Supplied with pad protector)



KSC-106 US-KG086911

10" Suction cup with Cheese Plate & 1-1/2" (48mm) Starter **W** 3.9kg 8.5lbs


10" vacuum suction cup with standard 3/8" holes round cheese plate and two 1-1/2" starters. Primarily designed to mount cameras and lighting equipment to cars. Features two 1-1/2" starters, 3-1/2" (9cm) long, which allows it to fit for 1-1/2" (48.3mm) Speed-Rail systems. Supplied with pad protector.



KCP-654 US-KG604611

2" Coupler w/ Swivel Mounting Camera Plate **W** 1.85kg 4.07lbs


Constructed with a heavy-duty steel ball engineered with a camera mounting plate and aluminum coupler for a 2" (48-51mm) pipe/tube, this provides a great mounting solution for rapid camera mounting and rigging. The camera plate has a standard hole pattern with threaded bore and slots allowing a dovetail slide plate or camera to attach. The ratcheted handle with the ball allows for easy adjustment of the camera to any desired position. This high tensile-strength aluminum coupler is made to fasten on to 2" (48-51mm) tube/piping.



KSC-130 US-KG097511

Mini Camera Ball Leveling Head **W** 0.9kg 2lbs **↓ max** 9.5kg 21lbs

Mini version of KSC-140 which also constructed from solid 3/8" thick aluminum plate with 6" (152mm) x 5" (127mm) comes with a sturdy dia. 45mm ball head and tightening knob allowing it to mount to a camera on car door mount(hostess tray) or hood mount with ease and convenience.



KSC-140 US-KG087811

Universal Camera Ball Leveling Head **W** 2kg 4.4lbs **↓ max** 34kg 75lbs

Features one dia. 55mm solid ball head and tightening knob allows you to quickly lock your camera's position with ease and convenience. The base is made of 3/8" thick aluminum cheese plate measures 8" (203mm) x 8" (203mm) and comes with the industrial standard 3/8" holes, spaced every 1". The top mounting plate comes with a 3/8" (10mm) slot (100mm in length) allowing it to use a standard ARRI Sliding Base.



YOUTUBE
KUPO SUPER RISER
(KCP-433)

US-KG401211

KCP-433 Super Riser

W 920g 2.03lbs **L** 27cm 10.7" **H** 43cm 17"

Constructed from black anodized aluminum, the extension riser includes one riser and two sections which come with a 3/8"-16 thread male stud in one end and a 3/8"-16 thread female in the other. Plus a heavy duty metal ball head with a 3/8"-16 thread male stud and a 3/8"-16 thread female in the base. Designed primarily to precisely position the camera in almost any desired position with the height-adjusted column and the ball joint adapter which is good for car mount shooting. The height can also be extended from 27cm (10.7") to 43cm (17") and can be locked with the die-casting aluminum wing locking knob.




KCP-831B-RS Rubber Stopper Coupler **W** 1.6kg 3.52lbs

US-KG818811

Made by sturdy and lightweight aluminum, the 2" (50cm) coupler equipped with 45 degree rubberized tube as a stopper which is perfect for both the top and bottom of the Flowcine Black Arm. Recommended for use with Extension Blocks or for off-road applications. (Set of 2)

U-Grip series is professional quality mounting gears specially designed to give your car mount extra stability and eliminate vibration for your camera or lighting. The variety of U-Grip gears made of CNC aluminum alloy with black anodized finish make it extremely easy to precisely position your camera or light at any angle you need. An ideal solution for a variety of mounting applications.



KCP-190

1.9" Gag Grip Head for 5/8" (16mm) Tube **W** 265g 9.3oz

US-KG102012

Kupo Gag Grip head is constructed from solid aluminum alloy with black anodized, features dia.1.9" (48mm) compact size and is super lightweight. It's a mini version of 2.5" grip head that can still secure two 5/8" (16mm) tubes at any angle with one ratcheted handle especially designed for car mount shooting or any mounting requirement in movie, television and photographic production industries.



KCP-192 U-Grip head (1.9" Grip Head) **W** 200g 7oz

US-KG101611

Constructed from CNC aluminum alloy makes the U-Grip head durable and lightweight. The 1.9" (48mm) U-Grip is the mini version of 2.5" grip head that is a compact size that allows more flexible operating space and is ideal for storage or transportation. Features a 360 degree swivel 5/8" (16mm) receiver which can be locked down with the aluminum die-cast knob. All black anodized surface treatment.



KCP-194 US-KG101711

5/8" (16mm) Lockable Swivel Rod Clamps **W** 100g 3.5oz

The function is as the same as KCP-192 round U-Grip head but in a square shape. It also comes with center jaw which for 5/8" (16mm) rod allows a 360 degree swivel. The ratcheted handle is designed to lock rod and simultaneously with one clamping action.



KCP-196 US-KG101811

Multi 5/8" (16mm) Receiver Connector **W** 90g 3.2oz

Constructed from CNC aluminum alloy, this rectangular connector comes with two 5/8" (16mm) holes in each lateral face and a 3/8"-16 set screw in each base, allowing it to have a variety of combinations with any rods of 5/8" (16mm) in diameter.



KCP-198 US-KG101911

Dual Multi 5/8" (16mm) Receiver Swivel Connector **W** 190g 6.7oz

Combination of two multi 5/8" (16mm) receiver connectors and a stainless 5/8" spigot which allows a 360 degree swivel. The 5/8" spigot has a 3/8"-16 female threads on each end which allows you to mount any equipment that comes with 3/8"-16 male thread.



KS-111

5/8" (16mm) Adapter For 3/8" (F) To 3/8" (M) **W** 190g 6.7oz

This extruded aluminum 5/8" (16mm) adapter, is 70mm in length, which has 3/8"-16 female threads on each end and one 3/8"-16 male to 3/8"-16 male adapter in one end. Great for connecting to any equipment that comes with 5/8" (16mm) receiver, 3/8"-16 threaded male or 3/8"-16 thread female.

Kupo's car rig shot kit is designed for automotive photographers for the most effective way to rig shot for capturing a car in motion and blur effects. Not only is the sense of speed achieved but the interesting angles that would be nearly impossible in panning or tracking makes this rig shot a great tool for automotive photographers.



US-KG087611

KSC-400K Car Rig Shot Kit Includes:

1. KSC-400M x 3 Carbon Fiber Tube - Male 2" tube size w/ 1.2 M length
2. KSC-400F x 1 Carbon Fiber Tube -Female 2" tube size w/ 1.0 M length
3. KSC-SP01 x 3 Button Handle Quick Release Ball Safety Pin
4. KCP-842B x 2 Burger Coupler w/ Baby Receiver
5. KSC-06 x 2 Suction Cup W/ Swivel Baby Pin
6. KCP-700B x 1 Convi Clamp
7. KS-CB01 x 1 Camera Bracket
8. KCP-101W x 1 Max Arm
9. Carry bag x 1



YOUTUBE
CAR RIG
SHOT KIT

The kit features a set of carbon fiber tubes which is half the weight and much stiffer than aluminum tubes. The Length is extendable from 1M(3.28ft) to 4M(13.12ft) by assembling 3 male and one female carbon fiber tubes. Three quick release bottom safety pins are also supplied to keep the tubes locking within seconds. The best mounting solution for an automobile is provided with two superior 6" pumping suction cups. Two burger couplers with the 16mm female are designed for efficiently connecting the assembled tube and suction cups. The shooting gear includes Max arm, Convi clamp and camera bracket, giving the most flexible movement and precise position for car shooting. All equipments is well stowed in the built-in lid organizer of the zipped carry bag which is made from reinforced double Ply Nylon to ensure optimal impact protection for the kits.



Applications:



Constructed from a CNC made aluminum, the plate with holes is used as a multipurpose utility bracket for various film related accessories. Specially design for mounting related accessories to cameras, monitors and lighting. It comes with the industry standard 3/8" holes, spaced every 1". The four corners are counter-sunk 82 degrees on one side.



YOUTUBE
KUPO CHEESE PLATES
(KS-1212, KS-7510,
KS-6011 & KS-5520)



US-KG024012

KS-1212

12" x 12" x 3/8"

Square Cheese Plate



2.42kg
5.33lbs



US-KG024312

KS-7510

7.5" x 10" x 3/8"

Rectangle Cheese Plate



1.3kg
2.86lbs



US-KG024212

KS-6011

6" x 11.5" x 3/8"

Rectangle Cheese Plate



1.2kg
2.64lbs

Constructed from CNC machined aluminum, the cheese plate comes with plenty of industry standard 3/8" mounting holes, spaced every 1". Features a Mitchell center allows for mounting cameras with Mitchell base tripod heads.



US-KG024112


KS-5520

5.5" x 20" x 3/8"

Rectangle Cheese Plate



1.9kg
4.2lbs



US-KG081421

KS-1010M

10" x 10" x 1/2"

Mitchell Cheese Plate



1.88kg
4.15lbs



US-KG081621


KS-1212M

12" x 12" x 1/2"

Mitchell Cheese Plate



2.7kg
5.95lbs



US-KG081521

KS-1014M

10" x 14" x 1/2"

Mitchell Cheese Plate



2.63kg
5.8lbs



US-KG819012

KCP-830CP

Coupler for Cheese Plate



0.52kg
1.2lbs

Slim type half coupler with a 3/8"-16 threaded female & stainless steel bolt allows to effortless mount the cheese plate on 2" tube for camera car mount rig.



US-KG819112

KCP-860CP

Nugget Coupler for Cheese Plate



0.2kg
0.44lbs

Nugget coupler with a 3/8"-16 threaded female & stainless steel bolt allows to effortless mount the cheese plate on tube dia. 32-38mm for camera car mount rig.



US-KG082312

KS-0606L L-Cheese Plate **W** 1.2kg 2.6lbs

L-cheese plate measures 6"(15.2cm) x 6"(15.2cm) with 3/8" holes on each leg. Thickness: 0.39"(10mm)



US-KG082012

KS-2439L Mini L-Cheese Plate **W** 50g 17.6oz

Mini L-Cheese plate measures 2.4"(6cm) x 1.96"(5cm) on the long leg with 3/8" & 1/4" holes and 3.9"(10cm) x 1.96"(5cm) on the small leg with 3/8" holes. Thickness: 0.236"(6mm)



US-KG082212

KS-3139L Midi L-Cheese Plate **W** 0.8kg 17.6lbs

Midi L-cheese plate measures 3.9"(10cm) x 7.48"(19cm) on the long leg with 3/8" holes and 3.1"(8cm) x 7.48"(19cm) on the small leg with 3/8" holes. Thickness: 0.236"(6mm)



US-KG035112

KS-689 Mitchell Threaded Collar w/ Counter Sunk Through Hole

US-KG044913

KS-690 Mitchell Threaded Collar **W** 200g 7.05oz

Constructed from precision CNC aluminum, this Mitchell threaded collar comes with a pair 3/8"-16 and a pair 1/4"-20 female threaded bores with 1" center-to-center spacing for match-up to any one inch center grip cheese plate. Additionally a pair of M7 and a pair of M10 through holes are drilled along the edge for bolts to fasten. An ideal hardware for mounting your own equipment with Mitchell compatible rigs.




US-KG045113

W 620g 21.8oz

KS-692 Mitchell Threaded Collar & Castle Nut

The combination of industry standard Mitchell Threaded Collar and Castle Nut. Designed for mounting numerous accessories on to any Mitchell base. Mitchell threaded collar and castle nut are both included.



US-KG045213

KS-693 Complete Mitchell Threaded Collar, **W** 1.1kg 2.4lbs Castle Nut & Round Plate

The complete set includes Mitchell Threaded Collar, Castle Nut and Round Mitchell plate. Designed for mounting numerous accessories on to any Mitchell base.



US-KG009012

KS-258

Mitchell Round Mounting Plate
w/1-1/8" (28mm) Junior Receiver

W 2kg
4.4lbs

Chrome plated steel made adapter mounted on the round plate which allows you to assemble with Mitchell thread collar and have a 1-1/8" (28mm) junior receiver.



US-KG086712

WS-229 Mitchell Wrench

W 330g
11.64oz

Mitchell Spanner wrench is made from stainless steel which makes it sturdy and long-lasting tool. Features concentric holes lined up with Kupo Mitchell Castle Nut in various positions that allows you to easily tighten or remove the Castle Nut. Features a M12 size in the central handle that meet the common needs in the professional rigging industry.



US-KG082511

KS-256

Covert Mitchell thread collar to baby adapter

W 200g
7.05oz

Steel adapter which allows you to screw into the center of Mitchell threaded collar and have a 5/8" (16mm) baby pin.




US-KG048212

KS-680

Round Mitchell Plate w/ 3 Countersunk Holes

W 1kg
2.2lbs

Made by precision CNC aluminum, the round Mitchell plate measures 7-3/4" (202mm) in diameter comes with three 3/8" countersunk holes it's designed for having Mitchell camera risers.




US-KG048512

KS-683

Round Mitchell Plate w/ 4 Countersunk Holes

W 950g
33.5oz

Made by precision CNC aluminum, the round Mitchell plate measures 7-3/4" (202mm) in diameter comes with four 3/8" countersunk holes it is designed for having Mitchell camera risers.



US-KG048612

KS-684 Camera Riser 6" (Mitchell to Mitchell)

W 2.8kg
6.17lbs

6" high Mitchell camera riser which is assembled by Mitchell female on top, Mitchell male on bottom and three solid aluminum rods measuring 20mm in diameter.

Made by precision machined aluminum, the Kupo Mitchell to Bowl Adapter allows you to use Bowl-based 75mm/100mm/150mm fluid heads with Mitchell-based gear into your tripod, dollies and other compatible equipment. No tool is required for effortless operation. All the Mitchell to Bowl Adapters come with 5 pre-drilled countersunk holes allowing you to set up a Hi-Hat board or cheese plate.



YOUTUBE
KUPO MITCHELL BASE TO BOWL
ADAPTERS | 75MM(KS-657),
100MM(KS-658) & 150MM(KS-659)




KS-657 **W** 1.24kg
2.73lbs **US-KG009511**
75mm Mitchell to Bowl Adapter



KS-658 **W** 0.99kg
1.98lbs **US-KG015811**
100mm Mitchell to Bowl Adapter



KS-659 **W** 1.55kg
3.4lbs **US-KG021511**
150mm Mitchell to Bowl Adapter



- MOVI PRO
- MOVI XL
- RONIN 2
- TILTA Gravity
- MITCHLL CHEESE PLATE
- MITCHLL Collar



KS-695
Gimbal to Mitchell Adapter **W** 330g
11.6oz **US-KG035211**

This adapter is designed to mount your gimbal or remote head on to any female Mitchell mount. The pre-drilled holes and threaded pattern allowing users to mount the gimbal like Ronin2, Movi XL, Movi Pro, Gravity to Mitchell plate. The adapter comes with a 3/8"-16 bolt when it is necessary to be a camera tie down knob as well.



KS-660 Elemack starter **W** 0.68kg
1.5lbs **US-KG031012**

Constructed precise CNC machined aluminum, this Elemack male adapter comes with two 3/8"-16 female threads and a 1/2"-13 center female thread for mounting Elemack attachments.



KS-662 **US-KG031112**
Mitchell to Elemack adapter W/ Castlenut **W** 2.4kg
5.3lbs
This adapter allows you to convert a mitchell base to Elemack easily.



KS-664 **US-KG031212**
1-1/8" (28mm) Junior Pin to Elemack adapter **W** 1.46kg
3.2lbs

The 1-1/8" (28mm) junior chromed steel pin is welded with the round plate which surely mounted on the Elemack starter with two 3/8"-16 bolts. It allows you to use Elemack attachments from a combo stand or any other equipment comes with 1-1/8" (28mm) junior receiver.

Lightweight & low profile KUPO professional couplers are constructed from high tensile aluminum extrusion and have been developed for installations where load capacities of up to 500kg (1100lbs) are required. The KUPO professional couplers combine strength and durability with a high degree of safety. The couplers are designed to fit tubes with diameters between 48mm-51mm. Most have been tested and certified with TUV approval for a safe working load of 500kg (1100lbs) . The standard finish is polished. Custom color or logo is upon request.



Kupo half type coupler (KCP-831)
is approved by TUV Product Service
listed with a safety working load at 500kg (1100lbs) .

"CAPTIVE", on
top of the thread bolt to
avoid the wing nut falling off
the clamp in the air.

Constructed from a
high tensile-strength
6061 aluminum-extrusion.

Attaches securely to
tubes with outside
Dia.48-51mm.

Standard in polish &
Black andoized finished.

Designed for safe
connection in
trussing system.

Nylon lock nut.



YOUTUBE



**TUV CERTIFIED CLAMP
& COUPLER**

KCP-830 Silver / KCP-830B Black

SLIM TYPE HALF COUPLER



0.3 kg
(0.66 lbs)



300 kg
(660 lbs)



- Fits tube Ø 48-51mm
- Equipped with M10 nut & bolt for custom solutions.

US-KG805712 / US-KG805811



KCP-831 Silver / KCP-831B Black

HALF COUPLER



0.52 kg
(1.2 lbs)



500 kg
(1100 lbs)



- Fits tube Ø 48-51mm
- Equipped with M10 nut & bolt for custom solutions.

US-KG806012 / US-KG806111



KCP-831-T Silver / KCP-831B-T Black

HALF COUPLER w/T-HANDLE



0.58 kg
(1.28 lbs)



500 kg
(1100 lbs)



- Fits tube Ø 48-51mm
- Equipped with M10 nut & bolt for custom solutions.

US-KG806312 / US-KG806411



KCP-823 Silver / KCP-823B Black

SLIM TYPE HALF COUPLER w/ EYE RING



0.5 kg
(1.1 lbs)



300 kg
(660 lbs)



- Fits tube Ø 48-51mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG813512 / US-KG816811



KCP-833 Silver / KCP-833B Black

HALF COUPLER w/ EYE RING



0.65 kg
(1.43 lbs)



340 kg
(748 lbs)



- Fits tube Ø 48-51mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG806712 / US-KG806811



KCP-824 Silver

SLIM TYPE HALF COUPLER w/ 28mm SPIGOT



0.79 kg
(1.74 lbs)



200 kg
(440 lbs)



YOUTUBE
KUPO SLIM TYPE
HALF-COUPERS (KCP-826
& KCP-824)

- Fits tube Ø 48-51mm
- Equipped with a 28mm (1-1/8")
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.

US-KG813612



KCP-834 Silver / KCP-834B Black

HALF COUPLER w/ 28mm SPIGOT



0.75 kg
(1.65 lbs)



200 kg
(440 lbs)

- Fits tube Ø 48-51mm
- Equipped with a 28mm (1-1/8")
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.

US-KG806912 / US-KG818711



KCP-826 Silver

SLIM TYPE HALF COUPLER w/ 16mm STUD



0.44 kg
(0.97 lbs)



100 kg
(220 lbs)

- Fits tube Ø 48-51mm
- Equipped with a 16mm(5/8") stud for lightweight luminaires, grip heads, etc.

US-KG813812



YOUTUBE
KUPO SLIM TYPE
HALF-COUPERS (KCP-826
& KCP-824)



KCP-836 Silver

HALF COUPLER w/ 16mm STUD



0.6 kg
(1.32 lbs)



100 kg
(220 lbs)

- Fits tube Ø 48-51mm
- Equipped with a 16mm(5/8") stud for lightweight luminaires, grip heads, etc.

US-KG807312



KCP-820 Silver / KCP-820B Black

SLIM TYPE SWIVEL COUPLER



0.7 kg
(1.54 lbs)



300 kg
(660 lbs)



- Fits tube Ø 48-51mm to Ø 48-51mm
- For quick and easy interconnection for truss, pipes or bars.
- Allows a full 360 degree of movement.
- Drift pin also supplied for fixing in a 90 degree configuration.

US-KG804412 / US-KG817211



KCP-832 Silver / KCP-832B Black

HALF SWIVEL COUPLER



1.2 kg
(2.64 lbs)



500 kg
(1100 lbs)



- Fits tube Ø 48-51mm to Ø 48-51mm
- For quick and easy interconnection for truss, pipes or bars.
- Allows a full 360 degree of movement.
- Drift pin also supplied for fixing in a 90 degree configuration.

US-KG806512 / US-KG817311



KCP-832-L Silver / KCP-832B-L Black

SWIVEL COUPLER WITH T HANDLE



1.1 kg
(2.42 lbs)



500 kg
(1100 lbs)

- Fits tube Ø 48-51mm to Ø 48-51mm
- For quick and easy interconnection for truss, pipes or bars.
- Allows a full 360 degree of movement.
- Drift pin also supplied for fixing in a 90 degree configuration.

US-KG819512 / US-KG819611



KCP-830ST Silver

SLIM TYPE HALF COUPLER w/ STAINLESS STEEL PARTS



0.3 kg
(0.66 lbs)



300 kg
(660 lbs)

- Fits tube Ø 48-51mm
- W/ M10 x 35mm, Counter Sunk.
- Built with stainless steel parts. Great for outdoor applications or where rust-free conditions are required or chemical exposure is a concern.

US-KG805912



KCP-831ST Silver

HALF COUPLER w/ STAINLESS STEEL PARTS



0.5 kg
(1.1 lbs)



500 kg
(1100 lbs)

- Fits tube Ø 48-51mm
- W/ M10 x 35 mm, Counter Sunk.
- Built with stainless steel parts. Great for outdoor applications or where rust-free conditions are required or chemical exposure is a concern.

US-KG806212



KCP-842B Black

SLIM TYPE HALF COUPLER w/ 16MM SOCKET



0.46 kg
(1.01 lbs)



50 kg
(110 lbs)

- Fits tube Ø 48-51mm
- Equipped with a 16mm (5/8") socket for lighting fixing accessories.

US-KG814211



KCP-847 Silver

BARREL JOINER



1.04 kg
(2.3 lbs)



300 kg
(660 lbs)

- Fits tube Ø 48-51mm
- Tube/Barrel joiner is made for providing a quick connection for two tubes together end to end.

US-KG808312



KCP-832ST Silver
SWIVEL COUPLER w/ STAINLESS STEEL PARTS


1.2 kg
(2.64 lbs)



500 kg
(1100 lbs)

- Fits tube Ø 48-51mm to Ø 48-51mm
- Built with stainless steel parts. Great for outdoor applications or where rust-free conditions are required or chemical exposure is a concern.

US-KG806612


KCP-873 Silver & Blue
45-DEGREE HALF SWIVEL COUPLER


1.46 kg
(3.21 lbs)



500 kg
(1100 lbs)

- Fits tube Ø 48-51mm to Ø 48-51mm
- Can fix in every 45 degree without a drift pin.
- To release or tighten, use hex tool to adjust the position.

US-KG810912


KCP-874 Silver
HALF COUPLER w/ QUICK RECEIVER


1.16 kg
(2.55 lbs)



100 kg
(220 lbs)

- Fits tube Ø 48-51mm
- Incorporates a 28mm (1-1/8") socket w/ safety lock system.

US-KG815612


KCP-875 Silver
SLIM TYPE HALF COUPLER w/ QUICK RECEIVER


0.96 kg
(2.11 lbs)



100 kg
(220 lbs)

- Fits tube Ø 48-51mm
- Incorporates a 28mm (1-1/8") socket w/ safety lock system.

US-KG815712


KCP-828 Silver / KCP-828B Black
SLIM HANDCUFF CLAMP


0.45 kg
(0.99 lbs)



100 kg
(220 lbs)



- Fits tube Ø 48-51mm
- Double levels counter sunk for M10 head bolt for custom solutions.

US-KG804512 / US-KG804611


KCP-828-T Silver / KCP-828B-T Black
HANDCUFF CLAMP w/ T-HANDLE


0.48 kg
(1.06 lbs)



90 kg
(198 lbs)



- Fits tube Ø 48-51mm
- Double levels counter sunk for M10 for custom solutions.

US-KG814012 / US-KG818411


KCP-838 Silver / KCP-838B Black
HANDCUFF CLAMP


0.65 kg
(1.43 lbs)



200 kg
(440 lbs)



- Fits tube Ø 48-51mm
- Double levels counter sunk for M10 or M12 hex for custom solutions.

US-KG807412 / US-KG807511


KCP-838-T Silver / KCP-838B-T Black
HANDCUFF CLAMP w/ T-HANDLE


0.52 kg
(1.2 lbs)



200 kg
(440 lbs)



- Fits tube Ø 48-51mm
- Double levels counter sunk for M10 or M12 hex for custom solutions.

US-KG807612 / US-KG807711



KCP-825 Silver / KCP-825B Black

SLIM TYPE HANDCUFF CLAMP w/ EYE RING



0.54 kg 85 kg
(1.19 lbs) (187.39 lbs)



- Fits tube Ø 48-51mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG813712 / US-KG818511



KCP-843 Silver / KCP-843B Black

HANDCUFF CLAMP w/ EYE RING



0.69 kg 140 kg
(1.52 lbs) (308.65 lbs)



- Fits tube Ø 48-51mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG814312 / US-KG818611



KCP-827 Silver

SLIM TYPE HANDCUFF CLAMP w/ 28mm SPIGOT



0.83 kg 100 kg
(1.82 lbs) (220 lbs)



- Fits tube Ø 48-51mm
- Equipped with a 28mm(1-1/8")
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.

US-KG813912



KCP-829 Silver

SLIM TYPE HANDCUFF CLAMP w/ 16mm STUD



0.47 kg 100 kg
(1.03 lbs) (220 lbs)



- Fits tube Ø 48-51mm
- Equipped with a 16mm(5/8") stud for lightweight luminaires, grip heads, etc.

US-KG814112



KCP-839 Silver

HANDCUFF w/ TVMP ADAPTER



0.85 kg 200 kg
(1.87 lbs) (440 lbs)



- Fits tube Ø 48-51mm
- With KS-090 yoke to stand adaptor 28mm stud 16mm socket.

US-KG807812



KCP-848 Silver

HANDCUFF CLAMP w/ 28mm SPIGOT



0.98 kg 200 kg
(2.16 lbs) (440 lbs)



- Fits tube Ø 48-51mm
- Equipped with a 28mm(1-1/8")
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.

US-KG814412



KCP-849 Silver

HANDCUFF CLAMP w/ 16mm STUD



0.63 kg 100 kg
(1.38 lbs) (220 lbs)



- Fits tube Ø 48-51mm
- Equipped with a 16mm(5/8") stud for lightweight luminaires, grip heads, etc.

US-KG814512



KCP-840P Silver

HANDCUFF WITH QUICK RECEIVER



1.05 kg 200 kg
(2.31 lbs) (440 lbs)



- Fits tube Ø 48-51mm
- Incorporates a 28mm(1-1/8") socket w/ safety lock system.

US-KG807912



KCP-901 Silver / KCP-901B Black

BURGER COUPLER



0.20 kg
(0.44 lbs)



75 kg
(165 lbs)



- Fits tube Ø 48-51mm
- Equipped with M10 bolt and butterfly nut for custom solutions.

US-KG811012 / US-KG811111

KCP-902 Silver / KCP-902B Black

BURGER SWIVEL COUPLER



0.30 kg
(0.66 lbs)



60 kg
(132.28 lbs)



- Fits tube Ø 48-51mm to Ø 48-51mm
- For quick and easy interconnection for truss, pipes or bars.

US-KG900112 / US-KG900211

KCP-903 Silver / KCP-903B Black

BURGER COUPLER w/ EYE RING



0.24 kg
(0.52 lbs)



75 kg
(165 lbs)



- Fits tube Ø 48-51mm
- Equipped with M10 eye ring for multipurpose use with chains, wires and ropes.

US-KG900612 / US-KG900811

KCP-904 Silver

BURGER COUPLER w/ 28mm SPIGOT



0.61 kg
(1.34 lbs)



75 kg
(165 lbs)



- Fits tube Ø 48-51mm
- Equipped with a 28mm (1-1/8")
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.

US-KG900912

KCP-906 Silver

BURGER COUPLER w/ 16mm STUD



0.26 kg
(0.57 lbs)



75 kg
(165 lbs)



- Fits tube Ø 48-51mm
- Equipped with a 16mm (5/8") stud for lightweight luminaires.

US-KG901012

KCP-850 Silver / KCP-850B Black

SLIM TYPE MIGHTY COUPLER



0.38 kg
(0.84 lbs)



170 kg
(374.79 lbs)



- Fits tube Ø 51-60mm
- Equipped with M10 nut & bolt for custom solutions.

US-KG808412 / US-KG808611

KCP-851 Silver / KCP-851B Black

MIGHTY HALF COUPLER



0.55 kg
(1.21 lbs)



280 kg
(617.29 lbs)



- Fits tube Ø 51-60mm
- Equipped with M10 nut & bolt for custom solutions.

US-KG808712 / US-KG808811

KCP-853 Silver / KCP-853B Black

MIGHTY HALF COUPLER w/ EYE RING



0.70 kg
(1.54 lbs)



340 kg
(748 lbs)



- Fits tube Ø 51-60mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG810512 / US-KG816911

KCP-852 Silver / KCP-852B Black

MIGHTY HALF SWIVEL COUPLER



1.10 kg
(2.43 lbs)



140 kg
(308.65 lbs)



- Fits tube Ø 51-60mm to Ø 51-60mm
- For quick and easy interconnection for truss, pipes or bars.
- Allows a full 360 degree of movement
- Drift pin also supplied for fixing in a 90 degree configuration.

US-KG810412 / US-KG817411



KCP-858 Silver / KCP-858B Black

SLIM TYPE MIGHTY SWIVEL COUPLER



0.74 kg
(1.63 lbs)



140 kg
(308.65 lbs)



- Fits tube Ø 51-60mm to Ø 51-60mm
- For quick and easy interconnection for truss, pipes or bars.
- Allows a full 360 degree of movement
- Drift pin also supplied for fixing in a 90 degree configuration.

US-KG814712 / US-KG817511



KCP-859 Silver / KCP-859B Black

SLIM TYPE MIGHTY HALF COUPLER w/ EYE RING



0.53 kg
(1.16 lbs)



160 kg
(352.74 lbs)



- Fits tube Ø 51-60mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG814812 / US-KG817011



KCP-854 Silver

MIGHTY HALF COUPLER w/ 28mm SPIGOT



0.99 kg
(2.18 lbs)



200 kg
(440 lbs)

- Fits tube Ø 48-60mm
- Equipped with a 28mm(1-1/8")
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.

US-KG814612



KCP-856 Silver

MIGHTY HALF COUPLER w/ 16mm STUD



0.64 kg
(1.41 lbs)



100 kg
(220 lbs)

- Fits tube Ø 51-60mm
- Equipped with a 16mm(5/8") stud for lightweight luminaires, grip heads, etc.

US-KG817112



KCP-864 Silver

SLIM TYPE MIGHTY HALF COUPLER w/ 28mm SPIGOT



0.83 kg
(1.82 lbs)



200 kg
(440 lbs)

- Fits tube Ø 51-60mm
- Equipped with a 28mm(1-1/8")
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.

US-KG815112



KCP-867 Silver

SLIM TYPE MIGHTY HALF COUPLER w/ 16mm STUD



0.47 kg
(1.03 lbs)



100 kg
(220 lbs)

- Fits tube Ø 51-60mm
- Equipped with a 16mm(5/8") stud for lightweight luminaires, grip heads, etc.

US-KG815312



KCP-877 Silver

MIGHTY QUICK TV COUPLER



1.25 kg
(2.75 lbs)



100 kg
(220 lbs)

- Fits tube Ø 48-60mm
- Incorporates a 28mm(1-1/8") socket w/ safety lock system.

US-KG815812



KCP-878 Silver

SLIM TYPE MIGHTY QUICK TV COUPLER



1.08 kg
(2.38 lbs)



100 kg
(220 lbs)

- Fits tube Ø 48-60mm
- Incorporates a 28mm (1-1/8") socket w/ safety lock system.

US-KG815912



KCP-880 Silver / KCP-880B Black

SLIM MIGHTY HANDCUFF



0.42 kg
(0.93 lbs)



100 kg
(220 lbs)

- Fits tube Ø 48-60mm
- Double levels counter sunk for M10. head bolt for custom solutions.

US-KG816012 / US-KG817611



KCP-881 Silver / KCP-881B Black

Mighty Handcuff



0.65 kg
(1.43 lbs)



200 kg
(440.9 lbs)

- Fits tube Ø 60mm
- Double levels counter sunk for M10 or M12 hex. head bolt for custom solutions.

US-KG816112 / US-KG818311



KCP-882 Silver / KCP-882B Black

SLIM MIGHTY HANDCUFF w/ EYE RING



0.53 kg
(1.17 lbs)



100 kg
(220 lbs)

- Fits tube Ø 60mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG816212 / US-KG817711



KCP-883 Silver / KCP-883B Black

MIGHTY HANDCUFF w/ EYE RING COUPLER



0.78 kg
(1.72 lbs)



200 kg
(440.9 lbs)

- Fits tube Ø 60mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG816312 / US-KG817811



KCP-884 Silver / KCP-884B Black

SLIM MIGHTY HANDCUFF w/ TV QUICK RECEIVER



1.05 kg
(2.31 lbs)



100 kg
(220 lbs)

- Fits tube Ø 60mm
- Incorporates a 28mm (1-1/8") socket w/ safety lock system.

US-KG816412 / US-KG817911



KCP-885 Silver / KCP-885B Black

MIGHTY HANDCUFF w/ TV QUICK RECEIVER



1.28 kg
(2.82 lbs)



100 kg
(220 lbs)

- Fits tube Ø 60mm
- Incorporates a 28mm (1-1/8") socket w/ safety lock system.

US-KG816512 / US-KG818011



KS-089 Silver / KS-089B Black

UNIVERSAL TV QUICK RECEIVER



0.70 kg
(1.54 lbs)



100 kg
(220 lbs)



- Aluminum quick accepts captive 28mm DIN or Euro Spigot.
- Easily assembly with clamps through long hex or wrench socket driver.
- Allows 360 degree rotation.

US-KG005112 / US-KG028111



KCP-866 Silver

NUGGET COUPLER w/ 16mm STUD



0.36 kg (0.79 lbs)



100 kg (220 lbs)

- Fits tube Ø 32-38mm
- Equipped with a 16mm(5/8") stud for lightweight luminaires, grip heads, etc.

US-KG815212



KCP-860 Silver / KCP-860B Black

NUGGET COUPLER



0.20 kg (0.44 lbs)



120 kg (264 lbs)



- Fits tube Ø 32-38mm
- Double level's counter sunk for M10 or 3/8" hex screw. for custom solutions.
- Equipped with M10 bolt and nut.

US-KG808912 / US-KG808511



KCP-862 Silver / KCP-862B Black

NUGGET SWIVEL COUPLER



0.40 kg (0.88 lbs)



120 kg (264 lbs)



- Fits for tube 32-38mm to 32-38mm
- For quick and easy interconnection for truss, pipes or bars.

US-KG810712 / US-KG810811



KCP-863 Silver / KCP-863B Black

NUGGET COUPLER w/ EYE RING



0.36 kg (0.79 lbs)



120 kg (264 lbs)



- Fits tube Ø 32-38mm
- Equipped with M10 eye ring for multipurpose use with chains, wires and ropes.

US-KG815012 / US-KG818211



KCP-810 Silver / KCP-810B Black

ARCH COUPLER



0.68 kg (1.5 lbs)



150 kg (330 lbs)



- Fits tube Ø 38-51mm
- Double levels counter sunk for M10 or M12 hex for custom solutions.

US-KG803912 / US-KG804011



KCP-813 Silver / KCP-813B Black

ARCH COUPLER w/ EYE RING



0.79 kg (1.74 lbs)



75 kg (165.35 lbs)



- Fits tube Ø 38-51mm
- Equipped with M12 eye ring for multipurpose use with chains, wires and ropes.

US-KG812912 / US-KG818111



KCP-841 Silver

ARCH COUPLER w/ QUICK RECEIVER



1.38 kg (3.0 lbs)



150 kg (330 lbs)

- Fits tube Ø 38-51mm
- Incorporates a 28mm(1-1/8") socket w/ safety lock system.

US-KG808212



KCP-814 Silver / KCP-816 Silver

ARCH COUPLER w/ 28mm SPIGOT / 16mm STUD



1.10kg (2.42 lbs)



150 kg (330 lbs)

- Fits tube Ø 38-51mm
- Equipped with a 28mm(1-1/8")
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.



0.75 kg (1.65 lbs)



100 kg (220 lbs)

- Fits tube Ø 38-51mm
- Equipped with a 16mm(5/8") stud for lightweight luminaires, grip heads, etc.

US-KG813012

US-KG813312



KCP-811 Silver KCP-811B Black

US-KG812512

US-KG812611

MINI COUPLER 25

W 0.06 kg (0.13 lbs) **max** 100 kg (220.46 lbs)

- Fits tube Ø 23-25.4mm
- Equipped with 1/4"-20 bolt and nut for custom solutions.



KCP-812 Silver KCP-812B Black

US-KG812712

US-KG812811

MINI EYE RING COUPLER 25

W 0.1 kg (0.22 lbs) **max** 90 kg (198.4 lbs)

- Fits tube Ø 23-25.4mm
- Equipped with M6 eye ring for multipurpose use with chains, wires and ropes.



KCP-815 Silver KCP-815B Black

US-KG813112

US-KG813211

MINI SWIVEL COUPLER 25

W 0.12 kg (0.26 lbs) **max** 100 kg (220.46 lbs)

- Fits tube Ø 23-25.4mm
- For quick and easy interconnection for truss, pipes or bars.



KCP-857 Silver

US-KG810612

MIGHTY HALF SWIVEL COUPLER

W 1.25 kg (2.75 lbs) **max** 500 kg (1100 lbs)

- Fits tube Ø 48-51mm to Ø 51-60mm
- For quick and easy interconnection for truss, pipes or bars.
- Allows a full 360 degree of movement
- Drift pin also supplied for fixing in a 90 degree configuration.



KCP-868 Silver

US-KG815412

SLIM TYPE SWIVEL COUPLER

W 0.58 kg (1.27 lbs) **max** 120 kg (264 lbs)

- Fits tube Ø 48-51mm to Ø 32-38mm
- For quick and easy interconnection for truss, pipes or bars.
- Allows a full 360 degree of movement
- Drift pin also supplied for fixing in a 90 degree configuration.



KCP-869 Silver

US-KG815512

SLIM TYPE MIGHTY SWIVEL COUPLER

W 0.62 kg (1.36 lbs) **max** 120 kg (264 lbs)

- Fits tube Ø 51-60mm to Ø 32-38mm
- For quick and easy interconnection for truss, pipes or bars.
- Allows a full 360 degree of movement
- Drift pin also supplied for fixing in a 90 degree configuration.



KCP-835 Silver & Black

US-KG807012

TRUSS COUPLER

W 3.30 kg (7.26 lbs) **max** 200 kg (440 lbs)

- Fits tube Ø 48-51mm
- Centers: 205-405mm
- U-Shaped steel: 3.5mm (T) & 450mm(L)
- Mounting truss on two wind-up stands.
- The tilt swivel stand pin offers a solution to the torsion and mounting problem while lifting a truss with two stands simultaneously.




KCP-835V Silver & Black

US-KG807112

LADDER TRUSS COUPLER

W 3.30 kg (7.26 lbs) **max** 200 kg (440 lbs)

- Fits tube Ø 48-51mm
- Centers: 195-395mm




KCP-835L Silver

US-KG807212

LIFTING TRUSS COUPLER

W 5 kg (11 lbs) **max** 500 kg (1100 lbs)

- Fits tube Ø 48-51mm
- Eye Ring: M16
- Centers: 197-402mm



KCP-702 Silver

US-KG703611

STAGE CLAMP WITH 14MM HOLE



0.39 kg 50 kg
(0.85 lbs) (110 lbs)

- Hole Ø 14mm
- Fits tube Ø 38-51mm



KCP-703 Silver

US-KG703512

STAGE CLAMP WITH 16MM STUD



0.52 kg 50 kg
(1.14 lbs) (110 lbs)

- Fits tube Ø 38-51mm
- Incorporates 16mm(5/8") stud.



KCP-704 Silver

US-KG704112

STAGE CLAMP WITH 28MM STUD



1.03 kg 50 kg
(2.27 lbs) (110 lbs)

- Fits tube Ø 38-51mm
- AKA Big Ben clamp. The pin can mount into a combo stand to span between two stands as a goal post rig.



KCP-705 Silver

US-KG703312

STAGE CLAMP WITH 28MM SOCKET



0.75 kg 150 kg
(1.65 lbs) (330 lbs)

- Incorporates a 28mm (1-1/8") socket w/ safety linchpin.



C-12 Silver / C-12B Black

US-KG060712 US-KG060611

STEEL HOOK CLAMP



0.90 kg 40 kg
(1.98 lbs) (88 lbs)

- Fits tube size from Ø 40-60mm
- Supplied with a welded M12 yoke nut and bolt.



C-05 Silver / C-05B Black

US-KG059112 US-KG060311

ALUMINUM ALLOY HOOK



0.45 kg 40 kg
(0.99 lbs) (88 lbs)

- Fits tube Ø 30-51mm
- Comes with a dia.17mm spigot (Dabo) with 3/8"-16 bolt for fixture yoke.



C-05QP Silver

US-KG061612

ALUMINUM ALLOY HOOK



0.48 kg 40 kg
(1.05 lbs) (88 lbs)

- Fits tube Ø 30-51mm
- Comes with a dia.17mm spigot (Dabo) with 3/8"-16 bolt for fixture yoke.
- with a spring release collar to lock spigot automatically and push to release quickly.



C-01B Black / C-01QB Black

US-KG061811 US-KG061911

STEEL IRON CASTING CLAMP



0.64 kg 40 kg
(1.41 lbs) (88 lbs)


- Fits tube Ø 30-51mm
 - Comes with a dia.17mm spigot (Dabo) with 3/8"-16 bolt for fixture yoke.
- QUICK RELEASE VERSION / C-01QB**
- With a spring release collar to lock spigot automatically and push to release quickly.



A neat solution for attaching 3-phase (3 circuits) or DALI lighting track on 2" (51mm) pipe, tube or truss. This patented clamp is constructed of a classic burger coupler with aluminum alloy, making it sturdy yet compact and lightweight. Quick set-up and flexible with adjustments. Usable for 3-phase lighting track including ERCO, EUTRAC, ZUMBETOL and GLOBAL TRAC.



YOUTUBE
KUPO UNIVERSAL
LIGHT TRACK COUPLER



US-KG901112

KCP-907 Universal Light Track Coupler




0.19 kg
(0.42 lbs)



20 kg
(44.09 lbs)

Strut channel adapters are used for hanging fixtures or pipes to the strut channel. Each strut channel adapter is welded with a grooved top piece that can easily access the track and hold the channel tightly. With the strut channel adapter you will find it easy and faster than ever to position the lighting fixture on the strut channel. Suitable for standard 1-5/8" (width) strut channels. Strong and durable. WLL rated 220kgs (440lbs).




US-KG092812

KT-056 Strut Channel Adapter w/ 1/2"-13 Nut & Bolt
for Hanging Lighting Fixture or Equipment.

W 0.2 kg
(0.44 lbs)



220 kg
(440 lbs)




US-KG093012

KT-058 Strut Channel Adapter w/ 5/8" (16mm) Baby Pin
for Hanging Film / Video Fixture or Equipment.

W 0.3 kg
(0.66 lbs)



220 kg
(440 lbs)



US-KG092912

KT-057 Strut Channel Adapter w/ half coupler for 2" (50mm) tube
for Adapting Strut Channel to Pipe or Tube.

W 0.7 kg
(1.54 lbs)



220 kg
(440 lbs)

How to fasten the strut channel adapter:

1. Insert the adapter into the strut channel and rotate 90 degrees.
2. Spin the large hex nut to lock into the channel.



SAFETY WIRE

Kupo safety wire is made of galvanized steel wire, and is constructed in accordance with DIN3055 and DIN3060. It is used as secondary bonding for rigging, lighting and other equipment to truss or stand, rendering a secondary flexible coupling in addition to the regular fixture. Standard finish is metallic silver, Black coating is available upon request.



YOUTUBE
KUPU SAFETY WIRE
(SW-01)




US-KG060912

SW-01

Ø 3.2mm, 7 x 19 wire

Item	WLL	A	B	C	D
SW-01/ SW-01-B	10kg	75cm	60mm	5.8mm	7.8mm
SW-02	5kg	70cm	50mm	4.8mm	7.0mm
SW-04	10kg	75cm	60mm	5.8mm	7.8mm



US-KG061012

SW-02

Ø 2.0mm, 7 x 7 wire,
Ø 3.0mm (with PVC jacket)



US-KG061112

SW-03

Ø 5.0mm, 7 x 19 wire


Item	WLL	A	B	C	D
SW-03	50kg	100cm	60mm	5.8mm	9.7mm
SW-03-B	50kg	100cm	60mm	5.8mm	9.7mm



US-KG061212

SW-04

Ø 3.2mm, 7 x 19 wire,
Ø 4.5mm (with PVC jacket)



TV Coupler's are built for heavy-duty lighting equipment and come with a 16mm receiver or 28mm spigot. It is equipped with a "safety linchpin", a security device allowing the user to preset it in the pin hole of a 28mm spigot before completely tightening and keeps the coupler from unexpected drop-off.



US-KG808112 / US-KG808011


KCP-844 / KCP-844B

TV Coupler-Silver / Black

W 0.32kg
0.71lbs

WLL: 300kg (on 28mm attachment)

WLL: 40kg (on 16mm attachment)




YOUTUBE
KUPU TV COUPLER
(KCP-844)



YOUTUBE
KUPU TV COUPLER
(KCP-844)

Features:

1. Constructed by rugged die-cast aluminum main body and extruded aluminum hinged locking jaw with TUV Approval.
2. Comes with a 28mm junior socket for luminaires or telescopic hanger.
3. Three fixing holes, with stainless steel helicoil insert to prevent thread stripped, fit diverse 28mm spigot.
4. The 3/8" threaded 16mm baby stud is also available and alternated with a 16mm baby socket by the spring latch bolt for lightweight luminaires and accessories.
5. Hinged locking jaw is restricted, making operation with single hand easier.
6. The safety wire is built with the clamp to ensure this essential safety aid is always on hand.
7. Linchpin is attached with the safety wire to keep it safe for pan adjustment of luminaire while the knob of clamp is loose.



YOUTUBE
KUPU TV CLAMP
(KCP-100B)

KCP-100B T.V. Clamp


W 1.61kg
3.55lbs

250kg
550lbs

US-KG100111

The KCP-100B T.V. Clamp is a heavy duty casting C clamp and is supplied with a Tommy bar to improve grip. It ends in a 28mm(1-1/8") junior receiver. A collar ring on bushing is supplied for the safety linch pin to pass through the fixture spigot. There is a dedicated aperture in the clamp body for attaching the safety cable. This clamp works for round tube diameters from 22-54mm with load capacity of 250kgs. It is ideal to hang all types of luminaires in T.V. studios and theaters.

Note: When using c-clamps care must be taken to not over-tighten the pipe bolt which affixes the clamp to the batten. If this bolt is over-tightened, it can easily dimple or "drill" into the batten, seriously compromising the strength of the batten. A finger tight plus half turn with the wrench is all that is required.




C-06 US-KG060511

Heavy Duty Iron Casting Clamp

W 0.87kg 1.92lbs **max** 100kg 220lbs

The old C clamp or pipe clamp is designed for most hanging applications. Intended for use with 1-1/2" to 2" O.D. iron pipes in theaters. 2-1/2" long steel shaft with 1/2"-13 yoke bolt and washer. A square head pan set screw allows you to rotate the fixture. Comes in black powder coat finish.




C-06T US-KG062011

Titan Iron Casting Clamp

W 1.25kg 2.75lbs **max** 100kg 220lbs

Designed to fasten luminaries to a tube or pipe of outside diameter 1-1/2" to 2-1/2" (35mm-60mm). This iron casting clamp is durable to hold a payload up to 220lbs (100kgs). Comes with 3-1/2" steel long shaft and 1/2"-13 bolt & washer. Main body has a bonding position to safety wire to anchor.




C-16 Baby Pipe Clamp

W 0.95kg 2.09lbs **max** 100kg 220lbs

US-KG083521

It is identical to old C clamp but has a 16mm baby stud. The collar on the top of the baby pin keeps it safe for pan adjustments of luminaries while the knob of the clamp is loosened. The safety wire is also built with the clamp to ensure this essential safety aid is always on hand.



C-26 Titan Clamp w/ 16mm Baby Pin

W 1.2kg 2.65lbs **max** 100kg 220lbs

US-KG073711

Equipped with a 16mm baby spigot for most of TV/Studio luminaries, this clamp fits the tube with diameter up to 38mm-60mm and will support up to 220lbs (100kg). Made of iron casting, the Titan Clamp is sturdy and durable and includes a safety cable for security. The Short-handle tommy bar prevents the handle from getting stuck with luminaire while in operation.



The Kupo telescopic hanger family features a quick release clamp allowing the user to quickly and securely suspend a lighting fixture or other equipment overhead for an unobstructed floor area. Constructed by quality steel with a superior chrome plated surface treatment for lasting durability. A stirrup head is on the end of the telescopic hanger designed for those lighting fixtures with clamps mounted on the head directly. A universal adapter is also available on the hanger for those lighting fixtures with a junior pin securely mounted on telescopic hangers. Safety pins for both versions are equipped to prevent the riser from slipping. A full range of telescopic hangers are supplied from lengths 3 to 10 feet (91.4cm-304.8cm) to meet all industrial requirements.




Stirrup Head: Dia. 40mm Baby pin: 5/8"(16mm)



YOUTUBE TELESCOPIC HANGERS

PATENTED

Quick Release Clamp allows user to Quickly and Securely Suspend a Lighting Fixture Overhead for an Unobstructed Floor Area.



Stirrup head



YOUTUBE
KUPO TELESCOPIC
HANGER
W/ STIRRUP HEAD



Universal head



YOUTUBE
KUPO TELESCOPIC
HANGER W/
UNIVERSAL HEAD

KTHS-0306 Short Telescopic Hanger w/ Stirrup Head

L	91.4cm 3 feet	H	182.8cm 6 feet	W	5.3kg 11.7lbs	max	40kg 88lbs
----------	------------------	----------	-------------------	----------	------------------	------------	---------------

US-KG071312

KTHS-0408 Medium Telescopic Hanger w/ Stirrup Head

L	121.9cm 4 feet	H	246.8cm 8 feet	W	6kg 13.2lbs	max	40kg 88lbs
----------	-------------------	----------	-------------------	----------	----------------	------------	---------------

US-KG071412

KTHS-0510 Long Telescopic Hanger w/ Stirrup Head

L	152.4cm 5 feet	H	304.8cm 10 feet	W	6.7kg 14.8lbs	max	40kg 88lbs
----------	-------------------	----------	--------------------	----------	------------------	------------	---------------

US-KG071512

KTHU-0306 Short Telescopic Hanger w/ Universal Head

L	91.4cm 3 feet	H	182.8cm 6 feet	W	5.3kg 11.7lbs	T	V
----------	------------------	----------	-------------------	----------	------------------	----------	---

- Baby pin (16mm spigot) max load: 10 kg / Junior receiver (28mm socket) max load: 40 kg
- Linch Pin is attached with safety wire.

US-KG071012

KTHU-0408 Medium Telescopic Hanger w/ Universal Head

L	121.9cm 4 feet	H	246.8cm 8 feet	W	6kg 13.2lbs	T	V
----------	-------------------	----------	-------------------	----------	----------------	----------	---

- Baby pin (16mm spigot) max load: 10 kg / Junior receiver (28mm socket) max load: 40 kg
- Linch Pin is attached with safety wire.

US-KG071112

KTHU-0510 Long Telescopic Hanger w/ Universal Head

L	152.4cm 5 feet	H	304.8cm 10 feet	W	6.7kg 14.8lbs	T	V
----------	-------------------	----------	--------------------	----------	------------------	----------	---

- Baby pin (16mm spigot) max load: 10 kg / Junior receiver (28mm socket) max load: 40 kg
- Linch Pin is attached with safety wire.

US-KG071212

KTHU-0712 Extra Long Telescopic Hanger w/ Universal Head


L	233.4cm 7 feet	H	400cm 12 feet	W	7.0kg 15.4lbs	T	V
----------	-------------------	----------	------------------	----------	------------------	----------	---

- Baby pin (16mm spigot) max load: 10 kg / Junior receiver (28mm socket) max load: 40 kg
- Linch Pin is attached with safety wire.

US-KG071612



Quick action clamp for rigging on tube size from 25-55mm.



Push to lock



Press to release



Safety pin

Kupo Lightweight telescopic hangers are made of solid steel with matt black powder coated finish, designed for mounting with lightweight fluorescents, LED lights or any lighting fixtures less than 15kg(33lbs) weight. Features a safety wire equipped on the column to avoid the iron casting clamp unexpectedly dropping off and the quick release ball safety pin is also equipped to prevent the riser from slipping. The iron casting clamp used for pipe from 1-1/2"(35mm) to 2-1/2"(65mm) O.D. and the collar on the top of telescopic hanger keeps it safe for pan adjustment while the knob of the clamp is loosened. The stirrup head on the end of the telescopic hanger is for those lighting fixtures that come with clamps that can be mounted on the hanger directly. Any lighting fixtures equipped with 5/8"(16mm) baby receiver can be mounted on the baby pin on the end of the telescopic hanger.



Stirrup Head: Dia. 40mm

KLHS-0103 US-KG071711

Short Lightweight Telescopic Hanger w/ Stirrup Head

L 53.3cm 1.5 feet	H 91.4cm 3 feet	W 3kg 7.62lbs	max 15kg 33lbs
-----------------------------	---------------------------	-------------------------	--------------------------

KLHS-0204 US-KG071811

Medium Lightweight Telescopic Hanger w/ Stirrup Head

L 68.8cm 2 feet	H 121.9cm 4 feet	W 3.6kg 7.92lbs	max 15kg 33lbs
---------------------------	----------------------------	---------------------------	--------------------------

KLHS-0306 US-KG071911

Long Lightweight Telescopic Hanger w/ Stirrup Head

L 91.4cm 3 feet	H 182.8cm 6 feet	W 4kg 8.8lbs	max 15kg 33lbs
---------------------------	----------------------------	------------------------	--------------------------



Baby pin: 5/8" (16mm)

KLHB-0103 US-KG072011

Short Lightweight Telescopic Hanger w/ Baby Pin

L 53.3cm 1.5 feet	H 91.4cm 3 feet	W 2.5kg 5.5lbs	max 15kg 33lbs
-----------------------------	---------------------------	--------------------------	--------------------------

KLHB-0204 US-KG072111

Medium Lightweight Telescopic Hanger w/ Baby Pin

L 68.8cm 2 feet	H 121.9cm 4 feet	W 2.8kg 6.16lbs	max 15kg 33lbs
---------------------------	----------------------------	---------------------------	--------------------------


KLHB-0306 US-KG072211

Long Lightweight Telescopic Hanger w/ Baby Pin

L 91.4cm 3 feet	H 182.8cm 6 feet	W 3.2kg 7.04lbs	max 15kg 33lbs
---------------------------	----------------------------	---------------------------	--------------------------



Quick release ball safety pin prevents the riser from slipping.




Safety wire quipped on the column to avoid clamp unexpected drop-off.



1/4"-20 female thread on the top of 5/8" (16mm) baby pin.



The collar on the top of the telescopic hanger keeps it safe for pan adjustment while the knob of the clamp is loosened.



US-KG010511

KS-210 Balance Adjustment Bracket

W 0.4kg
0.88lbs

Designed to be fitted between pantograph and unbalanced lighting fixtures with a baby receiver (16mm socket). A ratchet handle makes adjustments easy to allow the pantographs to work properly in a tight space.

The Kupole Family consists of spring loaded 2-section aluminum poles, the largest of the 3 sizes available extends to over 12' (370cm) in height! The unique spring locking expansion system locks the Kupole between the ceiling and the floor, or two walls, resulting in a quick, non-permanent mounting solution that only has a footprint of two inches in diameter! This unique product allows you to set up collapsible rigging, background support systems, lights, accessories, shelving, etc. The Kupole is an extremely versatile support and only takes a moment to set up without any tools, all with the simple flip of a handle.

- Deluxe aluminum casting handle incorporates a safety lock.
- It can be used in vertical or horizontal support of lighting or backdrop.
- 2 adjustable settings for a variable tension adjustment.
- Manufacturing in pole dia.45mm and 40mm and three overlapping sizes up to 370cm.
- Both silver anodized and black powder coated finish are available.



YOUTUBE
KUPO KUPOLE (KP-L2137LB)

Kupole extension is made with a solid aluminum tube and is easy to set up. Simply insert the narrow end of the Kupole after removing the spring-loaded tube and you'll have more reach capability for that higher ceiling or farther wall.



US-KD100211

KP-L2137BD

Weight: 2.85kg(6.3lbs)
Extends from 210cm(83")
to 370cm(145")

US-KD101911

KP-M1527BD

Weight: 2.45kg(5.4lbs)
Extends from 150cm(59")
to 270cm(106")

US-KD102411

KP-S1017BD

Weight: 2.0kg(4.4lbs)
Extends from 100cm(39.4")
to 170cm(67")



US-KD100412

KP-L2137PD

Weight: 2.85kg(6.3lbs)
Extends from 210cm(83")
to 370cm(145")

US-KD102112

KP-M1527PD

Weight: 2.45kg(5.4lbs)
Extends from 150cm(59")
to 270cm(106")

US-KD102512

KP-S1017PD

Weight: 2.0kg(4.4lbs)
Extends from 100cm(39.4")
to 170cm(67")



YOUTUBE
KUPO EXTENSION
(KP-X15P/B
& KP-X20P/B)

KP-X15P US-KD200712

KP-X15B US-KD200611

Weight: 0.53kg(1.2lbs)
Dia.: 40mm
Length: 1.5m(59.1")

KP-X20P US-KD201012

KP-X20B US-KD200911

Weight: 0.7kg(1.5lbs)
Dia.: 40mm
Length: 2.0m(78.7")



Safety lock






Adjustable setting



Spring cushion



Horizontal for lighting



Loading limits

- Picture 1&2 are valid for using with rigid floor and ceilings, and with the rubber pad attached on the rubber cover.
- Picture 3 is valid for operating with rigid wall to wall, and with the rubber pad attached on the rubber cover.

Assembling Kupo background support accessories with Kuploes and Convi clamps can easily create your own background system for shooting without any tools. It is very simple, reliable, and flexible to meet your requirements for a paper roll background system in the studio or on location.



YOUTUBE
KUPO BACKGROUND
PAPER DRIVE SET (KP-DS01)



US-KG084411

KP-DS01 Background Paper Drive Set W 1.1kg 2.4lbs

Kupo Background paper drive set is a pair of adapters that expand and lock securely inside the core of a roll of seamless paper. One adapter has a plastic cog that accepts a plastic drive chain so that you can adjust the length of your background comfortably and a tension control so the background doesn't unroll by itself due to gravity. The flexibility of this adapter can fit to 46mm-78mm dia. tube size. (The plastic chain and chain weight are included)



US-KG084511

KP-KS01 Single Hooks W 0.5kg 1.1lbs

The hook set is designed for the paper drive set holder which connects with a pair of Clamps. (Set of 2)



US-KG068412

KP-KS03MT Metal Chain W/ Chain Weight W 180g 6.4oz

Chain Length: 4.0 m (13')

Made of stainless steel, the Kupo metal chain is a steel metal chain that will not break under tension and is kept taut by a chain weight that hangs from the bottom of the chain loop.



KP-DS01MT Background Paper Drive Set with Gray Metal Chain US-KG068512

Kupo Background paper drive set is a pair of adapters that expand and lock securely inside the core of a roll of seamless paper. The adapters can expand to accommodate paper core sizes from 46mm to 78mm in diameter. There is a drive side with a cog that accepts a metal chain that is driven by the metal chain to raise and lower the paper and a tension side with a knob that controls the amount of tension, preventing the paper from unrolling by itself due to gravity. The 13ft stainless steel metal chain will not break under tension and is kept taut by a chain weight that hangs from the bottom of the chain loop. Now with the addition of a metal chain, rolling up and down backgrounds is smoother than ever!



W 1.1kg 2.4lbs



US-KG084711

KP-KS03O

US-KG089913

KP-KS03W

US-KG090013

KP-KS03BL

US-KG089813

KP-KS03B (Black) Plastic Chain w/ 3.5M Length

Plastic Background Driving Set Chain is a replacement plastic chain with 3.5M (137") length for the background Paper Drive Set. Different colors of chains are designed for easy color identification of different color paper rolls which are used on the Triple hooks. Weight: 226.8g (0.5lbs)



YOUTUBE
KUPO TRIPLE HOOK
SET FOR BACKGROUND
PAPER DRIVE (KP-KS02)

KP-KS02 Triple Hooks W 2.4kg 5.3lbs

US-KG084611

The same function as KP-KS01 but can accept three paper drive sets to support three rolls of seamless paper. It can also be mounted on a wall with screws or bolted to a pair of Convi clamps. (Set of 2)



Metal made clip included for bottom support secured to the bracket by screws.



Screws included for mounting on Convi clamp.



Drywall anchors included for wall mounting.



KP-X245P Aluminum Tube

US-KG084312

The Background Aluminum Tube is equipped with an aluminum solid core which allows you to assemble two sections of the tube quickly and securely with an Allen key. The aluminum tube is designed for sliding into the seamless paper roll to connect between the paper drive set and a paper roll to prevent the paper roll from being bent because of gravity. The tube size is dia.50mm with 2.75M (9') length.



Tube in the paper roll



KP-KS04 Chain Weight

W 272g
0.61lbs

US-KG084811

This is a replacement chain weight to keep the plastic and metal chain straight toward the ground. (Black)



With chain



KD-C40P Owl Clip (For tube size: 40 to 50mm)

US-KG086512

KD-C25P Owl Clip (For tube size: 30 to 35mm)

US-KG086412

Owl cable clips are designed to hold the power cable along with the lighting stand or a round tube. It is made of durable, flexible, one piece injection PC, molded with a low-key transparent finish. The cable clips accommodate two O.D. 10mm and one O.D. 6.5mm wires throughout. Reusable and easy to mount onto 40-50mm tubes with one hand. Allows organizing and routing wires in any way you want. Standard package is 4 units per bag.



YOUTUBE
KUPOLE
BUBBLE LEVEL

KD-B001 Bubble Level Clamp Tube from 40 to 45mm

US-KD201112

KD-B002 Small Bubble Level Clamp Tube from 30 to 35mm

US-KD201212

Multi function bubble level is designed for Kupole or any tubes with 25 to 35mm or 40 to 45mm O.D. for effortless alignment. Added two cable clips accepting 6 and 10mm O.D. cables. Magnet is also equipped and makes it easy to store or attach to any ferrous metal.





With Kupole

KD-B126P Kupole Base

US-KD200412

The Kupole base is designed to convert Kupole to a conventional stand whenever the ceiling is higher than 12'(3.6M) or a free-standing background is needed. The center base accepts 45mm diameter tubes. Leg diameter: 22mm with 126cm(49.6") footprint. Just remove the bottom rubber cover, slide into the tripod base then put the cover back.



Disc with Kupole



YOUTUBE
KUPO KUPOLE
DISC BASE (KD-R48P)

KD-R48P Kupole Disc Base

US-KD303012

This is a sturdy 19"(48.3cm) diameter and 12kg weight round metal base for Kupole. Use them for a clean streamlined look and ideal for visual merchandizing or displays.

Made by rugged steel with elegant powder coating surface treatment, the handy curved hook can be mounted on the Kupole in a snap by simply wrapping around it. Features non-slip rubber on each end ensuring it will not slip down and keeps it in place. Perfect for hanging on any lighting, video or photography equipment that weights less than 8kg(17.63lbs)



YOUTUBE
KUPO KUPOLE SUSPENDED
CEILING ADAPTER (KD-C50P)

US-KD301612

KD-C50P Kupole Suspended

Ceiling Adapter
Designed for connecting Kupole from a drop ceiling frame with the equipped adapter.



US-KD301912

KD-T50P Kupole Adapter

Weight: 0.55kg
Fits tube size from 48-51mm OD.
It connects the Kupole with the Truss.



US-KD103112

KP-SP02

Top Rubber Cover

US-KD103212

KP-SP03

Bottom Rubber Cover

US-KD103311

KP-SP04

Top Rubber Cover

US-KD103411

KP-SP05

Bottom Rubber Cover

US-KD103012

KP-SP01

Rubber Pad



US-KG084911

KP-KS05 Background Baby Hook (Set of 2)


The hook is built with sturdy steel and anti-reflection black painting. This is designed to attach the background paper drive set on the hook and easily connect a 16mm(5/8") stud on the top riser of a light stand. The unique design of 28mm OD can also be inserted into a 28mm receiver after removing the knobs for the universal top head. In addition to the background paper drive set, the V shape hook can also accept a pipe size from 19-25mm as the axis for supporting the paper roll.



in 16mm baby stud



in 28mm junior receiver



US-KG091112

KP-KS06 1/4"-20 Thread 3/8" Stud For Stand Top

Easily screw the stud onto any top stand. Comes with 1/4"-20 threaded male. Keep any background crossbar with 3/8" mounting holes at each end mounted on the stand. A great way to convert your existing light stands into background holders and deal with run-and-gun setups and lighter backdrops.

W 45g
0.11lbs



US-KS201111

223K Background Paper Stand Set

W 4.5kg
9.9lbs **max** 10kg
22lbs **h** 105cm
41.3"

Ideal for easy set up for a background paper or any other background material with a compact size kit. Included in the set is a 3-section telescoping pole designed to support paper rolls up to 9' in width. The pole length is adjustable from 112cm(44") to 298cm(117.3") for better storage and transportation. Each end of the telescopic pole is equipped with a universal female tap which fits most standard light stands. Built from solid aluminum which makes the tube strong and it will never get bowed.

Two Midi Click stands w/ air cushion are included for extending up to 243.84cm(8 feet). With 86cm(33.9") closed length and 1.3kg(2.87lbs) weight, it is ideal for traveling with a telescoping pole in the carrying bag. Meanwhile, two mini spring Ali clamps are included to hold the background in place.



US-KG093411

123B Telescopic Pole

W 272g
0.6lbs

3 section aluminum made telescopic pole is adjustable from 112cm(44") to 298cm(117.3") by the twist-lock telescoping mechanism. The holes at each end of the pole can be neatly and securely mounted on the stand tops.

The Kit Includes:

1. 3-Section Aluminum Telescopic Pole x 1 pcs
2. Midi Click Stand w/ Air Cushion x 2 pcs (080AC)
3. Mini Spring Ali Clamp x 2 pcs (KCP-350B)
4. Carrying Bag x 1 pcs

3 WAY & 4 WAY CLAMPS

This all metal cast aluminum clamp features a unique spring locking mechanism that allows you to instantly latch and release the locking collar around any tubing size from 1" to 1-3/4" (25 -35mm) in diameter. Just a quick turn of the tension handle to secure it in place and you're ready to mount any light fixture or accessory up to 66lbs(30kg) to light stands, scaffolds or Kupoles in a snap! The 3 Way Clamp has three recessed mounting locations distributed in 90 degree increments to accept a series of interchangeable accessories. The 4 Way Clamp is identical except it has four recessed mounting locations and can accept a larger tube diameter between 1-3/4" to 2"(35-50mm).



US-KG900412

KCP-930P 3 Way Clamp

for 25mm to 35mm tube

W 268g 9.44oz **max** 30kg 66lbs



YOUTUBE
KUPO 3 WAY CLAMP
(KCP-930P)



YOUTUBE
KUPO 4 WAY CLAMP
(KCP-950P)




US-KG900712


KCP-950P 4 Way Clamp

for 35mm to 50mm tube


W 358g 12.64oz **max** 30kg 66lbs




1



2



3



4



Brake pad



Release button



Mounting location

Application:



3 Way Clamp




4 Way Clamp





YOUTUBE
KUPO 4" BABAY STUD
FOR 4 WAY AND 3 WAY
CLAMPS (KS-091)



KS-091 Solid steel 5/8" baby stud (108mm long)

W 100g
3.52oz

US-KG005512

Constructed from solid steel with chrome plated surface treatment. This baby 5/8"(16mm) stud is designed for quickly attaching to any of the mounting locations on either the 3-way clamp or 4-way clamp in order to accept any light fixture or accessory with a baby 5/8"(16mm) receiver. The proprietary notch provides the stud with great mounting solutions that slide into one of the mounting locations or the baby receiver (16mm) of a Convi clamp and then is secured by turning the locking collar. The locking collar with slotted hole allows you to effortlessly tighten or loosen with a screwdriver.



US-KG005712

KS-092 **W** 40g
1.42oz

Lightweight aluminum 5/8" Male Adapter. (total length: 66mm)



YOUTUBE
KUPO 2/5" BABAY STUD
FOR 4 WAY & 3 WAY
CLAMPS (KS-092)




US-KG005912

KS-093 **W** 20g
0.7oz

Lightweight aluminum 5/8" Female Socket Adapter.



YOUTUBE
KUPO BABY 5/8"
RECEIVER FOR 3 & 4 WAY
CLAMP (KS-093)




US-KG007812

KS-094 **W** 0.45kg
1lbs

5/8"(16mm) steel made baby pin measures 12" in length bent to 90° that extends 6" from the Kupole.



YOUTUBE
KUPO RIGHT ANGLE
STEEL BABY STUD FOR
3 WAY & 4 WAY (KS-094)



US-KG600712

KCP-620P **W** 90g
3.2oz

Lightweight aluminum Petite Clamp for 16mm (5/8") tube.



US-KG007912

KS-095 J Hook Adapter **W** 0.18kg
0.4lbs

A hardened steel accessory that is perfect for hanging strobe packs, HMI ballasts, or rigging background crossbars to light stands. Accepts Pipes that measure up to 2" in diameter.



YOUTUBE
KUPO J HOOK
ADAPTER (KS-095)





YOUTUBE
KUPO FOAMCORE FORK
W/ BABY 5/8" (16MM)
STUD (KCP-610)

KCP-610 Foamcore Fork

W 0.4kg
0.88lbs

US-KG600611

Four pointed steel pins with black powder coating to mount on a foam core. Comes with a 5/8" baby stud. Designed to be stabbed into the side of the foam core, it can be mounted on a stand, grip head or Convi clamp.



With foam core

US-KG602311

KCP-611 Foamcore Clamp

W 0.5kg
1.76lbs

U-shaped steel holder with black powder coating to mount foam core. Comes with a 10 mm dia. chrome plated steel stud to connect with grip head. Two spike pins are attached with strings to securely attach the foam core through the holes drilled on the both sides and the bottom. For foamcore with 1" (2.54cm) thickness.



YOUTUBE
KUPO DUCK BILL
CLAMP (KCP-616)

US-KG602612

KCP-616 Duck Bill Clamp (Platypus)

W 890g
1.97lbs

Great for holding foamcore and breadboard with the quick set-up clamp. The steel baby stud welded on the clamp has an embossed neck design to be firmly fixed on the baby receiver or a Grip head.



US-KG602411

KCP-614 Adjustable Poly Holder

W 2.5kg
5.5lbs

Adjustable poly holder is made of lightweight aluminum for the central tube and two durable extendable steel holders with an anti-reflection black powder coating. This is designed for any thickness of polyboard, or foamcore sheets from 91cm (3 ft) to 156cm (5 ft). The extendable clip equipped in the end of each holder is used to hold a polyboard parallel to the floor while the poly holder is in a vertical position. The central aluminum tube comes with a 14.5cm length steel baby pin with milled flat on one side for mounting securely on a C-stand through grip head KCP-200. U-shaped handle is also fixed on the central tube to make it easy for moving or adjusting the angle of the poly holder.




YOUTUBE
KUPU ALI CLAMP
(KCP-350 & KCP-360)

US-KG301712 / US-KG301411

KCP-350 / KCP-350B Mini Ali Clamp - Polish / Black

W 0.11kg
0.24lbs

A compact clamp with 35mm clamping range similar to the Ali clamp but smaller. One of the most useful tools for a photographer, it can mount to the top of any lighting stand with a 5/8" socket or stud to hold props, reflectors and background drops or clip a small light fixture for tabletop shooting.




US-KG302412 / US-KG302011

KCP-360 / KCP-360B Ali Clamp - Polish / Black

W 0.32kg
0.7lbs

A handy multi-purpose steel clamp which features three attachment methods: a spring-tension with rubber feet protection clamp which has a clamping range of 5-40mm, a 5/8" female socket and a 5/8" stud so it can mount into a lighting stand, Convi Clamp, Super Viser or Grip Head to hold reflectors, gels, foam cores or a flash securely in the studio and on location.




YOUTUBE
KUPU GRIP OFF CAMERA
SPRING CLAMP (KCP-390)

US-KG302511

W 0.33kg
0.73lbs

KCP-390 Off Camera Flash Spring Clamp



The holes are designed for an umbrella


Constructed with solid steel the Ali clamp has a sturdy steel ball head for off camera flash light in a variety of situations. The clamp also comes with adjustable aluminum cold shoes which offer not only different size holders for flash lights, but also a more long-lasting operation than plastic ones. It's easy and convenient to attach the clamp to a plank or tube from 5-40mm with the strong spring steel equipped inside the clamp. The 16mm stud with 3/8" thread hole and the sockets attached with the clamp can be connected with light stands and an umbrella. Loading: 2kg (4.4lbs)



US-KG303111


KCP-352B Small Spring Clamp

W 0.1kg
0.22lbs



Clips easily

The small spring clamp is built with rigid steel and has a superior black powder coating which is designed for mounting around the 4.6cm sections while holding paper, reflective material, backgrounds or light Gobos.



US-KG303511

KCP-348 MultiClip

W 46g
0.1lbs

Constructed from solid steel material with black powder coating, KUPO Multiclip is a stacked pair of connected clips which are 10.8cm (4.25") in length and good for attaching a gel, reflector card, gobo, prop, leaf, etc., to a stand, branch or shelf. Double adjustable clips can be rotated to provide a desired position easily.

One of the most useful tools on a film or photo set is the Spring Clamp, also known as an A Clamp. Constructed from solid steel with PVC coated handles and tips. Features spring-operated pincers which allow a quick and easy mounting solution for many lightweight attachment needs. They come in three sizes; small(4"), medium(6"), large(9") and are great for clipping a reflector or bounce card to a stand or keep a roll of seamless paper from unrolling.



US-KG303611

KCP-354-BK 4" Steel Spring A Clamp Set

4" black steel spring A clamp set (2 pcs) pvc coated handles & tips

US-KG303711

KCP-356-BK 6" Steel Spring A Clamp Set

6" black steel spring A clamp set (2pcs) pvc coated handles & tips

US-KG303811

KCP-359-BK 9" Steel Spring A Clamp Set


9" black steel spring A clamp set (2 pcs) pvc coated handles & tips



US-KG300912

KCP-330 Tiny Clamp **W** 60g 2.11oz

Steel tiny clamp is ideal for clamping a round tube from 2mm to 16mm. Thumbscrew and 1/4" male thread with locking ring is good for mounting a camera, radio transmitter and lightweight accessories.



US-KG303012


KCP-335 Mighty Jaw Clamp **W** 160g 5.65oz

An ideal mini clamp which can be used in a variety of ways in the studio or on location. Constructed with lightweight and sturdy die-cast aluminum, Mighty Jaw can be mounted onto planks or tubes with sizes up to 35mm(1.38") with 1kg(2.2lbs) loading capacity. Features a 16mm(5/8") baby socket which can be connected with articulated arms to hold lighting, flags, gobos, cutters and a camera.

The BAGUA multi flash bracket provides photographers with full control for positioning speedlights, small strobes or LED's off camera. Constructed with lightweight aluminum 6061, the palm-sized design makes it ideal for storage and travelling. Features 8 cold shoe mounts which can hold 4 speedlites in different positions or 8 speedlites are available when the optional accessories are mounted. Also any adapter with a 1/4"-20 or 3/8"-16 thread mount can easy mount BAGUA to a stand or boom. With two built-in umbrella shaft holders and four additional softbox rod holders it allows you to have portable studio lighting without the hassle. Carry pouch with spring hook is included.



PATENTED



With Softbox

KS-100 Bagua Multi Flash Bracket

W 195g
6.88oz

US-KG016611



KS-100EA Extension Flash Adapter

W 50g
1.76oz

US-KG016711

Optional aluminum made flash adapter which allows you to add more flash on the BAGUA. (Set of 4)



Carry pouch with spring hook is included.

More features:


1. Plastic thumb screw has no electric connection to a speedlite.
2. Precise mechanism offers the cold shoe with an easy mounting solution.
3. Two built-in umbrella shaft holders.
4. Four additional softbox rod holders for connecting with softbox.
5. Metal screw with ergonomic knob for less effort to tighten the umbrella shaft.



Plastic thumb screw has no electric connection to a speedlite.



Precise mechanism offers the cold shoe with an easy mounting solution.



Drawings:

- (1): 1/4"-20 female thread.
 (2): 3/8"-16 female thread.
 (3), (4): Umbrella shaft holder.
 (5), (7), (9), (11): For extension flashlight adapter.
 (6), (8), (10), (12): For standard camera flashlight.
 (13), (14), (15), (16): Soft box rod holder.



4 flash



8 flash



YOUTUBE
KUPO BAGUA MULTI
FLASH BRACKET
(KS-100)




YOUTUBE
KUPO TETHERMATE
LAPTOP PALTEFORM
(KS-312B & KS-303B)

US-KG029711

KS-312B Tethermate for Laptop 15" 17.5 x 11.7" (445 x 286.5mm)

W 2.2kg
4.85lbs

Tethermate for Laptop 15" is a portable aluminum plate for a laptop and offers a simple and portable solution for shooting direct to your laptop on location. Features a 1/4"-20 and 3/8"-16 female threads on its underside to mount directly on a tripod or any equipment that comes with 1/4"-20 and 3/8"-16 male threads. Three mounting slots under the portable plate make it a just a snap to connect additional accessories with the U-shaped sliding plate. The 1/4"-20 thumb screws are included to keep the U-shaped sliding plate in place. Thanks to the compact size it makes transportation and storage easy for the Tethermate.



YOUTUBE
KUPO TETHERMATE
LAPTOP PALTEFORM
(KS-312B & KS-303B)


US-KG029611

KS-303B Tethermate for Laptop 17" **W** 3kg 6.62lbs

With the same function as Tethermate for Laptop 15", but comes with larger size 22" x 15.7" (560 mm x 400 mm) which allows it to fit a Mac Book 17" and Windows laptop 17".

Features:

1. Touch-fastener strap threads through holes for fastening objects on the plate securely.
2. Round plate edge instead of sharp corners.
3. Non-slip pad is included.



YOUTUBE
KUPO TETHERMATE
FOR IMAC W/ STABILITY BAR
(KS-305B)

US-KG029511

KS-305B Tethermate for iMac **W** 3kg 6.62lbs


The strong & lightweight aluminum platform with size 22" x 15.7" (560mm x 400mm) for Apple iMac & cinema display. Comes with a detachable metal stability bar and a non-slip padding to secure iMac base tightly. Under table with three mounting slots to expand other related accessories.



Kupo Ball Head Adapter (KS-097) is recommended for mounting the Kupo Tethermate on a light stand which comes with a 5/8" (16mm) baby stud or 1-1/8" (28mm) junior receiver.




YOUTUBE
KUPO TETHERMATE
ACCESSORIES (KS-306B,
KS-310B & KS-311B)



US-KG029311

KS-306B Hard Drive Holder for Tethermate **W** 200g 7.05oz

The Hard Drive Holder features the U-shaped plate which can be effortlessly slid into the mounting slots under the table, offering a great storage solution for the external hard drive and takes up no space on the platform. The tunnel-shaped design brings great benefits to storing the hard drives effortlessly and provides efficient ventilation for cooling the hard drives. An extra strap also equipped in the holder keeps the hard drives in place while it's tied up.



US-KG075311

KS-315B Cup Holder For Tethermate **W** 200g 7.05oz


Very snug fitting to the Tethermate with built-in sliding tracks. The cup holder allows adding space to a cluttered desk and keeping you from accidentally spilling your drinks, also an ideal storage solution for tools, notes, pens and any other accessories with easy access.



YOUTUBE
KUPO TETHERMATE ACCESSORIES
| CUP HOLDER(KS-315B),
ACCESSORY TRAY(KS-359B)



YOUTUBE
KUPO TETHERMATE
ACCESSORIES (KS-306B,
KS-310B & KS-311B)



US-KG029411

KS-311B Side Table for Mouse **W** 200g 7.05oz

Made of lightweight aluminum with black coating surface treatment, Kupo side table with mouse pad is specially designed for Tethermate which provides extra working space for your mouse. Dimension: 152mm (W) x 152mm(L).



US-KG028411

KS-309 Mouse Pad Only **W** 95g 3.35oz

Side table mouse pad for tethermate featuring a steady rubberized base keeps mouse pad in place. Made of durable polyester construction comes with compact size which is perfect for Kupo side table. Dimensions: 152mm(W) x 152mm(L). Color: Black.



US-KG022211

KS-304 Non-Slip Pad for Tethermate **W** 200g 7.05oz

Made of industrial grade non-slip rubber to stick items firmly on the pad and keep them securely mounted on your tether table. Temperature resistant material allows the pad to work under 80 degree C. Easy to clean with mild soap and water to renew stickiness of the pad. Size: 400mm(L) x 270mm(W) x 2mm(T).



US-KG074211

KS-317 Data Cable Anchor Port

Constructed from sturdy powdered coated steel, the Kupo L-shaped data cable anchor port allows a data cable to be wrapped around through two holes which is 17mm in diameter for preventing the data port of a camera from damage. Two screws are included for easily attaching the anchor port under the tethermate making data port protection effortless.



YOUTUBE
KUPO TETHERMATE
ACCESSORIES (KS-306B,
KS-310B & KS-311B)



KS-310B Screen Sunshade **W** 900g 1.99lbs **US-KG029811**

The Kupo screen sunshade is the perfect solution for photographers and videographers who will view the laptop screen on location or studio. The sunshade is made of opaque fabric which keeps the viewing area dark from bright lights and eliminates reflections or glare on the laptop screen. The flexible fabric which can collapse flat is ideal for storage and transportation. Foldable aluminum brace with thumbscrew knob also makes it easy to set up the sunshade on the Tethermate by means of the pre-punched holes. Inner size of sunshade is 42cm(L) x 25cm(W) x 24cm(H) and provides a sufficient space for your laptop up to Mac 15".



US-KG079811

KS-359B Accessory Tray for Tethermate

W 350g
0.78lbs

Made by ABS plastic, the Kupo Accessory Tray is the perfect storage solution for your Tethermate with limited space. It is a rotating closed storage tray for pens, tape, paper clips, memo pad, rubber bands, etc. It is easy to mount under your Tethermate with the U-shaped adapter. Free up workspace on your Tethermate with Kupo Accessory Tray.



YOUTUBE
KUPU TETHERMATE
ACCESSORIES | CUP
HOLDER(KS-315B),
ACCESSORY
TRAY(KS-359B)



Note Pad Size: 78 x 78mm
Tape Diameter: 25.4mm
Size: 359(L) x 216(W) x 32mm



US-KG011011

KS-600B Tether Arm


L 600mm **W** 1.5kg
3.3lbs

Tether Arm is a handy and elegant solution to tethered shooting. The arm center comes with a 3/8" receiver, offering an easy mount on the tripod head as a crossbar. Two gliding platforms equipped with a 3/8" screw allows double ball-heads to mount for tethered shooting either with two cameras or camera/laptop. Plus, a fixed platform with a 3/8" screw at both arm ends allows mounting more than two items.



Two cameras

Camera / laptop



US-KG004311

KS-188 Data Cable Anchor Adapter

Constructed by aluminum alloy with black anodized, the cable anchor adapter features grooves on the top designed for mounting the cables to prevent the data port of camera from damage. It comes with a 1/4"-20 screw on the top for mounting this adapter on the tether table, and a 1/4"-20 screw hole in the bottom to add on related accessories.



With tripod & light stand

W 1kg
2.20lbs **max** 20kg
44lbs

US-KG025011

KS-301B Table for Laptop & Projector

Constructed from sturdy and lightweight magnesium-aluminum alloy, this platform is designed for supporting a laptop, projector or monitor up to 20kg (44lbs) on a stand or tripod with the mounting adapter equipped underneath the platform. The non-slip rubber pad keeps items securely stuck firmly on the platform. Depth: 25cm (9.84") / Length: 35cm (13.78")



US-KG016112

KS-307 Multifunction Tray

W 1.2kg
2.64lbs

Built by lightweight and sturdy aluminum, comes with 5/8" (16mm) receiver and a 1/4" & 3/8" female thread which can fit to light stands, tripods or any equipment. Comes with 1/4" or 3/8" male thread. With snap in right angle (KS-031) and Convi clamp (KCP-700). It can be used on any light stand or tripod to support items such as mobile phones, keys, batteries, generators, and cables off the ground.





US-KG079911



YOUTUBE
KUPO DOUBLE
PLATE (KS-285)



for RC2



for ARCA



W 80g
2.82oz

KS-285 Double Camera Plate w/ Data Cable Anchor Port for Both RC2 and ARCA

Constructed from sturdy and lightweight aluminum, the Kupo Double Plate is primarily designed to integrate both Manfrotto RC2 and Arca-Swiss mounts. Featuring two smaller screws that act as bumpers which prevent the camera from sliding out accidentally while mounting on Arca-Swiss Ball head. The screws can be easily removed by hex tool when using this plate on RC2 ball head. The added anchor port of camera the plate allows a data cable to be wrapped around for preventing the data port from damage. Perfect mounting solution on the ball head for both Arca-Swiss and RC2 quick release plate with data port protection.



US-KG090511

EZ0810 Camera USB Port Protector

Molded hook-and-loop Velcro tie with a detachable plastic clip which ensures the plug stays in and the USB port is protected from damage when doing tethered shooting.



Dimension: 8mm (W) x 100mm (L)



US-KG095212



WS-095 Screwdriver Slotted w/ T-Handle

W 110g
3.87oz

Design for tightening or loosening virtually every camera tie-down screw made by OConnor, Sachtler, Cartoni, Panavision, Manfrotto, and others. Features an ergonomic T-handle shaped to fit the hand just right to put torque on the fastener to tighten or loosen. The sturdy chrome slotted steel is 50mm in length and provides great durability. The hardened blade with chrome plating is 13mm wide by 2mm thick.



US-KG095611


CL-712 Portable LED Table Lamp

W 320g
11.28oz

This portable LED table lamp is an ideal illuminating solution for your computer's keyboard on the tether table. The lightweight aluminum base and handy size makes it easy to locate on the table and move around. The flexible gooseneck arm and rotatable head also allows you to direct the light exactly where you need it. (3 x AA1.5V battery included).



Four M4 screws
are included



Easy and instantaneous
rotation from landscape
to portrait.

KS-229

US-KG028611

Monitor Mounting Plate w/ Baby Pin

W 190g
6.8oz


Constructed from lightweight aluminum with black surface treatment, the monitor mounting plate is designed for any monitor that comes with VESA mounting point 75 x 75mm (100 x 100mm). Features a fixed 5/8" (16mm) baby pin 3.95" (10cm) in length on the plate which is perfect for connecting with a grip head to position the monitor with ease and convenience.



YOUTUBE
KUPO
SUPER KNUCKLE
VESA MOUNT KIT
(KS-479)



Four M4 screws
are included



Easy and instantaneous
rotation from landscape
to portrait.

KS-479

US-KG037511

Super Knuckle VESA Mount Kit

W 300g
10.58oz

max 8kg
17.6lbs


The Super Knuckle VESA Mount Kit allows you to mount a monitor which has a VESA mounting point 75 x 75mm or 100 x 100mm on a C-stand or any light stand that comes with a 5/8" (16mm) baby stud. The unique design of sockets and ball heads offers the ability to interchange various components for mounting a monitor on a Super Convi Clamp, Super Viser Clamp, Super Claw, Suction Cup and any equipment that comes with a ball which is 26mm in diameter.




US-KD401511

KD-M01P LCD Monitor Arm

W 2kg 4.41lbs **max** 8kg 17.6lbs



100 x 100mm panel is included




Easy and instantaneous rotation from landscape to portrait.




US-KG010412

KS-308 Monitor Arm w/ Baby Receiver

W 1.64kg 3.6lbs **max** 20kg 44lbs



100 x 100mm panel is included




Easy and instantaneous rotation from landscape to portrait.




US-KG010312

KS-088 Monitor Arm w/ Hex Baby Pin

W 1.38kg 3.05lbs **max** 20kg 44lbs



100 x 100mm panel is included



Easy and instantaneous rotation from landscape to portrait.


Same structure as KS-308 but designed for connecting an LCD monitor with Convi Clamp by the knurled neck of the hex baby pin.



US-KG811312

KCP-879 Monitor Arm w/ Burger Coupler


W 1.58kg 3.5lbs **max** 8kg 17.6lbs



100 x 100 mm panel is included



YOUTUBE
KUPO MONITOR
ARM WITH BURGER
COUPLER (KCP-879)



Easy and instantaneous rotation from landscape to portrait.

Features a burger coupler equipped on the monitor arm that allows you to mount an LCD monitor on Ø2"(48-51mm) truss effortlessly. Two ratcheting handles designed for easy slight pan and title movement. Standard VESA mounting point 75 x 75mm is drilled on the square black metal panel and an adapter to 100 x 100mm is also included.

VESA SCREEN TRUSS MOUNT

VESA screen truss mount is designed for a mounting monitor or television to a 30~40cm truss. With standard, VESA spacing both in 75mm and 100mm, this bracket provides a much space-saving and effortless solution for mounting VESA monitor or television to the truss. Made of 5mm thickness rolled steel, the bracket is extremely strong and robust for mounting the equipment. It comes with two slim half couplers for rigging the tube diameter 2" (50.80mm).

Features:

1. Compact and low profile
2. Made of 5mm robust steel
3. For VESA Spacing 75mm and 100mm
4. Suitable for common 30-40cm truss system
5. With two slim half couplers for attaching tube diameter 2"(50.80mm)



YOUTUBE
KUPU VESA SCREEN
TRUSS MOUNT (KCP-886)



Horizontal truss mount




Vertical truss mount




US-KG816612

KCP-886 Vesa Screen Truss Mount



YOUTUBE
KUPU VESA MOUNTING
ADAPTER 100/200 (KS-512)



US-KG079411

KS-512 Vesa Mounting Adapter 100 / 200

Fabricated of solid aluminum, this adapter easily helps you to expand standard VESA 75/100 mounting hole to larger spacing 100/200, for attaching flat TVs with such mounting spacing accordingly. Slim, lightweight and quick installation.

Features:

1. Expand VESA 75x75 and 100x100 to 200x100, and 200x200mm.
2. Made of aluminum alloy; set of 4 pieces.
3. Come with M8 Allen key bolts and M4 screws.
4. Suitable for KCP-886 and KCP-879.



YOUTUBE
KUPU VESA MOUNTING
ADAPTER 300/400 (KS-534)

US-KG079311

KS-534 Vesa Mounting Adapter 300/400

This VESA adapter helps you to expand the standard VESA 75/100 mounting hole to larger spacing including 200, 300 and 400mm, making an easy way for large flat TVs to attach. Made of robust steel bar with black finish. Streamline, compact, and quick installation.



Features:

1. Expand VESA 75x75 and 100x100 to 200x300, 200x400, 300x300, 300x400, and 400x400mm.
2. Made of solid steel bar; set of 4 pieces.
3. Come with M8 Allen key bolts and M4 screws.
4. Suitable for KCP-886 (VESA screen truss mount).



YOUTUBE
KUPO iMAC STAND
MOUNT ADAPTER (KS-580)



US-KG027411

KS-580 iMac Stand Mount Adapter 0.41 kg / 0.9 lbs

This precision-machined aluminum adapter is specially designed for easy mounting of your iMac desktop computer (Compatible with 21" and 27" iMac models) on the light stand top which comes with a 5/8" (16mm) baby stud. The triangle plates are made with 4mm thick high-grade aluminum which can be securely attached to the iMac's cable pass-through hole with M6 bolts x 3 pcs (included). A 1/4"-20 female threaded and 3/8"-16 female threaded are drilled on the top 5/8" (16mm) baby receiver adapter for attaching any lighting, video or photo accessories. Comes with 1/4"-20 or 3/8"-16 male threaded. A simple yet reliable solution to mount your iMac.



YOUTUBE
KUPO iMAC TRUSS
MOUNT CLAMP (KS-590)

Features:

1. Constructed from solid aluminum keeps your iMac safe and secure on light stand.
2. No need to remove the stand or modify the iMac to mount on the light stand top.
3. Mount Kit for Apple 21.5" and 27" iMac Display.



US-KG027511

KS-590 iMac Truss Mount Clamp 0.61 kg / 1.45 lbs

Features a coupler for a 2" tube connected with the triangle plates which allows secure mounting of your iMac desktop computer (Compatible with 21" and 27" iMac models) on the truss system or any tube that comes with O.D. 50mm. The brushed aluminum finish melded with the look of an iMac, giving an attractive and functional set up.



Anchor point



1/4"-20 female & 3/8"-16 female threaded.



YOUTUBE
KUPO iMAC STAND
MOUNT & TRUSS MOUNT
ADAPTERS
(KS-580 / KS-590)

iMAC is a trademark of APPLE INC.

Kupo Padmate is constructed by sturdy and durable plastic with a length-adjusted holder allowing you to attach an iPad (or 7" to 10" tablet) quickly and securely without damaging it. The innovatively designed panel has multi angle adjustments that offer optimal viewing and 360 degree rotation for any viewing orientation. The baby receiver (16mm) is equipped on the end of the panel and designed for universal connection to a standard lighting stand, articulated arm or any equipment that comes with a baby stud. Meanwhile, the detachable panel also makes it convenient to remove the iPad with holder from the panel which is connected with stands or arms while needed.



Baby receiver



Quick action panel

KS-510

Length Adjustable Holder for Tablet 7" to 10"

W 0.36kg
0.80lbs

US-KG017111

Case Thickness: 0.04"(10mm)

Dimensions: 8.4 x 4.2 x 1"(18.5 x 10.5 x 2.54cm)

With iPad mini & iPad air / 360 degree rotation.



YOUTUBE
KUPO LENGTH ADJUSTABLE
HOLDER FOR TABLET
7"-10" (KS-510)



KS-520

Padmate Bracket for turning iPad to Video Camera

US-KG011911

Y-shaped aluminum bracket with a 3/8"-16 and 1/4"-20 threaded in each side designed for mounting camera accessories for speedlite, video light, microphone or any accessories that come with 3/8"-16 or 1/4"-20 thread stud.



KS-520 camera
light microphone-rear.



back

front

▲ Rubber pad is firmly adhered giving the greatest protection from scratches.

KS-540 Tablet Security Holder

W 290g
0.64lbs

US-KG014812

Features a length adjustable tablet holder for 7"-10.1" tablets with a locking design which offers great mounting and security solutions. It's built with solid zinc alloy which provides lasting durability. 1/4"-20 screw hole is also equipped for connecting various accessories for more mounting solutions. Thickness: 12mm / Lock cable dia. 4.4 x L: 200cm



Digital Lock with cable
offers security
solutions.



With KS-101
on the stand top.



With Max Arm and
Convi clamp on table.



3 digital lock with 200
cm length cable is
included.




Specification:

- Case Size: 248.2 x 199.1 x 30.7 (mm)
- Weight: 290g (10.23oz)
- Lock cable: Dia. 4.4cm x L: 200cm
- Fits VESA mount (75 x 75mm)

US-KG017311

KS-550 Tablet Security Holder w/ Lock

The protective case is constructed from tough ABS case & foam padding for impact resistance for protecting your tablet from bumps or scratches. Features a locking mechanism which can keep the case locked up with a 200cm (78") steel cable & PVC coated security cable allowing you to lock up your iPad anywhere that you can safely fasten it to while you step away. Ideal for offices, schools, dormitories and other public areas where you might take your iPad and leave it momentarily. It fits the iPad, iPad 2, iPad 3, iPad 4 and iPad Air (Adapter brackets is required for iPad Air) .



US-KD303112

KD-300 **W** 1.05kg 2.31lbs **max** 15kg 33lbs

Universal Projector Mount w/16mm Receiver

These versatile and one-of-a-kind projector mount is designed with a ball joint, providing totally 360 degree movement for fine positioning, and saving you much working time. The ratchet handle gives a positive and firm lock to fasten. The base is slotted with vortex pattern for maximum flexibility of accommodating diverse brands of projectors. KD-300 bi-functional top can be used as dia. 16mm socket (hole) or dia. 28mm spigot for fitting various clamps. KD-300-J features with 17mm stud for fitting with specific junior receivers. KD-301 is made with larger ball joint to fulfill higher load capacity 25kg.



US-KG007812

KS-094 Solid Steel Right Angle Stud

Solid steel made right angle stud comes with 5/8" (16mm) baby stud and round knob in the other end that allows you to effortlessly attach to super Convi clamp (KCP-700) and 4 way clamp (KCP-950). The right angle baby stud is designed to perfectly mount Kupo universal projector mount (KD-300). An ideal accessory for your projector mount with 5/8" (16mm) receiver.



Made from 1,000 Denier Textured Nylon with a padded interior, Kupo Multi Sleeve Pouch is designed to offer a simple and trusted protection for a Macbook 15" and any other electronic device. Features the 40mm wide Velcro which keeps your valuable notebook secured in place and easily accessible. A combination of quality and unique features makes the sleeve pouch perfect for a carrying or a storage solution for your notebook.

More features:

1. Made of waterproof polyester, effectively protects your notebook from moisture.
2. The padded interior for bump and shock absorption and protection of your notebook from accidental scratches.


US-KG050911
KSB-013
Multi Sleeve Pouch for iPad Pro or Clapper Board

Exterior size: 36.5 x 24.5cm (14.4" x 9.7")

Interior size: 32.5 x 24cm (12.8" x 9.5")

Weight: 300g (10.6oz)



KSB-013


US-KG051011
KSB-015
Multi Sleeve Pouch for Macbook 15"

Exterior size: 45.5 x 28cm (17.9" x 11")

Interior size: 40 x 27.5cm (15.7" x 10.8")

Weight: 340g (12oz)



KSB-015


US-KG079711
KSB-050 Gel Roll
W 450g
15.8oz

The Kupo Gel Roll allows you to keep gels/filters organized and safe in one neat roll while not being used. The unfolded size is 26"(W) x 32"(L) which is large enough so the gel/filter can be stored up to 100 pcs. The additional pouch stitched on the roll allows you to keep the gels/ filters in place. Meanwhile, the inserted gels/filters can be folded and rolled up into a 26" (L) with 5" in diameter cylinder and can be rolled and closed with a two Velcro-strap which is attached on the roll. The central carrying handle is equipped for carrying the gel roll with ease and convenience!


KU-HAND

KU-HAND is a rugged and professional glove designed to protect users hands for any task. The ergonomic fit is comfortable for any user. Padded mesh on leather top is excellent for ventilation; two-way stretch creates flexibility. Synthetic leather palm is soft and durable. Extra layer of leather on palm, index finger and thumb for better strength and protection. Smooth texture of fingers and reinforced fingertips make it perfect for handling objects and reduce wear and tear.



YOUTUBE
KUPO KU-HAND GRIP
GLOVE (KH-55 SERIES)

KH-55 Series (Goat leather)

Cat. No.	Size	Color
KH-55MB US-KG086013	Medium	Black
KH-55LB US-KG086113	Large	Black
KH-55XLB US-KG086213	Extra Large	Black
KH-55XXLB US-KG086313	Double Extra Large	Black



Sand bags are an indispensable safety measure on any set to ensure that stands don't tip over or damage expensive equipment and cause injury, resulting in expensive downtime. Kupo sand bags features a saddlebag design that is ideally suited to drape over stand legs and boom arms. It ships empty so that you can fill it with your choice of material translating to much lower shipping costs. Made of sturdy 1,000D Cordura Nylon for long life and thick plastic internal liner bags help keep dust in and water out. It also comes with double Velcro design ensuring no sand will leak out of the bags.



US-KG083011

KSD-1680S Empty Saddle Sandbag-Small (13lbs)

Features a rubberized handle for easy repositioning and an eyelet and spring lock equipped for attaching to boom hooks.
Dimension: 30cm(12") x 22cm(8.5") x 10cm(4")

W 500g 17.6oz **max** 6kg 13lbs



US-KG083411

KSD-1680M Empty Saddle Sandbag-Medium (24lbs)

Features a rubberized handle for easy repositioning and an eyelet and spring lock equipped for attaching to boom hooks.
Dimension: 40cm(17.5") x 22cm(8.5") x 10cm(4")

W 600g 21.2oz **max** 11kg 24.2lbs

Features:



Handle with rubber cover for better grip.



Double Velcro ensures no sand leaks out of the bags.



Spring lock is equipped on the sand bag for easy mounting to the stand as a counterweight.



Two regular 600ml bottled waters can be put into the side pouch of the sand bag.



Butterfly lift handles.

US-KG091411

KSD-1680L Empty Saddle Sand Bag-Large (35lbs)

Features a reinforced handle sewn into both sides of the bag using a box and cross pattern. Also a fly away handle is equipped allowing you to drape over light stand legs. The loading weight is on the blue label for easy identification.
Dimension: 36cm(14.2") x 28cm(11") x 12cm(4.8")

W 450g 16.9oz **max** 16kg 35lbs



Butterfly lift handles.



US-KG091311

KSD-1680XL Empty Butterfly / Fly Away Sand Bag-Extra Large (50lbs)

W	460g		22.7kg
	16.23oz		50lbs

The handle is sewn into the pocket edges, creating a wing motion when the bag is lifted which allows you to easily “release” the bag from your stands and booms. The loading weight is on the blue label for easy identification. Dimension: 36cm(14.2”) x 34cm(14”) x 12cm(4.8”)



US-KG091711

KSD-77 Empty Saddle Sandbag-Heavy Duty (77lbs)

W	600g		35kg
	21.2oz		77lbs

This empty 77lbs saddle bag-design Sandbag is filled with sand by the purchaser and primary used to as a counterweight on a boom arm to balance a light fixture's weight. It can also stabilize a stand by draping it over the legs and preventing the top-heavy light stand from falling over. The bag is made from 1,000D black Cordex textured nylon, and the underside has a polyurethane coating which makes it water resistant and durable. Four integrated ladder-lock buckles allow you to tighten up the straps to keep the sandbag securely attached. Dimension: 39cm(15.5”) x 46cm(18.2”) x 12cm(4.8”)



Ladder-lock buckle and straps help bag firmly attach on light stand or boom arm.



Dual haul handles with unifying wrap for carrying ease.



Triple Velcro ensure no sand leaks out of bags.

The new solid construction shot bag with non-slip strap design allows you to weigh down light stands by just wrapping it around the stand base. The premium shot bag also offers a variety of uses including an offset for a boom arm, wrap around a tripod or light stand bases, or hang midway on a stand handle to offset the weight of something. The 2mm steel balls are pre-filled and sealed up with the bag which makes it dense weight and it never leaks. The compact size design also makes the shot bag easy to carry, pack and it does the job perfect.



US-KG088811

KSW-05 Wrap & Go Shot Bag

Maximum load weight: 2.28kg(5lbs)

US-KG088911

KSW-10 Wrap & Go Shot Bag

Maximum load weight: 4.55kg(10lbs)



YOUTUBE
KUPO WRAP &
GO SHOT BAG



Weight on the label for easy identification.



Non-slip strap keeps bag from slipping off.



On a lightweight aluminum stand.



On a Grip Arm.



Kupo Shot Bags are made of 1,000 denier black cordex textured Nylon with a water resistant polyurethane coating on the inside. 2mm steel balls are encapsulated in the poly inner bag and sealed up with the bag which makes it dense weight and it never leaks. The two wing design allows it to drape perfectly over light stand legs.



US-KG089011

KSF-15 Shot Bag (15lbs) 6.5kg 15 lbs

US-KG093311

KSF-25 Shot Bag (25lbs) 11.3kg 25 lbs



Two wings allow the bag to drape over light stand legs.



Loading weight is on the blue label for easy identification.



US-KG026911

KSJ-500B Stand Hanger Rack

Stand hanger rack is constructed from aluminum die-cast super joint connectors, matte black steel tubes and steel hangers which offer great solutions for the storage and display of your lighting stands.

The rack are included:

Item number	Product Description	QTY (PCS)
Long black tube	Dia. 35mm tube with 1,300 m length	4
Midi black tube	Dia. 35mm tube with 1013 m length	3
Short black tube	Dia. 35mm tube with 400 m length	6
KD-C01B	Curved clamp-Black	8
KD-C03B	Joint with Screw-Black	4
KD-C04B	Universal Joint-Black	6
KS-118BT	Stand hanger for lightweight stand –Black	1
KS-118BV	Stand hanger for medium Size stand-Black	1
KCP-930B	3 way clamp-Black	4
Screw & Nut	M10 Screw & Nut	4



C-STAND DOOR RACK



YOUTUBE
KUPO C-STAND DOOR RACK
(KS-119B)

US-KG023611

KS-119B C-Stand Door Rack

Built by robust 6.5mm thickness steel with matte-black surface finish, Kupo C stand door rack is designed to keep supports organized and accessible whether in the studio or on a location production. The steel rack can hold up to six C-stands with grip heads and arms. Built-in hoops accept bungee cords to stabilize the stands. The C stand door rack can be adapted to different C-stand length.




Built by robust steel with matte-black surface finish, the 46.5" (118cm) stand hangers offers a great storage and display solution for light stands. There are three dia. 8.5mm hole at 16" (40.6mm) intervals drilled for easily and firmly mounting to a wall or door rack. Extra dia. 10.5mm holes in each end are designed to connect with the Kupo four way clamp (KCP-950) or 3 way clamp (KCP-930) and any tube size from 35 to 50mm for excellent storage or display solution. There are four versions of stand hangers available to meet the different professional requirements. Lumber size 2x2 or 2x4 is recommended to be mounted behind the hanger to keep your wall from scratches. Weight: 2.85kg (6.27lbs)



US-KG012311

KS-118B Stand Hanger Complex

118cm long 15 baby studs and 4 hanger pin holders on the rack.



US-KG017411

KS-118BT Stand Hanger for Lightweight Stands

118cm long stand hanger with 10 baby stud holders on the rack.

For the baby pin.



US-KG017611

KS-118BG Stand Hanger for Heavy Duty Stands

118cm long stand hanger with 8 hanger pin holders on the rack.



US-KG017511

KS-118BV Stand Hanger for Medium Size Stands

118cm long stand hanger with 9 hanger pin holders on the rack.

For hanger pin of upper spider casting.

China Ball, or Chinese paper lantern, is made by a paper lantern holder and lamp socket for creating natural soft light and pleasant skin tones in the film and video field. The frame of the China Ball is constructed from quality 3/16" (5 mm) steel with a chrome plated surface treatment. It is interchangeable by removing the screw nuts if a different size of lantern paper is needed. The rotatable steel ring makes it easy to control the output of light while the fabric is attached. The anti-kinking spiral top cable is also equipped to prevent the cable from becoming loose when subject to vibration. A ceramic lamp socket is firmly fixed on the round metal plate keeping the bulb from wobbling. Two 1/4"-20 and two 3/8"-16 threaded holes are pre-drilled underneath the round plate providing a great mounting solution through any grip equipment. Comes with 1/4"-20 or 3/8"-16 thread male. For safety, never leave lamps unattended.



CE

PATENTED

KS-121 12" China Ball Bracket w/ E27 Socket

Maximum wattage: 250W

W 0.75kg
1.65lbs

US-KG018712



KS-181 18" China Ball Bracket w/ E27 Socket

Maximum wattage: 250W

W 0.83kg
1.83lbs

US-KG018612

KS-182 18" China Ball Bracket w/ E40 Socket

Maximum wattage: 500W

W 0.83kg
1.83lbs

US-KG018812



KS-241 24" China Ball Bracket w/ E27 Socket

Maximum wattage: 250W

W 0.91kg
2.0lbs

US-KG022512

KS-242 24" China Ball Bracket w/ E40 Socket

Maximum wattage: 1000W

W 0.91kg
2.0lbs

US-KG022612



KS-121PL 12" Paper Lantern (Set of 5)

US-KG044312

KS-181PL 18" Paper Lantern (Set of 5)


US-KG044412

KS-241PL 24" Paper Lantern (Set of 5)

US-KG044512

The white round lantern paper is made with paper and metal wiring. Thanks to foldable construction, it unfolds like an accordion and assembles in seconds.

Application



ADAPTERS DRAWINGS




Adapters are one of the essential accessories to complete a perfect light control performance. Kupo offers a wide range of adapters built with strict quality to accept any lighting fixtures and grip accessories.




All measurements shown are millimeters unless otherwise indicated.


-  Indicates an external thread or stud diameter / Metric  / Imperial 
-  Indicates an internal thread or socket diameter / Metric  / Imperial 




KS-001 US-KG010712




KS-002 US-KG010812




KS-003 US-KG000112




KS-004 US-KG000212




KS-005 US-KG000312




KS-006 US-KG009612




KS-007 US-KG009712




KS-008 US-KG006812




KS-010 US-KG000412




KS-014 US-KG000812




KS-014R US-KG000912




KS-015 US-KG001012




KS-015R US-KG001112




KS-016 US-KG006912




KS-012 US-KG000712




KS-017 US-KG001212




KS-017SB US-KG033711




KS-018 US-KG001412




KS-018H US-KG055012




KS-019 US-KG001712




KS-020 US-KG002012




KS-022 US-KG002212




KS-024 US-KG002412




KS-025 US-KG002512




KS-026 US-KG002612




KS-027 US-KG010112



KS-037 US-KG010212




KS-030 US-KG002812




KS-032 US-KG002912




KS-031 US-KG009112




KS-034 US-KG003012




KS-034-T US-KG034312




KS-038 US-KG008712




KS-038DR US-KG008812




KS-040 US-KG003212




KS-042 US-KG003312




KS-050 US-KG016412




KS-051 US-KG007412



KS-052 US-KG003912




KS-053 US-KG004012




























KS-054 US-KG007512

US-KG003812

KS-049R









KS-116 US-KG016312


KS-117 US-KG016212




KS-120 US-KG014412




KS-123 US-KG027212




KS-127 US-KG015912




KS-128 US-KG092212




KS-135 US-KG047512




KS-138 US-KG014712




KS-139 US-KG015511




KS-149 US-KG026211



KS-150 US-KG023511




KS-151 US-KG028812




KS-141 US-KG019712


KS-142 US-KG019812




KS-144 US-KG024511




KS-153 US-KG001312




KS-146 US-KG023712




KS-147 US-KG022011




KS-152 US-KG023811




KS-162 US-KG028511




KS-163 US-KG079112




KS-184 US-KG003412



KS-193 US-KG045812



KS-194 US-KG045912




KS-165 US-KG001512

KS-167 US-KG001812





KS-173 US-KG023012

KS-178 US-KG027012



KS-195 US-KG026311





US Code	Code	Description	Page
US-KD100211	KP-L2137BD	KUPOLE EXTENDS FROM 210CM(82.7") TO 370CM(145") - BLACK	157
US-KD100412	KP-L2137PD	KUPOLE EXTENDS FROM 210CM(82.7") TO 370CM(145") - SILVER	157
US-KD101911	KP-M1527BD	KUPOLE EXTENDS FROM 150CM(59") TO 270CM(106.3") - BLACK	157
US-KD102112	KP-M1527PD	KUPOLE EXTENDS FROM 150CM(59") TO 270CM(106.3") - SILVER	157
US-KD102411	KP-S1017BD	KUPOLE EXTENDS FROM 100CM(39.4") TO 170CM(66.9") - BLACK	157
US-KD102512	KP-S1017PD	KUPOLE EXTENDS FROM 100CM(39.4") TO 170CM(66.9") - SILVER	157
US-KD103012	KP-SP01	WHITE RUBBER PAD	160
US-KD103112	KP-SP02	WHITE TOP RUBBER COVER	160
US-KD103212	KP-SP03	WHITE BOTTOM RUBBER COVER	160
US-KD103311	KP-SP04	BLACK TOP RUBBER COVER	160
US-KD103411	KP-SP05	BLACK BOTTOM RUBBER COVER	160
US-KD200412	KD-B126P	KUPOLE BASE	160
US-KD200611	KP-X15B	EXTENSION TUBE (1.5M) - BLACK	157
US-KD200712	KP-X15P	EXTENSION TUBE (1.5M) - SILVER	157
US-KD200911	KP-X20B	EXTENSION TUBE (2.0M) - BLACK	157
US-KD201012	KP-X20P	EXTENSION TUBE (2.0M) - SILVER	157
US-KD201112	KD-B001	BUBBLE LEVEL CLAMP TUBE FROM 40MM TO 50MM	159
US-KD201212	KD-B002	BUBBLE LEVEL CLAMP TUBE FROM 25MM TO 35MM	159
US-KD301612	KD-C50P	KUPOLE SUSPENDED CEILING ADAPTER	160
US-KD301912	KD-T50P	KUPOLE ADAPTER FOR 5CM PIPE	160
US-KD302012	KD-CF16P	CEILING CLIP WITH FEMALE SOCKET	99
US-KD302112	KD-CM16P	CEILING CLIP WITH MALE ADAPTER	99
US-KD303012	KD-R48P	KUPOLE DISC BASE	160
US-KD303112	KD-300	PROJECTOR MOUNT	176
US-KD303511	KD-C55	CABLE CLIP FOR TUBE (SIZE:50MM TO 55MM)	60
US-KD401511	KD-M01P	LCD MONITOR ARM	172
US-KD700611	KD-730B	SUPERB CLAMP DOUBLE SOCKET-BLACK	78
US-KD700712	KD-730	SUPERB CLAMP DOUBLE SOCKET-SILVER	78
US-KD700912	KD-735P	MINI FLEX ARM WITH CLIP	83
US-KD703611	KD-790B	L BRACKET SHELF HOLDER (SET OF TWO) - BLACK	84
US-KD703811	KD-795B	COMPACT U HOOKS - BLACK (SET OF TWO)	84
US-KD704111	KD-731B	DOUBLE SOCKET W/ SAFETY SPRING PIN-BLACK	78
US-KD800612	KD-815P	CUP HOLDER	81
US-KG000112	KS-003	5/8" SNAP IN PIN	81
US-KG000212	KS-004	M12 X 30 STUD	81
US-KG000312	KS-005	M10 X 25 STUD	81
US-KG000412	KS-010	OFFSET ARM	81
US-KG000512	KS-011	100MM SQUARE MOUNTING PLATE	82
US-KG000712	KS-012	SWIVEL U HOOK	81
US-KG000812	KS-014	CAMERA STUD WITH 3/8" AND 1/4" THREAD	82
US-KG000912	KS-014R	CAMERA STUD WITH 3/8" AND 1/4" THREAD ROUND SHAPE	85
US-KG001012	KS-015	DOUBLE FEMALE THREAD CAMERA STUD	82
US-KG001112	KS-015R	DOUBLE FEMALE THREAD CAMERA STUD ROUND SHAPE	85
US-KG001212	KS-017	UNIVERSAL 16MM LIGHT STUD	85
US-KG001312	KS-153	PROFOTO STAND ADAPTER PLUS 16MM(5/8")	96
US-KG001412	KS-018	16MM STUD W/M10 THREAD	85
US-KG001712	KS-019	SWIVEL EXTENSION ARM W/5/8" SOCKET	83
US-KG001911	KS-020B	5/8" COMPACT ALU. SNAP IN PIN - BLACK	82
US-KG002012	KS-020	5/8" COMPACT ALU. SNAP IN PIN	82
US-KG002212	KS-022	GRIP ARM PIN	87
US-KG002312	KS-023	3/8" HEAD MOUNTING PALTE WITH 5/8" STUD	87
US-KG002412	KS-024	1/4" HEAD MOUNTING PLATE W/ 5/8"	87
US-KG002512	KS-025	CAMERA STUD 3/8"-16 THREAD	82
US-KG002612	KS-026	CAMERA STUD 1/4"-20 THREAD	82
US-KG002812	KS-030	28MM PIN W/M10 THREAD	91
US-KG002912	KS-032	28MM PIN W/M12 THREAD	91
US-KG003012	KS-034	28MM STUD W/M10 BOLT	91
US-KG003212	KS-040	28MM PIN W/M10 THREAD & PLATE	91
US-KG003312	KS-042	28MM PIN W/M12 THREAD & PLATE	91
US-KG003512	KS-046	3" BABY WALL PLATE	75
US-KG003712	KS-048	JUNIOR WALL PLATE	75
US-KG003812	KS-049R	SCRAPER	99
US-KG003912	KS-052	ADAPTER FOR FEMALE THREAD 3/8"-16 TO MALE THREAD 1/4"-20	96
US-KG004012	KS-053	ADAPTER FOR THREAD 3/8"-16 TO 1/4"-20 (SET FOR 5 PCS)	96
US-KG004111	KS-055	JUNIOR MULTI HEADER	69
US-KG004211	KS-056	6 LANTERN T BAR	69
US-KG004311	KS-188	DATA CABLE ANCHOR ADAPTER	170
US-KG004511	KS-060	16MM SOCKET W/1/4" THREAD	88
US-KG004611	KS-062	16MM SOCKET W/3/8" THREAD	88
US-KG004711	KS-070	DOUBLE FEMALE ADAPTER 5/8"	90
US-KG004812	KS-080	BALL RACE M10 STUD	91
US-KG005012	KS-082	BALL RACE M12 STUD	91
US-KG005112	KS-089	28MM RECEIVER SPIGOT	148
US-KG005412	KS-090	YOKE TO STAND ADAPTER 28MM STUD 16MM SOCKET	90
US-KG005512	KS-091	5/8" LIGHT STUD FOR 4 WAY CLAMP	163
US-KG005712	KS-092	5/8" MALE ADAPTER FOR 4 WAY CLAMP	163
US-KG005912	KS-093	5/8" FEMALE ADAPTER FOR 4 WAY CLAMP	163
US-KG006211	KS-CB05	MIDI BALL HEAD	110
US-KG006312	KS-200	ADAPTER 28MM/16MM STUD	91
US-KG006411	KS-CB01	CAMERA BRACKET	111
US-KG006512	KS-058	BABY OFFSET ARM	68
US-KG006612	KS-059	JUNIOR OFFSET ARM	68
US-KG006711	KS-039	ADJUSTABLE COLD SHOE MOUNT	116
US-KG006812	KS-008	JOINING STUD/SWIVEL	81
US-KG006912	KS-016	90/45 JOINING STUD	81
US-KG007012	KS-102	SWIVELING UMBRELLA ADAPTER	94
US-KG007112	KS-103	VERSATILE SWIVELING ADAPTER	94
US-KG007212	KS-104	VERSATILE SWIVELING ADAPTER WITH KS-CB01	94
US-KG007412	KS-051	1/4" FEMALE + 1/4" ADAPTER SPIGOT	96
US-KG007512	KS-054	3/8" + 1/4" ADAPTER SPIGOT	96
US-KG007611	KS-105	VERSITILE SWIVEL ADAPTER WITH QUICK RELEASE CAMERA PLATE	94
US-KG007812	KS-094	SNAP IN RIGHT ANGLE PIN FOR 4 WAY CLAMP	163
US-KG007912	KS-095	U HOOK FOR 3 WAY & 4 WAY CLAMP	163
US-KG008012	KS-043	RIGHT ANGLE BABY WALL PLATE	75
US-KG008112	KS-044	9" BABY WALL PLATE	75

US Code	Code	Description	Page
US-KG008212	KS-045	6" BABY WALL PLATE	75
US-KG008312	KS-047	BABY RECEIVER WALL PLATE	75
US-KG008412	KS-057	OFFSET BABY WALL PLATE	75
US-KG008512	KS-074	LONG DOUBLE STUD - 5/8"	86
US-KG008612	KS-076	5/8" STUD WITH 1/4"-20" FEMALE THREAD	86
US-KG008712	KS-038	HEX ADAPTER W/ 3/8"-16F & 3/8"-16M	105
US-KG008812	KS-038DR	DOT RECEIVER	98
US-KG008912	KS-063	3/8"-16M TO 1/4"-20" F ADAPTER	96
US-KG009012	KS-258	MITCHELL ROUND MOUNTING PLATE W/1-1/8"(28MM) JUNIOR RECEIVER	139
US-KG009112	KS-031	SNAP IN RIGHT ANGLE PIN	83
US-KG009211	KS-041	HOT SHOE ADAPTER 3/8"-1/4" W BARREL ADAPTER	116
US-KG009312	KS-066	BABY TRIPLE HEADER	69
US-KG009412	KS-071	DOUBLE BABY RECEIVER ADAPTER	89
US-KG009511	KS-657	75MM MITCHELL TO BOWL ADAPTER	140
US-KG009612	KS-006	M12 X 35 THREADED SOCKET	81
US-KG009712	KS-007	M10 X 30 THREADED SOCKET	81
US-KG009812	KS-009	150MM EXTENSION	81
US-KG010011	KS-CB03	MINI BALL HEAD W/ HOT SHOE ADAPTER	110
US-KG010112	KS-027	16MM MALE ADAPTER	85
US-KG010212	KS-037	16MM MALE ADAPTER-3/8"	85
US-KG010312	KS-088	MONITOR ARM W/ HEX BABY PIN	172
US-KG010412	KS-308	MONITOR ARM W/ BABY RECEIVER	172
US-KG010511	KS-210	BLANCE ADJUSTMENT BRACKET	156
US-KG010712	KS-001	3/8" SNAP IN PIN	81
US-KG010812	KS-002	1/2" SNAP IN PIN	81
US-KG010911	KS-CB04	CAR WINDOW POD	116
US-KG011011	KS-600B	TETHER ARM	170
US-KG011112	KS-320	BOOM GRIP (POLE HOLDER)	52
US-KG011311	KS-158B	BABY ADJUSTABLE OFFSET ARM-BLK	68
US-KG011411	KS-159B	JUNIOR ADJUSTABLE OFFSET ARM -20 MALE THREADED (TOP MOUNT)	68
US-KG011612	KS-225	16MM DIA TUBE LENGTH 40" (100 CM)-SILVER	51
US-KG011712	KS-245	16MM DIA TUBE LENGTH 20" (50 CM)-SILVER	51
US-KG011911	KS-520	PADMATE BRACKET W/ 1/4"-20	175
US-KG012012	KS-064	FEMALE 1/4"-20 TO MALE 3/8" THREAD ADAPTER W/ 1.18" FLANGE	97
US-KG012112	KS-061	1/4"-20 D-RING SCREWS (5-PACK)	97
US-KG012212	KS-067	3/8" FEMALE TO 5/8"-27 MALE SCREW MICROPHO ADAPTER	98
US-KG012311	KS-118B	STAND HANGER - BLACK	182
US-KG012412	KS-077	BABY PIN WITH 1/4"-20 MALE, THREADED BOLT	86
US-KG012512	KS-078	BABY PIN WITH 3/8"-16 MALE, THREADED BOLT	86
US-KG012611	KS-099	BRACKET W/ HEX STUD FOR VAGABOND	84
US-KG012712	KS-068	KNURLED ROUND KNOB W/ 1/4"-20 FEMALE THREADED HOLE ; DIA. 45MM	97
US-KG012811	KS-065	METAL QUICK RELEASE GOPRO TRIPOD MOUNT	101
US-KG012911	KS-069	METAL GOPRO TRIPO MOUNT	101
US-KG013012	KS-073	ADAPTER STUD 3/8"-16F & 1/4"-20	85
US-KG013112	KS-075	ADAPTER STUD TO 3/8"-16 THREAD	85
US-KG013212	KS-079	BABY LIGHT ADAPTER FOR ELINCHROM	88
US-KG013312	KS-098	ADAPTER STUD 5/8" RECEIVER TO 5/8" STUD	88
US-KG013411	KS-101RP	ROPOLY COUNTERBLANCED UMBRELLA SWIVEL BRACKET	95
US-KG013512	KS-023H	3/8" HEAD MOUNTING PLATE W/ 5/8" HEX STUD	82
US-KG013612	KS-081	QUICK RELEASE ADAPTER 1/4"-20 MALE THREADED (TOP MOUNT)	111
US-KG013712	KS-083	QUICK RELEASE ADAPTER 1/8"-16 MALE THREADED (TOP MOUNT)	111
US-KG013812	KS-084	QUICK RELEASE ADAPTER 1/4"-20 MALE THREADED (BODY)	111
US-KG013912	KS-085	QUICK RELEASE ADAPTER 1/4"-20 MALE TO FEMALE	111
US-KG014012	KS-086	QUICK RELEASE ADAPTER 5/8" W/ 1/4 MALE THREADED (TOP MOUNT)	111
US-KG014112	KS-087	QUICK RELEASE ADAPTER 5/8"-27 MALE THREADED (TOP MOUNT)	111
US-KG014212	KS-097	BABY BALLHEAD ADAPTER WITH 3/8" TAP	90
US-KG014312	KS-114	1/4"-20THREAD SCREW W/ 1" LONG	100
US-KG014412	KS-120	ROUND PLATE W/1/4"-20 THREAD HOLE DIA. 25MM	97
US-KG014512	KS-122	ROUND PLATE W/1/4"-20 THREAD HOLE DIA.59MM	97
US-KG014612	KS-124	METAL GOPRO TRIPO MOUNT W/1/4"-20 MALE THREAD	101
US-KG014712	KS-138	3/8"-16 THREAD SCREW W/1" LONG (SET FOR 5)	100
US-KG014812	KS-540	ADJUSTABLE TABLET HOLDER WITH LOCK FOR 7 - 10.10 INCH	175
US-KG014911	KS-131	GOPRO TRIPOD MOUNT W/ 1" COUPLER	101
US-KG015011	KS-133	GOPRO TRIPOD MOUNT W/ BALL HEAD ADAPTER	101
US-KG015111	KS-134	GOPRO TRIPOD MOUNT W/ COLD SHOE DAPTER	101
US-KG015211	KS-136	GOPRO TRIPOD MOUNT W BABY RECEIVER	101
US-KG015311	KS-137	GOPRO TRIPOD MOUNT W BABY PIN	101
US-KG015511	KS-139	3/8"-16M TO 5/8"-27F THREA ADAPTER FOR MICROPHONE	98
US-KG015611	KS-101	UMBRELLA SWIVEL BRACKET	94
US-KG015711	KS-190	SLIDING ARM	23
US-KG015811	KS-658	100MM MITCHELL TO BOWL ADAPTER	140
US-KG015912	KS-127	RECESSED LIGHT SOCKET ADAPTER (E27) TO 5/8" BABY PIN	99
US-KG016112	KS-307	MULTI-FUNCTION TRAY	170
US-KG016212	KS-117	BABY RECEIVER W/ 1/4"-20 FEMALE THREAD	90
US-KG016312	KS-116	BABY RECEIVER W 1/4"-20 MABLE THREAD	90
US-KG016412	KS-050	FLAG HOLDER	98
US-KG016512	KS-096	5/8" STUD W 3/8"-16 FEMALE THREAD	86
US-KG016611	KS-100	BAGUA MULTIFLASH BRACKET	167
US-KG016711	KS-100EA	EXTENSION FLASH ADAPTER	167
US-KG016811	KS-140	ADAPTER W/ COLD SHOE FOR 5/8"-27 MALE THREAD	98
US-KG017111	KS-510	PADMATE FOR TABLET 7-10 INCH DETACHABLE ARM W/ BABY RECEIVER	175
US-KG017311	KS-550	TABLE HOLDER W/ BABY RECEIVER	176
US-KG017411	KS-118BT	STAND HANGER FOR LIGHTWEIGHT STAND	182
US-KG017511	KS-118BV	STAND HANGER FOR MEDIUM SIZE STAND	182
US-KG017611	KS-118BB	STAND HANGER FOR HEAVY DUTY STAND	182
US-KG017911	KS-402	GOPRO HOLDER BALL HEAD	115
US-KG018011	KS-404	BALL HEAD WITH 1/4"-20 MALE THREAD	113
US-KG018111	KS-406	HEX STUD BALL HEAD FOR KCP-700	113
US-KG018211	KS-422	BALL HEAD WITH 1/4"-20 FEMALE THREAD 3"SUCTION CUP	114
US-KG018612	KS-181	18" CHINA BALL BRACKETW/E27 SOCKET	183
US-KG018712	KS-121	12" CHINA BALL BRACKET W/E27 SOCKET	183
US-KG018812	KS-182	18" CHINA BALL BRACKET W/E27 SCKET	183
US-KG019012	KS-CB07	"BALL HEAD W/ HOT SHOE MOUNT	110
US-KG019111	KS-345	PAINTERS POLE ADAPTER	100
US-KG019212	006	6" BABY STAND EXTENSION	69



US Code	Code	Description	Page
US-KG019312	012	12" BABY STAND EXTENSION	69
US-KG019412	018	18" BABY STAND EXTENSION	69
US-KG019512	024	24" BABY STAND EXTENSION	69
US-KG019712	KS-141	1/4" MALE TO 1/4" FEMALE SCREW FOR TRIPOD CAMERA FLASH	97
US-KG019812	KS-142	1/4" CAMERA MOUNTING SCREW W/ SPRING HOOK	97
US-KG019911	KS-143	COLD SHOE MOUNT WITH 1/4" THREAD SCREW	98
US-KG020011	KS-160BK	SAUSAGE CAMERA MARKER 6"-BLK	127
US-KG020113	KS-160BL	SAUSAGE CAMERA MARKER 6"-BLUE	127
US-KG020213	KS-160R	SAUSAGE CAMERA MARKER 6"-RED	127
US-KG020313	KS-160G	SAUSAGE CAMERA MARKER 6"-GREEN	127
US-KG020413	KS-160P	SAUSAGE CAMERA MARKER 6"-PURPLE	127
US-KG020513	KS-160Y	SAUSAGE CAMERA MARKER 6"-YELLOW	127
US-KG020613	KS-160W	SAUSAGE CAMERA MARKER 6"-WHITE	127
US-KG020711	KS-168BK	CAMERA T MARKER 6"X8"-BLACK	127
US-KG020913	KS-168BL	CAMERA T MARKER 6"X8"-BLUE	127
US-KG021013	KS-168R	CAMERA T MARKER 6"X8"-RED	127
US-KG021113	KS-168G	CAMERA T MARKER 6"X8"-GREEN	127
US-KG021213	KS-168P	CAMERA T MARKER 6"X8"-PURPLE	127
US-KG021313	KS-168Y	CAMERA T MARKER 6"X8"-YELLOW	127
US-KG021413	KS-168W	CAMERA T MARKER 6"X8"-WHITE	127
US-KG021511	KS-659	150MM MITCHELL TO BOWL ADAPTER	140
US-KG021611	KS-418	CAR CUP HOLDER W/ BALL HEAD X 4CM IN LENGTH	114
US-KG021711	KS-408	VESA MONITOR BRACKET W/BALL HEAD	115
US-KG021811	KS-410	UNIVERSAL TABLET HOLDER W/ BALL HEAD	115
US-KG021911	KS-412	SQUARE PLATE W/BALL HEAD	114
US-KG022011	KS-147	5/8" RECEIVER TO CHEATER BABY PIN (CHEATER ADAPTER)	89
US-KG022111	KS-145	BABY CHEATER WALL PLATE (CHEATER PLATE)	75
US-KG022211	KS-304	NON-SLIP PAD FOR TETHERMATE	169
US-KG022411	KS-199	MULTIFUNCTIONAL V-MOUNT BATTERY BRACKET SET	84
US-KG022512	KS-241	CHINA BALL BRACKET 24" WITH E27	183
US-KG022612	KS-242	CHINA BALL BRACKET 24" WITH E40	183
US-KG023511	KS-150	3/8"-16 CAMERA SCREW	96
US-KG023611	KS-119B	C STAND DOOR RACK	181
US-KG023712	KS-146	RIGHT ANGLE BABY ADAPTOR	89
US-KG023811	KS-152	DOUBLE STUD 16 TO 17MM ADAPTER	88
US-KG023911	KS-154	3/8"-16-14X13 CAMERA SCREW W/ FLAT HEAD & SLOTTED DRIVE	100
US-KG024012	KS-1212	12"X12" SQUARE CHEESE PLATE(ALUMINUM)	137
US-KG024112	KS-5520	5.5"X 20" RECTANGLE CHEESEPLATE (ALUMINUM)	137
US-KG024212	KS-6011	6"X 11" RECTANGLE CHEESEPLATE (ALUMINUM)	137
US-KG024312	KS-7510	7.5"X 10" RECTANGLE CHEESEPLATE (ALUMINUM)	137
US-KG024511	KS-144	5/8" BABY RECEIVER TO 3/8" DIA STUD	88
US-KG024612	KS-148	3 WAY 5/8" BABY PIN ADAPTER	89
US-KG024812	KS-201	JUNIOR TO BABY ADAPTER(1-1/8" FEMALE TO 5/8" FEMALE)	89
US-KG025011	KS-301B	ALUMINUM TABLE FOR LAPTOPS & PROJECTOR W/ NON-SLIP PAD	170
US-KG025111	KS-403	BALL HEAD W/ 1/4"-20 FEMALE THREAD	113
US-KG025211	KS-407	BALL HEAD W/ COLD SHOE ADAPTER	113
US-KG025311	KS-409	BALL HEAD W/ 1/4"-20 FEMALE THREAD QR BRACKET	115
US-KG025711	KS-415	BALL HEAD WITH A 5/8"(16MM) BABY RECEIVER	113
US-KG026211	KS-149	BABY PIN W/ 1/4"-20 MALE THREAD	86
US-KG026311	KS-195	EXTENSION ARM (LENGTH: 19.5CM)	83
US-KG026511	KS-416	BABY RECEIVER BABY PIN	113
US-KG026611	KS-010	UTILITY AC BAG	126
US-KG026711	KS-030	CLICK STAND BAG(SMALL) L:90CM ALLOWS TO 4 CLICK STANDS	18
US-KG026811	KS-036	SNAP STAND BAG(BIG) L:110CM ALLOWS TO 3 SNAP STANDS	18
US-KG026911	KSJ-500B	STAND DEMO RACK	181
US-KG027212	KS-123	3/8" - 1/4" ADAPTER	97
US-KG027411	KS-580	IMAC STAND MOUNT ADAPTER	174
US-KG027511	KS-590	IMAC TRUSS MOUNT CLAMP	174
US-KG027611	KS-0412BK	STAND LEG PROTECTOR(SET FOR 3)BLACK LENGTH:12 CM * WIDTH:4 CM	59
US-KG027713	KS-0412R	STAND LEG PROTECTOR(SET FOR 3)RED LENGTH:12 CM * WIDTH:4 CM	59
US-KG027813	KS-0412OG	STAND LEG PROTECTOR(SET FOR 3)ORANGE LENGTH:12 CM * WIDTH:4 CM	59
US-KG027913	KS-0412BL	STAND LEG PROTECTOR(SET FOR 3)BLUE LENGTH:12 CM * WIDTH:4 CM	59
US-KG028011	KS-0412PK	STAND LEG PROTECTOR(SET FOR 3)PINK LENGTH:12 CM * WIDTH:4 CM	59
US-KG028111	KS-089B	28MM RECEIVER SPIGOT - BLACK	148
US-KG028411	KS-309	MOUSE PAD	169
US-KG028611	KS-229	MONITOR MOUNTING PLATE W/ BABY PIN	171
US-KG028712	KS-610	SHAFT EXTENSION ADAPTER	72
US-KG029311	KS-306B	HARD DRIVE HOLDER	169
US-KG029411	KS-311B	SIDE TABLE FOR MOUSE	169
US-KG029511	KS-305B	TETHERMATE FOR IMAC	168
US-KG029611	KS-303B	TETHERMATE FOR MAC BOOK 17"	168
US-KG029711	KS-312B	TETHERMATE FOR MAC BOOK 15"	168
US-KG029811	KS-310B	SCREEN SUNSHADE	169
US-KG029912	KS-161	UNIVERSAL TRACK END	39
US-KG030211	KS-205	CONNECTING CLAMP SET	102
US-KG030312	KS-724	FRONT BOX BRACKET	122
US-KG031012	KS-660	ELEMACK STARTER	140
US-KG031112	KS-662	ELEMACK TO MITCHELL ADAPTER WITH CASTLE NUT	140
US-KG031212	KS-664	1-1/8"(28MM) JUNIOR PIN TO ELEMACK ADAPTER	140
US-KG034011	KS-230	STEADICAM STAND TRAY	120
US-KG034412	KS-130	HEX ADAPTER WITH 3/8"-16F & 1/4"-20M	82
US-KG035112	KS-689	MITCHELL THREADED COLLAR(CONTERSUNK)	138
US-KG035211	KS-695	GIMBAL TO MALE MITCHELL TIE DOWN KNOB	140
US-KG035412	KS-710	SIDE MOUNT BRACKET	122
US-KG035611	KS-734	ARRI ROSETTE BOLT-ON MOUNT (1/4"-20)	118
US-KG035711	KS-736	ARRI ROSETTE BOLT-ON MOUNT(M6)	118
US-KG035811	KS-738	ARRI 3/8" LOCATING PIN TO ARRI ARRI ROSETTE (M6) ADAPTER	118
US-KG037111	KS-470	SUPER KNUCKLE W/ HEX BABY PIN	112
US-KG037211	KS-472	SUPER KNUCKLE W/ BABY RECEIVER	112
US-KG037311	KS-474	SUPER KNUCKLE DIE CASTING SHELL W/KNOB	112
US-KG037511	KS-479	SUPER KNUCKLE W/BABY RECEIVER FOR VESA MONITOR BRACKET	171
US-KG037611	KCP-423	MOUNTING PLATE W/ SUPER KNUCKLE BABY RECEIVER	76
US-KG037812	KAB-004-BST	KUPO BROWN STAINED APPLE BOX-HALF-20"X12"X4"	125
US-KG037912	KAB-048-BST	KUPO BROWN STAINED APPLE BOX SET- HALF AND FULL SIZE	125
US-KG038912	KS-257	SPEED RAIL SHIM	120

US Code	Code	Description	Page
US-KG040121	BF40	4" SQUARE TUBE FEMALE, FOR BUTTERFLY FRAME	57
US-KG040221	BF45	4" SQUARE TUBE MALE, FOR BUTTERFLY FRAME	57
US-KG040321	BF60	6" SQUARE TUBE FEMALE, FOR BUTTERFLY FRAME	57
US-KG040411	A17	CORNER BOLT FOR BUTTERFLY FRAME	57
US-KG040511	FC15A	CORNER FOR BUTTERFLY FRAME	57
US-KG040611	FC15B	CORNER WITH NUT FOR BUTTERFLY FRAME	57
US-KG040711	FH10	FRAME SUPPORT FOR BUTTERFLY FRAME	57
US-KG040811	FH20	FRAME SUPPORT WITH TUBE FOR BUTTERFLY FRAME	57
US-KG040911	FH30	QUICK REVERSE FRAME SUPPORT FOR BUTTERFLY FRAME	58
US-KG042712	KCP-F1824	FLAG FRAME 18" X 24"	54
US-KG042812	KCP-F2436	FLAG FRAME 24" X 36"	54
US-KG043012	KCP-OF1824	OPEN END FLAG FRAME 18" X 24"	54
US-KG043112	KCP-OF2436	OPEN END FLAG FRAME 24" X 36"	54
US-KG043211	KAB-128	LOCKABLE SLIDING COVER	125
US-KG043311	KH-06	6" X 6" BUTTERFLY FRAME	57
US-KG043411	KH-08	8" X 8" BUTTERFLY FRAME	57
US-KG043511	KH-12	12" X 12" BUTTERFLY FRAME	57
US-KG043611	KH-20	20" X 20" BUTTERFLY FRAME	57
US-KG043912	KS-348	3/8" -16 FEMALE TIP FOR ROCK' S ARM	108
US-KG044011	FH35	C-BOOM CLAMP FOR 32MM/ 35MM PIPE	65
US-KG044111	BF45	6" SQUARE TUBE MALE FOR BUTTERFLY FRAME	57
US-KG044312	KS-121PL	12" PAPER LANTERN(SET FOR 5)	183
US-KG044412	KS-181PL	18" PAPER LANTERN(SET FOR 5)	183
US-KG044512	KS-241PL	24" PAPER LANTERN(SET FOR 5)	183
US-KG044913	KS-690	MITCHELL THREADED COLLAR	138
US-KG045113	KS-692	MITCHELL THREADED COLLAR WITH CASTLE NUT	138
US-KG045213	KS-693	COMPLETE MITCHELL THREADED & CASTLE NUT	138
US-KG046111	KS-CB13	ARRI STYLE 3/8"-16 SPACER FOR VISION LOCK	109
US-KG046212	KS-CB14	VISION LOCK QUICK RELEASE MOUNTING SET	109
US-KG046311	KS-CB15	VISION LOCK W/ ARRI STYLE #8-16 SPACER	109
US-KG047611	KS-722	ASSISTANT'S FRONT BOX MOUNT FOR FLUID HEAD	122
US-KG047812	KS-197	1/4"-20 HEX SOCKET CAP SCREW 6.3MM LENGTH (SET FOR 6)	118
US-KG048212	KS-680	ROUND MITCHELL PLATE W/ THREE COUNTERSUNK HOLES	139
US-KG048512	KS-683	ROUND MITCHELL PLATE W/ FOUR COUNTERSUNK HOLES	139
US-KG048612	KS-684	CAMERA RISER 6" (MITCHELL TO MITCHELL)	139
US-KG049212	KS-341	1/4" -20 MALE TIP FOR ROCK' S ARM	108
US-KG049312	KS-342	3/8" -16 MALE TIP FOR ROCK' S ARM	108
US-KG049411	KS-343	1/4" -20 MALE ANTI-SLIP TIP FOR ROCK' S ARM	108
US-KG049511	KS-344	3/8" -16 ARRI STYLE ANTI-ROTATION TIP FOR ROCK' S ARM	108
US-KG049612	KS-346	5/8" (16MM) BABY STUD FOR ROCK' S ARM	108
US-KG049711	KS-347	5/8" (16MM) HEX STUD	108
US-KG050911	KS-013	CARRYING BAG FOR CLAPPER BOARD OR IPAD PRO (12.9")	177
US-KG051011	KS-015	CARRYING BAG FOR MACBOOK PRO (15")	177
US-KG055012	KS-018H	HEX 16MM STUD W/ M10 THREAD	82
US-KG056711	MH-003	METAL UNIVERSAL SMARTPHONE CLAMP	115
US-KG056913	KT-1824K	18"X24" OPEN END FLAG KIT	54
US-KG057013	KT-2436K	24"X36" OPEN END FLAG KIT	54
US-KG057611	KAB-008-BST	KUPO BROWN STAINED APPLE BOX-FULL 20"X12"X8"	125
US-KG059112	C-05	ALUMINUM ALLOY CLAMP W/5/8" LIGHT STUD	151
US-KG060311	C-05B	ALUMINUM ALLOY CLAMP W/5/8" LIGHT STUD-BLACK	151
US-KG060511	C-06	IRON CASTING C CLAMP	154
US-KG060611	C-12B	STEEL CLAMP - BLACK	151
US-KG060712	C-12	STEEL CLAMP	151
US-KG060912	SW-01	DIA. 3.5MM 80CM LENGTH SAFETY WIRE	153
US-KG061012	SW-02	DIA. 3.0MM 75CM LENGTH W/IPC SLEEVE SAFETY WIRE	153
US-KG061112	SW-03	DIA. 5.0MM 105CM LENGTH SAFETY WIRE	153
US-KG061212	SW-04	DIA. 4.5MM 80CM LENGTH W/IPC SLEEVE SAFETY WIRE	153
US-KG061612	C-05QP	QUICK ACTION ALUMINUM ALLOY HOOK CLAMP	151
US-KG061712	SW-TB	SAFETY WIRE FOR KH-20 BUTTERFLY FRAME	57
US-KG061811	C-01B	STEEL CLAMP BLACK FOR TUBE SIZE 30-51MM	151
US-KG061911	C-01QB	STEEL CLAMP QUICKLY RELEASE FOR TUBE SIZE 30-51MM	151
US-KG062011	C-04T	IRON CASTING TITAN CLAMP FOR TUBE DIA. 40-65MM	154
US-KG062611	KS-161	STAND BAG FOR 161MB	39
US-KG066611	KS-207	SWIVEL JUNIOR RECEIVER ADAPTER	93
US-KG068412	KP-KS03MT	METAL CHAIN W/ CHAIN WEIGHT	158
US-KG068512	KP-DS01MT	BACKGROUND PAPER DRIVE SET WITH GRAY METAL CHAIN	158
US-KG068611	KS-273-MAC	V-LOCK SET WITH EXTENSION HANDLE	117
US-KG070211	WS-140	WINGNUT MULTI-SPANNER	126
US-KG070312	KAB-013	CAMERA ASSISTANT FRONT BOX	122
US-KG070412	KAB-015	APPLE BOX SET	124
US-KG071012	KTHU-0306	UNIVERSAL HEAD 3-6 FEET (90-180 CM)	155
US-KG071112	KTHU-0408	UNIVERSAL HEAD 4-8 FEET (120-240 CM)	155
US-KG071212	KTHU-0510	UNIVERSAL HEAD 5-10 FEET (150-300 CM)	155
US-KG071312	KTHS-0306	STIRRUP 3-6 FEET (90-180 CM)	155
US-KG071412	KTHS-0408	STIRRUP 4-8 FEET (120-240 CM)	155
US-KG071512	KTHS-0510	STIRRUP 5-10 FEET (150-300 CM)	155
US-KG071612	KTHU-0712	UNIVERSAL HEAD 7-12 FEET (210-350 CM)	155
US-KG071711	KLHS-0103	SHORT LIGHTWEIGHT TELESCOPIC HANGER STIRRUP HEAD 1.5-3 FEET	156
US-KG071811	KLHS-0204	MEDIUM LIGHTWEIGHT TELESCOPIC HANGER STIRRUP HEAD 2-4 FEET	156
US-KG071911	KLHS-0306	LONG LIGHTWEIGHT TELESCOPIC HANGER STIRRUP HEAD 3-6 FEET	156
US-KG072011	KLHB-0103	SHORT LIGHTWEIGHT TELESCOPIC HANGER BABY PIN 1.5-3 FEET	156
US-KG072111	KLHB-0204	MEDIUM LIGHTWEIGHT TELESCOPIC HANGER BABY PIN 2-4 FEET	156
US-KG072211	KLHB-0306	LONG LIGHTWEIGHT TELESCOPIC HANGER BABY PIN 3-6 FEET	156
US-KG073711	C-26	IRON CASTING TITAN CLAMP WITH 16MM BABY PIN FOR TUBE 60MM	154
US-KG073911	KS-411	UNIVERSAL TABLET HOLDER FOR IPAD PRO	115
US-KG074211	KS-317	DATA CABLE ANCHOR PORT	169
US-KG074311	KS-426	BALL HEAD W/ 3/8"-16 ANTI-ROTATION SCREW	114
US-KG074411	KS-425	BALL HEAD W/ 1/4"-20 ANTI-SLIP SCREW	114
US-KG075311	KS-315B	CUP HOLDER FOR TETHERMATE	169
US-KG078911	KS-417	BALL HEAD WITH M6 THREAD MALE	113
US-KG079011	KS-704	MONITOR BRACKET FOR ARRI WCU-4	121
US-KG079112	KS-163	ROUND KNOB W/ 3/8"-16 FEMALE THREAD	97
US-KG079211	KS-706	ARRI WCU-4 MONITOR MOUNT AND DOUKING BRACKET	121
US-KG079311	KS-534	VESA MOUNTING ADAPTER 300/400 MAKING 75/100 TO 200/300/400	173
US-KG079411	KS-512	VESA MOUNTING ADAPTER 100/200 FOR MAKING 75/100 TO 100/200	173

US Code	Code	Description	Page
US-KG079512	KSC-33	"6" SUCTION CUP WITH SWIVEL COULER FOR 2" TUBE	133
US-KG079711	KSB-050	GEL ROLL	177
US-KG079811	KS-359B	"PENCIL TRAY FOR TETHERMATE	170
US-KG079911	KS-285	DOUBLE PLATE/QUICK RELEASE PLATE FOR ARCA-SWISS & RC2)	171
US-KG080011	KS-419	BALL HEAD FOR CONVI CLAMP & CHEESE PLATE	113
US-KG080812	CXST01	SHOULDER STRAP FOR CLICK STAND	15
US-KG081421	KS-1010M	CHEESE PLATE 10"x10"x1/2" WITH A MITCHELL INSERT	137
US-KG081521	KS-1014M	CHEESE PLATE 10"x14"x1/2" WITH A MITCHELL INSERT	137
US-KG081621	KS-1212M	CHEESE PLATE 14"x14"x1/2" WITH A MITCHELL INSERT	137
US-KG081711	KS-164B	PANEL OFFSET ARM	67
US-KG082012	KS-2439L	MINI L-CHEESE-PLATE 2.4"(6CM)X 3.9"(10CM) W/ 3/8" & 1/4" HOLE	138
US-KG082212	KS-3139L	MIDI L-CHEESE-PLATE 3.1"(8CM)X 3.9"(10CM) W/ 3/8" & 1/4" HOLE	138
US-KG082312	KS-0606L	L-CHEESE-PLATE 6"(15.2CM)X 6"(15.2CM) WITH 3/8" HOLE	138
US-KG082511	KS-256	MITCHELL CHEESE PLATE TO 5/8" (16MM) ADAPTER	139
US-KG083011	KSD-1680S	SAND BAG (MAX. LOAD: 15 LBS / 6KG)	178
US-KG083411	KSD-1680M	SAND BAG (MAX. LOAD: 25 LBS / 11KG)	178
US-KG083521	C-16	BABY PIPE CLAMP	154
US-KG083711	KSC-04	SUCTION CUP WITH FIXED BABY PIN	132
US-KG083811	KSC-05	SUCTION CUP WITH SWIVELING ADAPTER KS-103	132
US-KG083911	KSC-06	SUCTION CUP WITH SWIVEL BABY PIN	133
US-KG084312	KP-X245P	ALUMINUM TUBE FOR PAPER ROLL	159
US-KG084411	KP-DS01	BACKGROUND PAPER DRIVE SET	158
US-KG084511	KP-KS01	SINGLE HOOK (2 PCS/ SET)	158
US-KG084611	KP-KS02	TRIPLE HOOKS (2 PCS/ SET)	158
US-KG084711	KP-KS03B	PLASTIC CHIAN 3.5M (L) -BLACK	158
US-KG084811	KP-KS04	CHAIN WEIGHT	159
US-KG084911	KP-KS05	BACKGROUND BABY HOOK	161
US-KG085013	EZ241-W	EZ-TIE CABLE GRIP 20MM X 410MM - WHITE (10PCS PER PACK)	128
US-KG085113	EZ241-Y	EZ-TIE CABLE GRIP 20MM X 410MM - YELLOW (10PCS PER PACK)	128
US-KG085213	EZ241-B	EZ-TIE CABLE GRIP 20MM X 410MM - BLACK (10PCS PER PACK)	128
US-KG085313	EZ241-BL	EZ-TIE CABLE GRIP 20MM X 410MM - BLUE (10PCS PER PACK)	128
US-KG085413	EZ241-R	EZ-TIE CABLE GRIP 20MM X 410MM - RED (10PCS PER PACK)	128
US-KG085513	MEZ220-B	MEZ-TIE 2CM X 20CM - BLACK (50PCS PER PACK)	129
US-KG085613	MEZ220-BL	MEZ-TIE 2CM X 20CM - BLUE (50PCS PER PACK)	129
US-KG085713	MEZ220-R	MEZ-TIE 2CM X 20CM - RED (50PCS PER PACK)	129
US-KG085813	MEZ220-W	MEZ-TIE 2CM X 20CM - WHITE (50PCS PER PACK)	129
US-KG085913	MEZ220-Y	MEZ-TIE 2CM X 20CM - YELLOW (50PCS PER PACK)	129
US-KG086013	KH-55MB	KU HAND - MEDIUM SIZE	177
US-KG086113	KH-55LB	KU HAND - LARGE SIZE	177
US-KG086213	KH-55XLB	KU HAND - EXTRA LARGE SIZE	177
US-KG086313	KH-55XXLB	KU HAND - DOUBLE XL SIZE	177
US-KG086412	KD-C25P	4 PCS PER PACK (SIZE: 25MM TO 35MM)	159
US-KG086512	KD-C40P	4 PCS PER PACK (SZIE: 40MM TO 50MM)	159
US-KG086712	WS-229	MITCHELL WRENCH	139
US-KG086911	KSC-106	"10" VACUUM SUCTION CUP WITH CHEESE PLATE & 1-1/2" STARTER	134
US-KG087011	KAB-001	APPLE BOX - PANCAKE 20" X 12" X 1"	124
US-KG087111	KAB-002	APPLE BOX - QUARTER 20" X 12" X 2"	124
US-KG087211	KAB-004	APPLE BOX - HALF 20" X 12" X 4"	124
US-KG087311	KAB-008	APPLE BOX - FULL 20" X 12" X 8"	124
US-KG087411	KAB-41K	NEST APPLE BOX KIT	124
US-KG087611	KSC-400K	CAR RIG SHOT KIT	136
US-KG087811	KSC-140	UNIVERSAL CAMERA BALL LEVELING HEAD	134
US-KG087911	KSC-14	3" SUCTION CUP WITH 1/4" - 20 THREAD	132
US-KG088011	KSC-16	3" SUCTION CUP W/ 16MM BABY PIN	132
US-KG088111	KSC-10	SUCTION CUP WITH SWIVELING 16MM BABY SOCKET	133
US-KG088211	KSC-12	6" SUCTION CUP WITH FIXED BABY RECEIVER	133
US-KG088313	EZ560-B	EZ-TIE CABLE GRIP 20MM X 560MM - BLACK (5PCS PER PACK)	128
US-KG088413	EZ560-R	EZ-TIE CABLE GRIP 20MM X 560MM - RED (5PCS PER PACK)	128
US-KG088513	EZ560-Y	EZ-TIE CABLE GRIP 20MM X 560MM - YELLOW (5PCS PER PACK)	128
US-KG088611	KSC-03	SUCTION CUP WITH3/8-16 THREAD STUD	132
US-KG088613	EZ560-BL	EZ-TIE CABLE GRIP 20MM X 560MM - BLUE (5PCS PER PACK)	128
US-KG088713	EZ560-W	EZ-TIE CABLE GRIP 20MM X 560MM - WHITE (5PCS PER PACK)	128
US-KG088811	KSW-05	SHOT BAG-05 LBS (WRAP & GO)	180
US-KG088911	KSW-10	SHOT BAG-10LBS (WRAP & GO)	180
US-KG089011	KSF-15	SHOT BAG-15 LBS	180
US-KG089111	KSC-PIN	CAMERA SUPPORT ADAPTER	98
US-KG089211	KH-C1824	WOOD CUCOLORIS (COOKIE) BREAKUP-18"x24"	54
US-KG089311	KH-C2436	WOOD CUCOLORIS (COOKIE) BREAKUP-24"x36"	54
US-KG089411	KH-B1824	WOOD CUCOLORIS (C	54
US-KG089511	KH-B2436	WOOD CUCOLORIS (COOKIE) BLINDS-24"x36"	54
US-KG089813	KP-KS03BL	PLASTIC CHIAN 3.5M (L) -BLUE	158
US-KG089913	KP-KS03O	PLASTIC CHIAN 3.5M (L) -ORANGE	158
US-KG090013	KP-KS03W	PLASTIC CHIAN 3.5M (L) -WHITE	158
US-KG090111	KSC-13	5" SUCTION CUP WITH 3/8"-16	132
US-KG090511	E20810	CAMERA USB PORT PROTECTOR	171
US-KG090611	KAB-023	APPLE BOX SEAT CUSHION BLACK- VERTICAL SIZED 20X 30(CM)	125
US-KG090711	KAB-025	APPLE BOX SEAT CUSHION BLACK- VERTICAL SIZED 20X 50(CM)	125
US-KG090811	B04506	BALL BUNGEE DIA. 4.5MM LENGTH 6"(BLACK); 50 PCS/PACKP	130
US-KG090912	KS-115	DOUBLE END SPIGOT WITH 5/8" STUD AND 1/4"-20 THREADS	86
US-KG091112	KP-KS06	1/4"-20 THREAD 3/8" STUD FOR STAND TOP	161
US-KG091311	KSD-1680XL	SAND BAG (MAX. LOAD: 50LBS / 22KG)	179
US-KG091411	KSD-1680L	SAND BAG (MAX. LOAD:35LBS / 16KG)	178
US-KG091511	KS-420	3" EXTENSION ARM WITH DOUBLE BALLS FOR SUPER KNUCKLE	113
US-KG091612	KS-129	5/8" STUD W/3/8"-16 (2.54CM LENGTH) FEMALE-3/8" FEMALE W/3/8"SCREW	86
US-KG091711	KSD-77	77LB(35KG) SAND BAG	179
US-KG092111	KS-111	5/8"(16MM) ADAPTER FOR 3/8"	136
US-KG092212	KS-128	3/8"M-3/8" ADAPTER SPIGOT	96
US-KG092311	092	3 SECTION BABY STAND EXTENSION	70
US-KG092411	017	SUPER RISER COLUMN FROM: 13" TO 17"	70
US-KG092612	KAB-018	OCTAGON HI-HAT WOOD BOARD	125
US-KG092812	KT-056	STRUT CHANNEL ADAPTER 1/2" BOLT	152
US-KG092912	KT-057	STRUT CHANNEL ADAPTER WITH COUPLER FOR 2" TUBE	152
US-KG093012	KT-058	STRUT CHANNEL ADAPTER 5/8"MALE PIN	152
US-KG093112	KHS-112	ROUND BUTTERFLY FRAME FOR 1-1/2" PIPE SCHEDULE 40	58
US-KG093212	025	TELESCOPIC BABY STAND EXTENSION (15.8"-24")	69

US Code	Code	Description	Page
US-KG093311	KSF-25	SHOT BAG-25LBS	180
US-KG093411	123B	TELESCOPIC POLE	161
US-KG093513	KCW-04	COUNTER BALANCE WEIGHT 4KG(8.8 LB)	63
US-KG093611	KS-CB02	QUICK RELEASE CAMERA PLATE	111
US-KG093711	KS-CB10	*CAR WINDOW MOUNT WITH MIDI BALL HEAD	116
US-KG093811	KT-1824FBD	18"x24" FULL FRAME BLACK DENIM	53
US-KG093911	KT-2436FBD	24"x36" FULL FRAME BLACK DENIM	53
US-KG094012	KT-1824OW	18"x24" OPEN END FRAME WHITE ARTIFICIAL SILK	53
US-KG094112	KT-2436OW	24"x36" OPEN END FRAME WHITE ARTIFICIAL SILK	53
US-KG094211	KT-182405BB	18"x24" OPEN END FRAME SINGLE BLACK BOBBIN NET	53
US-KG094311	KT-243605BB	24"x36" OPEN END FRAME SINGLE BLACK BOBBIN NET	53
US-KG094412	KT-182400	18"x24" OPEN END FRAME QUARTER SILK	53
US-KG094512	KT-243600	24"x36" OPEN END FRAME QUARTER SILK	53
US-KG094612	KT-18240DWB	18"x24" OPEN END FRAME DOUBLE WHITE BOBBIN NET	53
US-KG094712	KT-24360DWB	24"x36" OPEN END FRAME DOUBLE WHITE BOBBIN NET	53
US-KG094811	KT-18240DBB	18"x24" OPEN END FRAME DOUBLE BLACK BOBBIN NET	53
US-KG094911	KT-24360DBB	24"x36" OPEN END FRAME DOUBLE BLACK BOBBIN NET	53
US-KG095012	KHS-L112	FRAME CORNER FOR PIPE 1-1/2" SCHEDULE 40 (48.3MM)	58
US-KG095112	KHS-C112	FRAME CONNECTOR 1-1/2" SCHEDULE 40 (48.3MM)	58
US-KG095212	WS-095	SCREW DRIVER SLOTTED WHANDLE	171
US-KG095311	EZ440CH-B	EZ TIE CABLE HOLDER, BLACK 38 X 400MM PER UNIT	130
US-KG095611	CL-712	"E RAY 4 LED TABLE LAMP(BLACK)W/BATTERY OPERATED & MAGNETI	171
US-KG096112	MEZ-S1605B	MEZSTRAP (16MM WIDTH X 5M LENGTH)-BLACK	129
US-KG096212	MEZ-S3005B	MEZSTRAP (30MM WIDTH X 6M LENGTH)-BLACK	129
US-KG096311	MEZ-P01B	EZ TIE PETITE, 7PCS PER PACK, BLACK	129
US-KG096413	MEZ-P01W	EZ TIE PETITE, 7PCS PER PACK, WHITE	129
US-KG096513	RS-RS2550	RATCHET STRAP, YELLOW WIDTH 25MM X 5 M (LENGTH)	64
US-KG096611	RS-RR3807	3/8" RATCHET ROPE LENGTH 7 METER	38
US-KG096911	KT-182405WB	18"x24" OPEN END FRAME SINGLE WHITE BOBBIN NET	53
US-KG097011	KT-243605WB	24"x36" OPEN END FRAME SINGLE WHITE BOBBIN BET	53
US-KG097112	KHS-E112	FRAME EAR FOR PIPE 1-1/2" SCHEDULE 40 (48.3MM)	58
US-KG097311	KSC-101	6" VACUUM SUCTION CUP WITH COMPACT COMPACT CAMERA BRACKET	133
US-KG097411	KSC-102	10" VACUUM SUCTION CUP WITH CHEESE PLATE	134
US-KG097511	KSC-130	MINI CAMERA BALL LEVELING HEAD	134
US-KG097713	MEZ-S1605R	MEZSTRAP (16MM WIDTH X 5M LENGTH)-RED	129
US-KG097813	MEZ-S1605W	MEZSTRAP (16MM WIDTH X 5M LENGTH)-WHITE	129
US-KG097913	MEZ-S1605Y	MEZSTRAP (16MM WIDTH X 5M LENGTH)-YELLOW	129
US-KG098013	MEZ-S1605BL	MEZSTRAP (16MM WIDTH X 5M LENGTH)	129
US-KG098113	MEZ-S1605G	MEZSTRAP (16MM WIDTH X 5M LENGTH)-GREEN	129
US-KG098213	MEZ-S3005R	MEZSTRAP (30MM WIDTH X 6M LENGTH)-RED	129
US-KG098313	MEZ-S3005W	MEZSTRAP (30MM WIDTH X 6M LENGTH)-WHITE	129
US-KG098413	MEZ-S3005Y	MEZSTRAP (30MM WIDTH X 6M LENGTH)-YELLOW	129
US-KG098613	MEZ-S3005G	MEZSTRAP (30MM WIDTH X 6M LENGTH)-GREEN	129
US-KG100111	KCP-100B	T.V. CLAMP - BLACK	153
US-KG100211	KCP-101	MAX ARM	103
US-KG100611	KCP-101CB	MAX ARM WITH CAMERA BRACKET	104
US-KG100811	KCP-103	MINI VERSION ARM	109
US-KG100911	KCP-101W	MAX ARM WITH WHEEL HANDLE	103
US-KG101021	KCP-101K	MAX ARM KIT INCLUDED KCP-710, CAMERA BRACKET AND BACKLITE BASE	104
US-KG101111	KCP-101QW	WHEEL HANDLE MAX ARM WITH QUICK RELEASE CAMERA BRACKET	104
US-KG101211	KCP-170	HYBRID HEAD	106
US-KG101311	KCP-172	MINI ARTICULATED ARM-DOUBLE SEC.	106
US-KG101411	KCP-173	MINI ARTICULATED ARM-SINGLE SEC.	106
US-KG101511	KCP-104	CAMERA MOUNTABLE UNIVERSAL SMARTPHONE HOLDER	109
US-KG101611	KCP-192	U-GRIP HEAD(1.9")	135
US-KG101711	KCP-194	5/8" LOCKABLE SWIVEL ROD CLAMP	136
US-KG101811	KCP-196	MULTI 5/8" RECEIVER CONNECTOR	136
US-KG101911	KCP-198	DUAL MULTIO 5/8" RECEIVER SWIVEL CONNECTOR	136
US-KG102012	KCP-190	1.9" GAG GRIP HEAD FOR 5/8" (16MM) TUBE	135
US-KG102311	KCP-110	10" ROCK'S ARM	107
US-KG102411	KCP-111	11" ROCK'S ARM	107
US-KG102711	KCP-102R	VERSION ARM	109
US-KG104511	KCP-225B	2-1/2" GRIP HEAD FOR 25MM TUBE	50
US-KG200111	KCP-253AR	UNIVERSAL GIMBAL ADAPTER W/ ARRI ROSETTE	118
US-KG200912	KCP-215	GRIP ARM SUPPORT	52
US-KG201012	KCP-216	BOOM ARM SUPPORT	52
US-KG201412	KCP-230	GRIPHEAD W/SWIVEL PIN	50
US-KG202011	KCP-260B	GRIP HEAD W/ HEX STUD - BLACK	50
US-KG202512	KCP-265	GRIP HEAD W/ HALF COUPLER	50
US-KG202711	KCP-270B	SUPER CLAMP GRIPHEAD	79
US-KG203012	KCP-200	2 1/2" GRIP HEAD W/ BIG HANDLE - SILVER	49
US-KG203111	KCP-200B	2 1/2" GRIP HEAD W/ BIG HANDLE - BLACK	49
US-KG203212	KCP-220	20" EXTENSION GRIP ARM W/ BIG HANDLE - SILVER	51
US-KG203311	KCP-220B	20" EXTENSION GRIP ARM W/ BIG HANDLE - BLACK	51
US-KG203412	KCP-240	40" EXTENSION GRIP ARM W/ BIG HANDLE - SILVER	51
US-KG203511	KCP-240B	40" EXTENSION GRIP ARM W/ BIG HANDLE - BLACK	51
US-KG203612	KCP-241B	40" GRIP ARM WITH HEX BABY PIN - BLACK	51
US-KG203711	KCP-241	40" GRIP ARM WITH HEX BABY PIN	51
US-KG203812	KCP-246	SUPER GRIP ARM	52
US-KG203911	KCP-280B	DOUBLE GAG GRIP HEAD-BLACK	50
US-KG204011	KCP-290B	GAG GRIP HEAD-BLACK	50
US-KG204112	KCP-210	GRIP HEAD W/ FIXED BABY PIN	50
US-KG204212	KCP-221	20" HEX GRIP ARAM SILVER	51
US-KG204311	KCP-221B	20" HEX GRIP ARAM BLACK	51
US-KG204611	KCP-253	TUBE MOUNTING COUPLER DIA. 25-30MM	119
US-KG204711	KCP-253BH	TUBE MOUNTING COUPLER W/ BALL HEAD FOR TUBE DIA. 25 & 30MM	119
US-KG204811	KCP-253SP	TUBE MOUNTING COUPLER DIA.25- 30MM W/ SPINDLE FOR READY RIG	119
US-KG205011	KCP-252	TUBE MOUNTING COUPLER DIA.25MM W/1/4" & 3/8" & COLD SHOE	119
US-KG215811	KCP-235	PIVOTING LIGHT STAND BOOM CLAMP FOR TUBE 20/25/30/35MM	65
US-KG300512	KCP-300	ARTICULATED ARM	105
US-KG300612	KCP-310	EZ GRIP FINGER	93
US-KG300812	KCP-320	EZ GRIP TWINS	93
US-KG300912	KCP-330	TINY CLAMP	166
US-KG301012	KCP-340	BABY PLATE W/ EZ GRIP FINGER	75
US-KG301212	KCP-346	40 CM X 25 CM FRENCH FLAG	105



US Code	Code	Description	Page
US-KG301411	KCP-350B	MINI ALI CLAMP BLACK	165
US-KG301712	KCP-350	UTILITY GLOVE GRIPPER	165
US-KG302011	KCP-360B	ALI CLAMP BLACK	165
US-KG302412	KCP-360	ALI CLAMP SILVER	165
US-KG302511	KCP-390	OFF CAMRA FLASH SPRING CLAMP	165
US-KG302711	KCP-343	FLEX ARM KIT FOR DOTS & FINGER	105
US-KG302811	KCP-344	FLEX ARM	105
US-KG302911	KCP-345	FRENCH FLAG ARM	105
US-KG303012	KCP-335	MIGHTY CLAMP	166
US-KG303111	KCP-352B	SMALL SPRING CLAMP-BLACK	165
US-KG303511	KCP-348	MULTICLIP	166
US-KG303611	KCP-354-BK	STEEL SPRING A CLAMP SET-4"	166
US-KG303711	KCP-356-BK	STEEL SPRING A CLAMP SET-6"	166
US-KG303811	KCP-359-BK	STEEL SPRING A CLAMP SET-9"	166
US-KG400212	KCP-415	OFF-SET MOUNTING PLATE W/ BABY RECEIVER (16 MM)	76
US-KG400312	KCP-417	SWIVEL MOUNTING PLATE W/ 3/8" PIN (10MM)	76
US-KG400412	KCP-414	SUPER GRIP FINGER W/ 1/4"-20 MALE THREAD & ROUND PLATE	92
US-KG400512	KCP-450	4 1/2" GRIP HEAD W/ 1 1/8" SPIGOT AND SOCKET	56
US-KG400612	KCP-411	OFF-SET FEMALE MOUNTING PLATE ADAPTER - 5/8"	98
US-KG400712	KCP-413	KINO FLUORESCENT LAMP HOLDER	102
US-KG400812	KCP-410	SUPER GRIP FINGER	92
US-KG400912	KCP-412	SUPER GRIP DOUBLE BABY RECEIVER	92
US-KG401211	KCP-433	SUPER RISER	135
US-KG401311	KCP-416	TWIST LOCK REAR MOUNTING PLATE FOR KINO FLO DOUBLE	76
US-KG401411	KCP-418	TWIST LOCK REAR MOUNTING PLATE FOR KINO 4 BANK	76
US-KG401512	KCP-419	SUPER GRIP FINGER W/ BASE	93
US-KG401612	KCP-409	SUPER GRIP FINGER WITH 10" (25.4MM) STEEL AUGER SPIKE	93
US-KG401712	KCP-440	4.5" CENTER GRIP HEAD WITH JUNIOR STUD	64
US-KG402012	KCP-402	TWIST-LOCK MOUNTING PLATE FOR DUAL FLUORESCENT T12 LAMPS	102
US-KG402212	KCP-404	TWIST-LOCK MOUNTING PLATE FOR FOUR FLUORESCENT T12 LAMPS	102
US-KG500511	KCP-500	LARGE GAFFER GRIP	74
US-KG500611	KCP-550	ADJUSTABLE GAFFER GRIP	74
US-KG600312	KCP-601-L	18" SUPER VISER CLAMP	71
US-KG600412	KCP-605	6" CHAIN CLAMP	74
US-KG600512	KCP-606	10" CHAIN CLAMP	74
US-KG600611	KCP-610	FOAMCORE FORK	164
US-KG600712	KCP-620P	PETITE CLAMP FOR 16MM (5/8") TUBE	163
US-KG600912	KCP-630	JUNIOR DROP DOWN	65
US-KG601612	KCP-640M	BABY BOOM - STEEL	61
US-KG601711	KCP-641B	PHOTO BABY BOOM - ALUMINUM	62
US-KG601812	KCP-645	PIVOTING BOOM ARM CLAMP	65
US-KG602311	KCP-611	FOAMCORE CLAMP	164
US-KG602411	KCP-614	ADJUSTABLE POLY HOLDER	164
US-KG602512	KCP-631	BABY DROP DOWN PIN	65
US-KG602612	KCP-616	DUCK BULL CLAMP	164
US-KG602712	KCP-602	SUPERB VISER CLAMP CENTER JAW	72
US-KG602811	KCP-660B	MINI VISER CLAMP 2" W/ 1/4"- 20 & 3/8"-16 FEMALE THREADED	73
US-KG602912	KCP-600	4" SUPER VISER	71
US-KG603012	KCP-601	9" SUPER VISER	71
US-KG603111	KCP-662B	MINI VISER CLAMP W/ BABY STUD	73
US-KG603211	KCP-680B	GRIP HELPER-JUNIOR BLACK	56
US-KG603311	KCP-636B	BIG BOOM	60
US-KG603411	KCP-664B	MINI SUPER VISER CLAMP W BALL HEAD	115
US-KG603511	KCP-628B	STEEL HEAVY DUTY BABY BOOM	63
US-KG603612	KCP-612	MENACE ARM KIT FOR PIPE 1-1/2" SCHEDULE 40	64
US-KG603711	KCP-621B	ALUMINUM BABY BOOM ASSEMBLY	63
US-KG603811	KCP-667B	MINI SUPERB VISER CLAMP WITH 5/8"-27 MALE THREAD	73
US-KG603912	KCP-607	SUPER VISER CLAMP 6" END JAW	72
US-KG604012	KCP-604	SUPER VISER CLAMP 2" END JAW	72
US-KG604111	KCP-646	TILT CRANK HANDLE FOR BRONCOLOR	65
US-KG604212	KCP-651	2" COUPLER W/ CAMERA MOUNTING PLATE	66
US-KG604312	KCP-653	3 AXIS CAMERA MOUNTING PLATE KIT	66
US-KG604412	KCP-632	COUPLER JUNIOR DROP DOWN	65
US-KG604611	KCP-654	2" COUPLER W/ SWIVEL MOUNTING CAMERA PLATE	134
US-KG700211	KCP-734B	SUPER CLAW BALL HEAD	114
US-KG700312	KCP-730AR	PAN BAR CLAMP TO ARRI ROSETTE(M6)	118
US-KG700511	KCP-700B	CONVI. CLAMP-BLACK	78
US-KG701212	KCP-700	CONVI. CLAMP-SILVER	78
US-KG701312	KCP-701	CONVI. CLAMP WITH TEETH-SILVER	80
US-KG701511	KCP-710B	SUPERB CLAMP WITH ADJUSTABLE HANDLE - BLACK	78
US-KG701712	KCP-710	SUPERB CLAMP WITH ADJUSTABLE HANDLE - SILVER	78
US-KG701812	KCP-712	WALL SPREADER SET FOR PIPE 1-1/2" SCHEDULE 40	73
US-KG702112	KCP-715	TOOTHY CONVI. CLAMP W/ HALF COUPLER	80
US-KG702311	KCP-720B	DOUBLE SUPERB CLAMP - BLACK	79
US-KG702512	KCP-720	DOUBLE SUPERB CLAMP - SILVER	79
US-KG702612	KCP-724	WALL SPREADER	73
US-KG702811	KCP-730B	SUPER CLAW	118
US-KG703312	KCP-705	STAGE CLAMP W/28MM SOCKET WITH LINCH PIN	151
US-KG703411	KCP-75DL	SUPERB CLAMP SADDLE	79
US-KG703512	KCP-703	STAGE CLAMP W/16MM STUD	151
US-KG703611	KCP-702	STAGE CLAMP W/13MM HOLE	151
US-KG704112	KCP-704	STAGE CLAMP W/28MM STUD	151
US-KG704511	KCP-735	BINOCLAR CLAMP	80
US-KG704812	KCP-738	SUPER CONVI CLAMP WITH ARRI PSU RAIL MOUNT	80
US-KG704912	KCP-700-PRM	PSU RAIL MOUNT ADAPTER FOR CONVI CLAMP	84
US-KG705011	KCP-700-FBP	FRONT BOX MOUNTING PLATE FOR CONVI CLAMP	122
US-KG705411	KCP-739-MAC	SUPER CONVI CLAMP WITH V-LOCK SET	117
US-KG803912	KCP-810	ARCH COUPLER	149
US-KG804011	KCP-810B	ARCH COUPLER - BLACK	149
US-KG804111	KCP-817	QUICK ACTION PIPE CLAMP	66
US-KG804211	KCP-818	ADJUSTABLE BABY SIDE CLAMP	66
US-KG804311	KCP-819	ADJUSTABLE JUNIOR SIDE ARM	66
US-KG804412	KCP-820	SLIM TYPE SWIVEL COUPLER	143
US-KG804512	KCP-828	SLIM HANDCUFF CLAMP	144
US-KG804611	KCP-828B	SLIM HANDCUFF CLAMP - BLACK	144

US Code	Code	Description	Page
US-KG805712	KCP-830	1/2 HALF TYPE COUPLER	142
US-KG805811	KCP-830B	SLIM TYPE HALF COUPLER, BLACK	142
US-KG805912	KCP-830ST	SLIM HALF COUPLERWITH STAINLESS STEEL PARTS	143
US-KG806012	KCP-831	HALF COUPLER W/M10 BOLT	142
US-KG806111	KCP-831B	HALF COUPLER W/M10 BOLT BLACK	142
US-KG806212	KCP-831ST	HALF COUPLER WITH STAINLESS STEEL PARTS	143
US-KG806312	KCP-831-T	HALF COUPLER WITH T HANDLE	142
US-KG806411	KCP-831B-T	HALF COUPLER WITH T HANDLE - BLACK	142
US-KG806512	KCP-832	SWIVEL COUPLER	143
US-KG806612	KCP-832ST	SWIVEL COUPLER, STAINLESS STEEL PARTS	144
US-KG806712	KCP-833	HALF COUPLER W/EYE RING	142
US-KG806811	KCP-833B	HALF COUPLER W/EYE RING(BLACK)	142
US-KG806912	KCP-834	HALF COUPLER W/28MM TV SPIGOT	142
US-KG807012	KCP-835	TRUSS ADAPTER	150
US-KG807112	KCP-835V	LADDER TRUSS COUPLER	150
US-KG807212	KCP-835L	LIFTING TRUSS COUPLER	150
US-KG807312	KCP-836	HALF COUPLER W/16MM STUD	143
US-KG807412	KCP-838	HANDCUFF CLAMP	144
US-KG807511	KCP-838B	HANDCUFF CLAMP - BLACK	144
US-KG807612	KCP-838-T	HANDCUFF CLAMP WITH T HANDLE	144
US-KG807711	KCP-838B-T	HANDCUFF CLAMP WITH T HANDLE - BLACK	144
US-KG807812	KCP-839	HANDCUFF CLAMP WITH STUD	145
US-KG807912	KCP-840P	HANDCUFF WITH QUICK RECEIVER	145
US-KG808011	KCP-844B	TV COUPLER - BLACK	153
US-KG808112	KCP-844	TV COUPLER - SILVER	153
US-KG808212	KCP-841	ARCH COUPLER W/28MM SOCKET	149
US-KG808312	KCP-847	TUBE/BARREL JOINDER	143
US-KG808412	KCP-850	SLIM HALF COUPLER FOR 2.5" TUBE	146
US-KG808511	KCP-860B	NUGGET COUPLER(BLACK)	149
US-KG808611	KCP-850B	SLIM HALF COUPLER FOR 2.5" TUBE - BLACK	146
US-KG808712	KCP-851	MIGHTY COUPLER FOR 2.5" TUBE	146
US-KG808811	KCP-851B	MIGHTY COUPLER FOR 2.5" TUBE - BLACK	146
US-KG808912	KCP-860	NUGGET COUPLER	149
US-KG809012	KCP-806	SIDE ARM FOR TUBE SIZE 1.25"-1.5" WITH BABY PIN AND RECEIVER	67
US-KG809712	KCP-808	BABY SIDE ARM	67
US-KG809812	KCP-809	JUNIOR SIDE ARM	67
US-KG810412	KCP-852	SWIVEL MIGHTY COUPLER FOR 60MM TO 60MM TUBE	147
US-KG810512	KCP-853	MIGHTY HALF COUPLER W/ EYE RING	146
US-KG810612	KCP-857	MIGHTY / HALF SWIVEL COUPLER FOR 2"-2.5" TUBE	150
US-KG810712	KCP-862	SWIVEL TYPE NUGGET COUPLER	149
US-KG810811	KCP-862B	SWIVEL TYPE NUGGET COUPLER - BLACK	149
US-KG810912	KCP-873	45 DEGREE COUPLER	144
US-KG811012	KCP-901	BURGER COUPLER	146
US-KG811111	KCP-901B	BURGER COUPLER-BLCK	146
US-KG811211	KCP-811BH	MINI HALF COUPLER W/BALL HEAD	121
US-KG811312	KCP-879	MONITOR ARM WITH BURGER COUPLER	172
US-KG812512	KCP-811	MINI COUPLER	121
US-KG812611	KCP-811B	MINI COUPLER - BLACK	121
US-KG812712	KCP-812	MINI COUPLER W/ EYE RING 25	150
US-KG812811	KCP-812B	MINI COUPLER W/ EYE RING 25 -BLACK	150
US-KG812912	KCP-813	ARCH COUPLER W/ EYE RING	149
US-KG813012	KCP-814	ARCH COUPLER W/28MM SPIGOT	149
US-KG813112	KCP-815	MINI SWIVEL COUPLER 25	150
US-KG813211	KCP-815B	MINI SWIVEL COUPLER25 -BLACK	150
US-KG813312	KCP-816	ARCH COUPLER W/16MM SPIGOT	149
US-KG813512	KCP-823	SLIM HALF COUPLER W/M12 RING	142
US-KG813612	KCP-824	SLIM HALF COUPLER WITH 28MM SPIGOT	142
US-KG813712	KCP-825	SLIM HANDCUFF COUPLER WITH M12 RING	145
US-KG813812	KCP-826	SLIM COUPLER WITH 16MM STUD	142
US-KG813912	KCP-827	SLIM HANDCUFF COUPLER WITH M12 RING	145
US-KG814012	KCP-828-T	SLIM HANDCUFF CLAMP WITH T HANDLE	144
US-KG814112	KCP-829	SLIM HANDCUFF COUPLER WITH 16MM STUD	145
US-KG814211	KCP-842B	SLIM TYPE HALF COUPLER W/ 16MM SOCKET	143
US-KG814312	KCP-843	HANDCUFF COUPLER WITH M12 RING	145
US-KG814412	KCP-848	HANDCUFF COUPLERWITH 28MM SPIGOT	145
US-KG814512	KCP-849	HANDCUFF COUPLER W/16MM STUD	145
US-KG814612	KCP-854	MIGHTY COUPLER W/28MM SPIGOT	147
US-KG814712	KCP-858	SLIM SWIVEL MIGHTY COUPLER FOR 60MM TO 60MM TUBE	147
US-KG814812	KCP-859	SLIM MIGHTY COUPLER W/M12 RING	147
US-KG815012	KCP-863	NUGGET COUPLER WITH M10 RING	149
US-KG815112	KCP-864	SLIM MIGHTY COUPLER WITH 28MM SPIGOT	147
US-KG815212	KCP-866	NUGGET COUPLER WITH 16MM STUD	149
US-KG815312	KCP-867	SLIM MIGHTY COUPLER WITH 16MM STUD	147
US-KG815412	KCP-868	NUGGET COUPLER, SWIVEL FOR 1.25"-1.5" TUBE TO 2" TUBE	150
US-KG815512	KCP-869	NUGGET COUPLER, SWIVEL 1.25"-1.5" TUBE TO 60MM TUBE	150
US-KG815612	KCP-874	HALF COUPLER WITH 28MM TV QUICK RECEIVER, SILVER	144
US-KG815712	KCP-875	SLIM TYPE HALF COUPLER W QUICK RELEASE	144
US-KG815812	KCP-877	MIGHTY HALF COUPLER WITH 28MM TV QUICK RECEIVER, SILVER	147
US-KG815912	KCP-878	SLIM MIGHTY HALF COUPLER WITH 28MM TV QUICK RECEIVER, SILVER	148
US-KG816012	KCP-880	SLIM HANDCUFF COUPLER FOR 60MM TUBE	148
US-KG816112	KCP-881	HANDCUFF COUPLER FOR TUBE 60MM	148
US-KG816212	KCP-882	SLIM HANCUFF CLAMP W/EYE RING FOR TUBE 60MM	148
US-KG816312	KCP-883	HANDCUFF CLAMP W/EYE RING FOR TUBE 60MM	148
US-KG816412	KCP-884	SLIM HANDCUFF CLAMP W/TV QUICK RECEIVER, FOR TUBE 60MM	148
US-KG816512	KCP-885	HANDCUFF CLAMP W/TV QUICK RECEIVER, FOR TUBE 60MM	148
US-KG816612	KCP-886	VESA SCREEN TRUSS MOUNT FOR 75/100MM VESA SPACING	173
US-KG816811	KCP-823B	SLIM HALF COUPLER W/M12 RING (BLACK)	142
US-KG816911	KCP-853B	MIGHTY HALF COUPLER W/ EYE RING - BLACK	146
US-KG817011	KCP-859B	SLIM MIGHTY COUPLER W/M12 RING(BLACK)	147
US-KG817112	KCP-856	MIGHTY HALF COUPLER W/16MM STUD	147
US-KG817211	KCP-820B	SLIM TYPE SWIVEL COUPLER - BLACK	143
US-KG817311	KCP-832B	SWIVEL COUPLER(BLACK)	143
US-KG817411	KCP-852B	SWIVEL MIGHTY COUPLER FOR 60MM TO 60MM TUBE - BLACK	147
US-KG817511	KCP-858B	SLIM SWIVEL MIGHTY COUPLER FOR 60MM TO 60MM TUBE	147
US-KG817611	KCP-880B	SLIM HANDCUFF COUPLER FOR 60MM TUBE-BLACK	148

US Code	Code	Description	Page
US-K5300312	310M	LOW MIGHTY STAND	32
US-K5300712	320M	BABY ROLLER STAND	26
US-K5300812	330M	SENIOR ROLLER STAND	26
US-K5301012	350	RUNWAY BASE STAND	21
US-K5301411	340	ROLLER STAND	22
US-K5301512	346M	JUNIOR BOOM ROLLER STNAD	24
US-K5301612	360M	ALUMINUM STUDIO STNAD	25
US-K5301712	380M	STEEL STUDIO STNAD	25
US-K5301812	382M	2SCT LOW BASE WIND-UP STNAD	24
US-K5301912	390M	STEEL COLUMN ROLLER STAND	23
US-K5302011	356	UNIVERSAL FLOOR STAND WITH 16MM SOCKET ADAPTER	23
US-K5302111	322M	MONITOR STAND	40
US-K5302211	356-A2816	28MM TO 16MM REDUCER ADAPTER	21
US-K5306212	370M	JUNIOR STUDIO STNAD	24
US-K5400212	470	FOLLOWSPOT STAND	35
US-K5401111	483BT	3 SCT. WIND-UP STAND W/ AUTO SELF-LOCKING DEVICE BLACK	35
US-K5401212	483T	3 SCT. WIND-UP STAND W/ AUTO SELF-LOCKING DEVICE	34
US-K5403212	485	HEAVY DUTY WIND UP LOW BASE STAND W/ BRAKED CASTER	36
US-K5403411	473B	TALL STAND - BLACK	33
US-K5403512	483SH	SHORT 3 SCT. WIND-UP STAND W/ AUTO SELF-LOCKING DEVICE	35
US-K5500112	542M	MASTER CINE STAND	30
US-K5500412	543M	MASTER HIGH CINE STAND	30
US-K5501211	543MB	MASTER HIGH CINE STAND BLACK	30
US-K5501311	546M	MASTER CINE K STAND	31
US-K5501411	542MB	MASTER CINE STAND (BLACK)	30
US-K5600212	600MR	HIGH OVERHEAD ROLLER STAND	55
US-K5600412	610MR	MEDIUM OVERHEAD ROLLER STAND	55
US-K5600812	620M	WIDE BASE HIGH OVERHEAD STAND	56
US-K5601312	653M	STEEL SENIOR STAND	33
US-K5703312	CS-20M	MASTER 20" C STAND W/ SLIDING LEGS	46
US-K5703411	CS-20MB	MASTER 20" C STAND W/ SLIDING LEGS (BLACK)	46
US-K5703512	CS-40M	MASTER 40" C STAND W/ SLIDING LEGS	46
US-K5703611	CS-40MB	MASTER 40" C STAND W/ SLIDING LEGS (BLACK)	46
US-K5703712	CS-20MK	20" C STAND W/ SLIDING LEG KITS (SILVER)	47
US-K5703811	CS-20MKB	20" C STAND W/ SLIDING LEG KITS (BLACK)	47
US-K5703912	CS-40MK	40" C STAND W/ SLIDING LEG KITS (SILVER)	47
US-K5704011	CS-40MKB	40" C STAND W/ SLIDING LEG KITS (BLACK)	47
US-K5704112	CT-20M	MASTER 20" C STAND W/ TURTLE BASE	43
US-K5704211	CT-20MB	MASTER 20" C STAND W/ TURTLE BASE (BLACK)	43
US-K5704312	CT-40M	MASTER 40" C STAND W/ TURTLE BASE	43
US-K5704411	CT-40MB	MASTER 40" C STAND W/ TURTLE BASE (BLACK)	43
US-K5704512	CT-20MK	20" C STAND W/ TURTLE BASE KITS (SILVER)	44
US-K5704611	CT-20MKB	20" C STAND W/ TURTLE BASE KITS (BLACK)	44
US-K5704712	CT-40MK	40" C STAND W/ TURTLE BASE KITS (SILVER)	44
US-K5704811	CT-40MKB	40" C STAND W/ TURTLE BASE KITS (BLACK)	44
US-K5704912	CT-20M-TUBE	EXTENSION COLUMN (MAX. 147CM)	70
US-K5705011	CT-20MB-TUBE	EXTENSION COLUMN (MAX. 147CM)-BLACK	70
US-K5705112	CT-40M-TUBE	EXTENSION COLUMN (MAX. 302CM)-BLACK	70
US-K5705211	CT-40MB-TUBE	EXTENSION COLUMN (MAX. 302CM)	70
US-K5705312	CT-BS	CENTURY STAND BASE(SILVER)	45
US-K5705411	CT-BSB	CENTURY STAND BASE(BLACK)	45
US-K5705512	CT-SBS	COMPACT CENTURY STAND BASE(SILVER)	45
US-K5705611	CT-SBSB	COMPACT CENTURY STAND BASE(BLACK)	45
US-K5706112	756	JUMBO CRANKING STAND WITH AUTOMATIC LOCKING DEVICE	38
US-K5707412	CL-40M	KUPO 40IN MASTER C-STAND WITH SLIDING LEG & QUICK-RELEASE SYSTEM (SILVER)	48
US-K5707511	CL-40MB	KUPO 40IN MASTER C-STAND WITH SLIDING LEG & QUICK-RELEASE SYSTEM (BLACK)	48
US-K5707612	CL-40MK	KUPO 40IN MASTER C-STAND WITH SLIDING LEG & QUICK-RELEASE SYSTEM	48
US-K5707711	CL-40MKB	KUPO 40IN MASTER C-STAND WITH SLIDING LEG & QUICK-RELEASE SYSTEM	48
US-K5900111	KCP-629B	ALUMINUM BABY HANDHELD BOOM STICK	62
US-K5940322	KC-080R	DIA. 80MM CASTER W/BRAKE, W/ROUND ADAPTER, SET FOR THREE	59
US-K5940422	KC-080S	DIA. 80MM CASTER W/BRAKE, W/SQUARE ADAPTER, SET FOR THREE	59
US-K5940612	KC-100G	DIA. 100MM CASTER W/BRAKE, W/30MM SQUARE ADAPTER, SET FOR THREE	59
US-K5940712	KC-100S	DIA. 100MM CASTER W/BRAKE, W/25.4MM SQUARE ADAPTER, SET FOR THREE	59
US-K5940912	KC-100	DIA. 100MM CASTER W/BRAKE, SET FOR THREE	59
US-K5941312	KC-150	DIA. 150MM CASTER W/BRAKE,(SET FOR THREE)	59
US-K5941412	KC-215S	PNEUMATIC WHEEL WITH SQUARE SPEED ADAPTER 215MM CASTER W/ BRAKES	59
US-K5941612	KC-100M	DIA. 100MM CASTER W/BRAKE, W/25MM SQUARE PLATE, SET FOR THREE	59

NEVER LET GO

www.kupogrip.com.tw

Vol.2022.01

KUPO CO., LTD (Headquarters)

Tel : +886-2-2999-1906

Fax: +886-2-2999-1955

E-mail: grip@kupo.com.tw

**6F, No 4, Lane 609, Sec.5, Chung Shin Rd., San Chung District,
New Taipei City 24159, Taiwan**

MAC Group (USA Exclusive Distributor)

Tel: 914-347-3300

Email: info@kupogrip.com

Address: 75 Virginia Road, White Plains, NY 10603 USA

Note: Whilst every effort has been made to ensure the accuracy of the information/material contained within this catalogue, Kupo does not accept any liability for errors or omissions. Specifications and technical data are provided for guidance purposes only. To improve products, we reserve the right to make any variation in design or construction to the equipment description without prior notice.

