

Irideon" FPZ



Lighting with distinction

Source Four quality performance in a sleek, powerful design








Irideon™ FPZ combines the optics and features of Source Four® excellence into an elegant, streamlined exterior, perfect for museums, lobbies, and retail environments.


Truly a Source Four fixture at heart, Irideon FPZ takes the best of the Source Four Mini design and carries it to the next level. What sets it apart? Lockable three-plane shutters, zoom optics, and the ability to dim using either DMX or a local dimming knob on the DataTrack® adapter. But the beam is the real beauty; Irideon FPZ is 33 percent brighter than Source Four Mini LED and every bit as pleasing to the eye with a wide selection of models with various color temperatures. FPZ ships with an integrated track fitting for use with ETC's DataTrack system (or Eutrac® in 230V markets).

In the end, you get the flexibility you need to create the beautiful light you want, from a sleek, integrated design that doesn't dominate your space.

Built on the Source Four platform, Irideon FPZ is packed with additional features and a beam that is 33% brighter than Source Four Mini LED.







More than you expect

- Over 800 lumens, 33% brighter than Source Four Mini LED
- Lockable, three-plane shutters
- Zoom optics, 25-50 degrees
- DMX or locally dimmed

The Source Four touch

- Exceptional optics, beam, and brightness
- Rotating barrel, pattern slot, and integrated media frame
- Backed by ETC's award-winning service and support

Tailored to your needs

- Offered in black, white, silver, or custom colors
- Available in 3000K, 3000K Gallery (90+ CRI), 4000K, and 5000K LED color temperature models
- 120V and 230V versions
- Operates with ETC's DataTrack distribution system

Museums

Retail stores

Restaurants


Lobbies

Theaters

8.47in 215mm Rugged, die-cast Integrated Built-in zoom optics fixture body media holder (25-50 degrees) Long-life dimmable white LED source 4.38in 2.97in 75mm 111mm 11.14in 283mm

DataTrack® mount with built-in

intensity trim and DMX control



www.etcconnect.com/irideon



Corporate Headquarters = 3031 Pleasant View Rd, PO Box 620979, Middleton WI 53562 0979 USA = Tel +1 608 831 4116

London, UK ■ Unit 26-28, Victoria Industrial Estate, Victoria Road, London W3 6UU, UK ■ Tel +44 (0) 20 8896 1000

Rome, IT • Via Pieve Torina, 48, 00156 Rome, Italy • Tel +39 (06) 32 111 683

Holzkirchen, DE ■ Ohmstrasse 3, 83607 Holzkirchen, Germany ■ Tel +49 (80 24) 47 00-0

Hong Kong ■ Room 1801, 18/F, Tower 1 Phase 1, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong ■ Tel +852 2799 1220

Web • www.etcconnect.com • Copyright©2016 ETC. All Rights Reserved. All product information and specifications subject to change. 7191L1002 Rev A 02/16