



GE  
Lighting

997  
kWh/1000h

C  
energy class

25  
lumens/watt



## Single Ended Halogen

CP70 FVA 240V

# 88471

### Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W  
-Range of bases to meet the needs of OEMs -  
Chromised seal protection up to 500° C.


### Application areas



Film and Broadcast



Theatre



## Product data

|                             |                       |
|-----------------------------|-----------------------|
| Product Code                | 88471                 |
| Bulb Shape                  | Tubular               |
| Bulb Diameter [mm]          | 23                    |
| Maximum Overall Length [mm] | 105                   |
| Light Center Length [mm]    | 55                    |
| Net weight per piece [g]    | 43                    |
| Gross weight per piece [g]  | 150                   |
| Brand                       | General Electric (GE) |
| Cap/Base                    | GX9.5                 |

## Performance data

|   |       |
|---|-------|
| Weighted energy consumption [kWh/1000h]         | 996.8 |
| Energy efficiency class (EEC)                   | C     |
| Rated Life [h]                                  | 200   |
| Nominal correlated colour temperature (CCT) [K] | 3200  |
| Nominal lumens [lm]                             | 25000 |
| Colour Rendering Index (CRI) [Ra]               | 100   |

## Electrical data

|                          |       |
|--------------------------|-------|
| Coil type                | C-13D |
| Dimming Capability       | Yes   |
| Ballast Required         | No    |
| Nominal power [W]        | 1000  |
| Nominal lamp voltage [V] | 240   |

## Logistic data

|                          |                      |
|--------------------------|----------------------|
| DUN Code                 | 10043168884713       |
| EAN Code                 | 0043168884716        |
| Pack Quantity            | 12                   |
| Inner pack type          | BOX                  |
| Outer pack type          | OUTER BOX            |
| Layer quantity           | 144 EUR, 180 UK      |
| Layer quantity EUR       | 144                  |
| Layer quantity UK        | 180                  |
| Pallet quantity EUR (PC) | 1152                 |
| Pallet quantity UK (PC)  | 1440                 |
| Outer case size          | 190 x 350 x 126 (mm) |
| Product status           | Available            |

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination