


<b>Universe</b>	Professional
<b>Type</b>	Verticality
<b>Category</b>	Mobile fall arresters
<b>Subcategory</b>	Mobile fall arresters




## ASAP®

With its unique locking system, the ASAP sets the standard in fall protection for workers at height. In normal use, the device moves freely along the rope without any manual intervention and follows the user in all his/her movements. In case of shock or sudden acceleration, the ASAP locks on the rope and stops the user. Depending on use, the ASAP may also be combined with an ASAP'SORBBER or ASAP'SORBBER AXESS energy absorber to work at a distance from the rope.



In normal use, the ASAP mobile fall arrester moves freely along the rope to accompany the user in all his movements.



In case of a sudden movement (fall, slide, uncontrolled descent...), the fall arrester locks on the rope and stops the user.

---

**Short Description** Mobile fall arrester

---

**Selling Points**

- Constant fall protection:
  - arrests falls, slides, and uncontrolled descents
  - works on vertical or angled rope
  - locks on the rope even if grabbed during the fall
- Simple to use, and effective:
  - moves up or down the rope, without any manual manipulation of the device
  - easy to install and remove at any point on the rope
  - may be combined with an energy absorber to work at a distance from the rope: ASAP'SORBBER or ASAP'SORBBER AXESS. The latter can be used for loads of up to 250 kg in two-person rescue situations
- Certified to European and Russian standards when used with an OK TRIACT-LOCK carabiner
- Certified to North American standards when used with a Bm'D or OXAN TRIACT-LOCK (international version) carabiner

---

**Specification**

- Material(s): aluminum, stainless steel
  - Weight: 295g
  - Certification(s): CE EN 12841 type A when used with an OK TRIACT-LOCK carabiner and an EN 1891 type A, 10-13 mm rope. An ASAP'SORBBER or ASAP'SORBBER AXESS energy absorber can be used when needed
  - Certification(s): CE EN 353-2 when used with an OK TRIACT-LOCK carabiner and an ASAP'AXIS 11 mm rope. An ASAP'SORBBER or ASAP'SORBBER AXESS energy absorber can be used when needed
  - Certification(s): EAC when used with an OK TRIACT-LOCK carabiner and an EN 1891 type A, 10-13 mm rope. An ASAP'SORBBER or ASAP'SORBBER AXESS energy absorber can be used when needed
  - Certification(s): ANSI Z359.15 when used with an ASAP'SORBBER or ASAP'SORBBER AXESS energy absorber, a Bm'D or OXAN TRIACT-LOCK (international version) carabiner, a CAPTIV positioning bar, and a RAY 12 mm rope
-

**Specifications by reference**

<b>Reference(s)</b>	<b>B070AA00</b>
Made in	FR
Guarantee	3 years
Packing	1
Case quantity	8
EAN	3342540830745

---

**Accessory(ies)**      ASAP'SORBER  
                                 ASAP'SORBER AXESS

---

**Related product(s)**      OK  
                                 Bm'D  
                                 OXAN  
                                 ASAP'AXIS 11 mm  
                                 RAY 12 mm  
                                 CAPTIV