

---

*7x 50 W RGBWA-UV Spot*

---

EAN: 8717748620712



---

The Cameleon Zoom Spot 7Q6 Tour is an LED Spot with seven 50-watt RGBWA-UV LEDs. It has a motorised zoom range from 6° to 45° and features 0-100 % dimmer control and 0-20 Hz strobe effects. With preprogrammed colours, built-in colour macros and 4 selectable dimming curves, it's easy to use. Adjustable PWM frequencies allow flicker-free filming too. The fixture can be controlled with DMX (incl. RDM) or operated in Auto or Master/Slave modes. Manual control is also possible using the OLED display and touch buttons. The fixture, the 3-pin XLR and the Seetronic Power Pro True connectors are all IP65 rated, making the Cameleon Zoom Spot 7Q6 Tour suitable for outdoor use too.

**Special features:**

---

- 7x 50 W RGBWA-UV LED Spot
- IP65 rated
- Motorised zoom range 6°-45°
- Dimmer and strobe function
- DMX/RDM, Manual, Auto and Master/Slave control

## Specifications:

---

### Source

Light Source Type	LED
Light Source Quantity	7
Light Source Power	50 W
LED Colour Type	RGBWAUV
Luminous Flux (Total)	3285 lm

### Optical

Zoom Type	Motorised
Zoom Minimum	6°
Zoom Maximum	34°

### Control and Programming

Control Mode	Auto / DMX / Manual / Master Slave
DMX Channels	7 / 10 / 13 / 15 / 21
Protocols	DMX / RDM
Display	OLED

### Dynamic Effects

Dimmer	0-100 %
Strobe	0-20 Hz

### Electrical Specifications and Connections

Power Supply	100-240 V AC 50/60 Hz
Power Consumption	220 W
Power Connector In	Power Pro True
Power Connector Out	Power Pro True
DMX Connector	XLR 3P In/Out
DMX Connector In	XLR 3P
DMX Connector Out	XLR 3P

### Mechanical Specifications

Length (mm)	252 mm
Width (mm)	184 mm
Height (mm)	264 mm
Weight	8.4 kg
IP Rating	IP65
Housing	Aluminium die-cast
Colour	Black

### Thermal Specifications

Maximum Ambient Temperature	40°C
Minimum Operating Temperature	-5°C

### Product Properties

Cooling	Convection
---------	------------

### Included Items

Included Cables	Power Pro True Cable
-----------------	----------------------

Included Rigging

Quick-Lock Bracket